



# PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.  
 Tel: +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660  
 Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :



## PRICE-LIST

W. E. F. :  
 24th NOVEMBER 2022  
 LP NO. 7/2022-23

# 7

### POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-1990. (Rate per 100 Meters)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE																																																																																									
0.50	16/0.2	05	1010	3035	4030	5050	6585	7750	8650	10100	12500	14600	17200	19200	22200	28300																																																																																									
0.75	24/0.2	08	1460	4140	5480	6925	9065	10900	12200	14300	17700	20900	24300	27500	31800	40600																																																																																									
1.00	32/0.2	13	1905	5080	6855	8860	11600	14000	15500	18100	22200	26300	30600	34800	41200	52000																																																																																									
1.50	30/0.25	17	2700	6725	9335	12400	16300	19400	21700	25400	30800	36800	42700	48800	57700	72600																																																																																									
2.50	50/0.25	24	4465	10800	14800	19900	25800	31000	35700	40600	50900	59800	70100	80100	94800	118600																																																																																									
4.00	56/0.3	30	6880	16200	22900	30200	41600	50000	56800	65800	-----	-----	-----	-----	-----	-----																																																																																									
6.00	84/0.3	38	10200	23700	33800	44000	60700	<b>POLYCAB UNARMoured SCREENED CABLES • (Rate Per 100 Mtrs.)</b> <table border="1"> <thead> <tr> <th rowspan="2">CORES</th> <th>16/.20 MM.</th> <th>24/.20 MM.</th> <th>32/.20 MM.</th> <th>48/.20 MM.</th> <th>80/.20 MM.</th> </tr> <tr> <th>0.5 Sq. Mm.</th> <th>0.75 Sq. Mm.</th> <th>1.0 Sq. Mm.</th> <th>1.5 Sq. Mm.</th> <th>2.5 Sq. Mm.</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>8540</td> <td>10400</td> <td>11700</td> <td>14400</td> <td>21900</td> </tr> <tr> <td>3</td> <td>9350</td> <td>12800</td> <td>16000</td> <td>19800</td> <td>29100</td> </tr> <tr> <td>4</td> <td>12300</td> <td>16000</td> <td>19500</td> <td>24300</td> <td>36800</td> </tr> <tr> <td>5</td> <td>14700</td> <td>19200</td> <td>22200</td> <td>29600</td> <td>49400</td> </tr> <tr> <td>6</td> <td>16600</td> <td>21900</td> <td>25600</td> <td>34700</td> <td>55300</td> </tr> <tr> <td>7</td> <td>17900</td> <td>25100</td> <td>29100</td> <td>38400</td> <td>62700</td> </tr> <tr> <td>8</td> <td>20800</td> <td>29900</td> <td>33100</td> <td>44300</td> <td>65400</td> </tr> <tr> <td>10</td> <td>26200</td> <td>32800</td> <td>44100</td> <td>55500</td> <td>72900</td> </tr> <tr> <td>12</td> <td>29900</td> <td>37100</td> <td>47300</td> <td>62700</td> <td>85400</td> </tr> <tr> <td>14</td> <td>32800</td> <td>44100</td> <td>55300</td> <td>75000</td> <td>102800</td> </tr> <tr> <td>16</td> <td>35200</td> <td>51300</td> <td>62200</td> <td>82500</td> <td>121000</td> </tr> <tr> <td>19</td> <td>41900</td> <td>60900</td> <td>73400</td> <td>102800</td> <td>156200</td> </tr> <tr> <td>24</td> <td>50700</td> <td>67800</td> <td>92100</td> <td>126000</td> <td>195700</td> </tr> </tbody> </table>									CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.	0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.	2	8540	10400	11700	14400	21900	3	9350	12800	16000	19800	29100	4	12300	16000	19500	24300	36800	5	14700	19200	22200	29600	49400	6	16600	21900	25600	34700	55300	7	17900	25100	29100	38400	62700	8	20800	29900	33100	44300	65400	10	26200	32800	44100	55500	72900	12	29900	37100	47300	62700	85400	14	32800	44100	55300	75000	102800	16	35200	51300	62200	82500	121000	19	41900	60900	73400	102800	156200	24	50700	67800	92100	126000	195700
CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.																																																																																																				
	0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.																																																																																																				
2	8540	10400	11700	14400	21900																																																																																																				
3	9350	12800	16000	19800	29100																																																																																																				
4	12300	16000	19500	24300	36800																																																																																																				
5	14700	19200	22200	29600	49400																																																																																																				
6	16600	21900	25600	34700	55300																																																																																																				
7	17900	25100	29100	38400	62700																																																																																																				
8	20800	29900	33100	44300	65400																																																																																																				
10	26200	32800	44100	55500	72900																																																																																																				
12	29900	37100	47300	62700	85400																																																																																																				
14	32800	44100	55300	75000	102800																																																																																																				
16	35200	51300	62200	82500	121000																																																																																																				
19	41900	60900	73400	102800	156200																																																																																																				
24	50700	67800	92100	126000	195700																																																																																																				
10.00	80/0.4	52	17700	40200	57600	75400	103100	<b>3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS</b> <table border="1"> <thead> <tr> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> </tr> </thead> <tbody> <tr> <td>1.50</td> <td>10000</td> <td>16.00</td> <td>91100</td> </tr> <tr> <td>2.50</td> <td>15800</td> <td>25.00</td> <td>145600</td> </tr> <tr> <td>4.00</td> <td>23000</td> <td>35.00</td> <td>199800</td> </tr> <tr> <td>6.00</td> <td>34000</td> <td>50.00</td> <td>-----</td> </tr> <tr> <td>10.00</td> <td>59000</td> <td>-----</td> <td>-----</td> </tr> </tbody> </table>									SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.	1.50	10000	16.00	91100	2.50	15800	25.00	145600	4.00	23000	35.00	199800	6.00	34000	50.00	-----	10.00	59000	-----	-----																																																																	
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.																																																																																																						
1.50	10000	16.00	91100																																																																																																						
2.50	15800	25.00	145600																																																																																																						
4.00	23000	35.00	199800																																																																																																						
6.00	34000	50.00	-----																																																																																																						
10.00	59000	-----	-----																																																																																																						
16.00	126/0.4	70	28400	63900	91900	120000	159900																																																																																																		
25.00	196/0.4	88	44400	103000	146900	193400	260700																																																																																																		
35.00	276/0.4	110	61700	142100	204600	267400	360500																																																																																																		
50.00	396/0.4	145	87400	203500	288700	380700	524100																																																																																																		
70.00	354/0.5	215	122700	283500	402300	535400	722900																																																																																																		
95.00	484/0.5	260	167400	<b>3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS</b> <table border="1"> <thead> <tr> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> </tr> </thead> <tbody> <tr> <td>1.50</td> <td>10000</td> <td>16.00</td> <td>91100</td> </tr> <tr> <td>2.50</td> <td>15800</td> <td>25.00</td> <td>145600</td> </tr> <tr> <td>4.00</td> <td>23000</td> <td>35.00</td> <td>199800</td> </tr> <tr> <td>6.00</td> <td>34000</td> <td>50.00</td> <td>-----</td> </tr> <tr> <td>10.00</td> <td>59000</td> <td>-----</td> <td>-----</td> </tr> </tbody> </table>													SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.	1.50	10000	16.00	91100	2.50	15800	25.00	145600	4.00	23000	35.00	199800	6.00	34000	50.00	-----	10.00	59000	-----	-----																																																																	
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.																																																																																																						
1.50	10000	16.00	91100																																																																																																						
2.50	15800	25.00	145600																																																																																																						
4.00	23000	35.00	199800																																																																																																						
6.00	34000	50.00	-----																																																																																																						
10.00	59000	-----	-----																																																																																																						
120.00	608/0.5	305	217700																																																																																																						
150.00	750/0.5	355	269800																																																																																																						
185.00	925/0.5	415	333100																																																																																																						
240.00	1210/0.5	500	434000																																																																																																						
300.00	1527/0.5	585	541300																																																																																																						
400.00	2036/0.5	695	720700																																																																																																						

### POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2225.00	23/38	1585.00	0.50 Sq. mm.	2365.00	1.5 Sq. mm.	6155.00
40/36	3475.00	40/38	2440.00	0.75 Sq. mm.	3400.00	2.0 Sq. mm.	8210.00
70/36	4790.00	70/38	3995.00	1.00 Sq. mm.	4475.00	2.5 Sq. mm.	10930.00

### CCTV CABLES

(Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	4140.00
4 + 1	4530.00

### LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	13500.00





# PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.  
 Tel:+91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660  
 Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com



<b>PRICE-LIST</b> W. E. F. : <b>24th NOVEMBER 2022</b> LP NO. 7/2022-23	<b>7</b>
--	----------

## POLYCAB INDUSTRIAL CABLES (MULTISTRAND) PRICE-LIST W.E.F. : 24th NOVEMBER 2022 • LP NO. 7/2022-23

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	4395	-----	4530	-----	4760
1.00	-----	5765	-----	5935	-----	6190
1.50	-----	8485	-----	8740	-----	9120
2.50	-----	13770	-----	14195	-----	14805
4.00	13945	-----	14375	-----	15005	-----
6.00	20865	-----	21490	-----	22435	-----
10.00	37110	-----	38210	-----	39865	-----
16.00	58255	-----	59975	-----	62595	-----

### Flexible copper conductor TPR insulated WELDING CABLES 1100 V as per IS : 9857

Conductor Area SQ. MM.	(AMP)	Rate Per Meter	Conductor Area SQ. MM.	(AMP)	Rate Per Meter
16.00	120	375.00	50.00	400	1122.00
25.00	160	559.00	70.00	600	1563.00
35.00	230	784.00	95.00	700	2115.00

### POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES (RATE PER METER)

No. of Pair & Size	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.	JELLY FILLED CABLES	
				As per DOT Specification	
1 Pair	8.80	12.50	-----	PRICE-LIST W.E.F. : 1st AUGUST 2022 LP NO. 4/2022-23	
2 Pair	15.80	22.80	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
3 Pair	23.80	32.40	-----	108.00	158.00
4 Pair	29.80	42.75	-----	170.00	252.00
5 Pair	38.80	53.50	126.00	-----	367.00
10 Pair	-----	107.00	239.00	-----	791.00
20 Pair	-----	211.00	380.00	-----	1676.00
50 Pair	-----	528.00	-----	-----	3080.00
100 Pair	-----	1044.00	-----	-----	-----
200 Pair	-----	-----	-----	-----	-----

## POLYCAB FRLS INSULATED SINGLE CORE

Unsheathe Industrial Flexible Cable conforming to IS 694: 1990 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

### POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:1990.

SIZE SQ. MM.	Number/Nom. Dia of Conductor (No./dia mm)	(Amps)	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1050	3265	4335	5435
0.75	24/.2	8	1515	4445	5900	7445
1	32/.2	13	1970	5460	7375	9530
1.5	30/.25	17	2790	7065	9745	13100
2.5	50/.25	24	4625	11300	15600	21100
4	56/.3	30	7120	17000	24100	31600
6	84/.3	38	10600	24800	35300	46200
10	80/.4	52	18100	42100	60400	79200
16	126/.4	70	29500	67100	94600	128200
25	196/.4	88	46000	108200	154300	203000
35	276/.4	110	63800	149200	214900	280800
50	396/.4	145	90400	213700	303300	399700
70	354/.5	215	127000	297700	422500	562100
95	484/.5	260	173200	-----	588900	789000
120	608/.5	305	225400	-----	751800	990600
150	750/.5	355	279100	-----	949900	1252300
185	925/.5	415	344800	-----	1142800	1516100
240	1210/.5	500	449300	-----	1506200	1992500
300	1527/.5	585	560200	-----	1873000	2420500
400	2036/.5	695	745800	-----	2497200	3229100

### CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (Rate Per Mtr.)
RG-59	2850	8695	-----
RG-06	3585	10935	105.00
RG-11	7900	24095	160.00
RG-06 CCS	1970	6010	-----
RG-11 CCS	4250	12965	-----

**TERMS & CONDITIONS :** (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.





# PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.  
Tel: +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660  
Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :



**PRICE-LIST**  
W. E. F. :  
23rd NOVEMBER 2022  
LP NO. 7/2022-23

# 7

## PRICE-LIST W.E.F. 1st AUGUST 2022 • LP No. 2/2022-23

### OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	120	0.75	140	1	156	1.5	186	2.5	256
PAIR	2	0.5	176	0.75	211	1	243	1.5	302	2.5	434
PAIR	3	0.5	211	0.75	264	1	316	1.5	403	2.5	599
PAIR	4	0.5	252	0.75	321	1	387	1.5	507	2.5	760
PAIR	5	0.5	292	0.75	379	1	462	1.5	613	2.5	931
PAIR	6	0.5	337	0.75	440	1	535	1.5	715	2.5	1086
PAIR	7	0.5	370	0.75	482	1	601	1.5	825	2.5	1238
PAIR	8	0.5	414	0.75	550	1	680	1.5	915	2.5	1403
PAIR	10	0.5	496	0.75	654	1	819	1.5	1115	2.5	1712
PAIR	12	0.5	562	0.75	764	1	964	1.5	1306	2.5	2040
PAIR	14	0.5	618	0.75	857	1	1083	1.5	1510	2.5	2323
PAIR	16	0.5	705	0.75	944	1	1222	1.5	1685	2.5	2639
PAIR	19	0.5	802	0.75	1116	1	1424	1.5	1970	2.5	3093
PAIR	24	0.5	1002	0.75	1402	1	1773	1.5	2477	2.5	3887
TRAIID	1	0.5	146	0.75	176	1	199	1.5	246	2.5	340
QUAD	1	0.5	168	0.75	204	1	236	1.5	293	2.5	419

## PRICE-LIST W. E. F. 24th NOVEMBER 2022 • LP No. 7/2022-23

### POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	5210.00	6680.00	7740.00	10100.00	15500.00
3	6840.00	8540.00	10400.00	13900.00	21900.00
4	8010.00	10700.00	13100.00	17600.00	27500.00
5	9610.00	12800.00	16000.00	21100.00	33400.00
6	10900.00	14700.00	18700.00	25600.00	40100.00
7	12000.00	16600.00	20600.00	28600.00	47500.00
8	13600.00	18700.00	23500.00	32600.00	52900.00

#### TERMS & CONDITIONS :

(1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.





# PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.  
 Tel: +91 22 4922 4200/2208 5153 Fax : +91 22 2208 2660  
 Email : prabhatcables@gmail.com • info@prabhatcables.com  
 Website : www.prabhatcables.com



AUTH. DISTRIBUTORS :



**PRICE LIST**  
**PVC/XLPE ARMoured CABLES**  
 W. E. F. : 1st AUGUST 2022  
 LP NO. 02/2022-23

**2**

**XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988**

**COPPER ARMoured CABLES • 2XWY/2XFY**

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	152.00	208.00	4	273.00	366.00	461.00
3	184.00	270.00	6	373.00	506.00	652.00
4	227.00	339.00	10	594.00	813.00	1038.00
5	272.00	395.00	16	797.00	1170.00	1507.00
6	320.00	477.00				
7	357.00	522.00	<b>CROSS SECTION IN SQ. MM.</b>	<b>3 CORE</b>	<b>3.5 CORE</b>	<b>4 CORE</b>
8	435.00	590.00	25	1782.00	2143.00	2348.00
10	492.00	740.00	35	2468.00	2800.00	3246.00
12	540.00	850.00	50	3400.00	3937.00	4482.00
14	615.00	961.00	70	4798.00	5640.00	6665.00
16	690.00	1091.00	95	6620.00	7552.00	8657.00
19	819.00	1308.00	120	8158.00	9970.00	11012.00
24	1025.00	1638.00	150	10120.00	11500.00	13300.00
27	1110.00	2036.00	185	12700.00	14830.00	16870.00
30	1257.00	2365.00	240	16500.00	19080.00	21740.00
37	1700.00	2752.00	300	20470.00	24000.00	27662.00
44	2113.00	3315.00	400	27000.00	30900.00	35400.00
61	3084.00	4720.00				

**XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988**

**ALUMINIUM ARMoured CABLES • A2XWY/A2XFY**

Cross Section in SQ. MM.	ALUMINIUM ARMoured CABLES • A2XWY/A2XFY				
	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	117.00	125.00	-----	145.00
4	-----	128.00	145.00	-----	170.00
6	-----	168.00	181.00	-----	217.00
10	-----	197.00	231.00	-----	262.00
16	139.00	201.00	239.00	-----	313.00
25	181.00	265.00	324.00	382.00	406.00
35	215.00	311.00	426.00	460.00	520.00
50	260.00	395.00	549.00	620.00	692.00
70	333.00	554.00	738.00	827.00	942.00
95	370.00	665.00	905.00	1051.00	1154.00
120	447.00	810.00	1150.00	1311.00	1436.00
150	526.00	1016.00	1338.00	1518.00	1710.00
185	644.00	1213.00	1684.00	1948.00	2160.00
240	818.00	1552.00	2146.00	2463.00	2770.00
300	1006.00	1891.00	2654.00	3056.00	3495.00
400	1269.00	2327.00	3422.00	3866.00	4410.00

**H. T. XLPE ARMoured ALUMINIUM CABLES RATE PER METER**

Cond.	Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3	x 35	1051.00	-----	-----
3	x 50	1236.00	-----	-----
3	x 70	1480.00	-----	-----
3	x 95	1712.00	2373.00	3100.00
3	x 120	2030.00	2634.00	3400.00
3	x 150	2348.00	3009.00	3800.00
3	x 185	2710.00	3360.00	4155.00
3	x 240	3270.00	4060.00	4826.00
3	x 300	3870.00	4600.00	5340.00
3	x 400	4829.00	5450.00	6400.00

**NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.**