



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel: +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :



PRICE-LIST

W. E. F. :
 1st JULY 2021
 LP NO. 4/2021-22

4

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-1990.

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE					
0.50	16/0.2	05	1055	3135	4095	5135	6805	7675	8600	10000	12400	14600	17100	19200	22500	29200					
0.75	24/0.2	08	1525	4200	5560	7005	9575	10900	12200	14200	17700	20900	24400	27500	32000	41400					
1.00	32/0.2	13	2005	5190	6985	8930	12300	13900	15700	18000	22300	26200	30900	35200	41200	53900					
1.50	30/0.25	17	2900	6840	9530	12500	17300	19100	21700	25100	30700	36800	42600	48800	57600	74000					
2.50	50/0.25	24	4670	11100	15300	20200	27400	30900	35500	40800	50900	59800	69800	79900	94800	120600					
4.00	56/0.3	30	7185	17200	24100	31600	40600	48200	55400	64100	-----	-----	-----	-----	-----	-----					
6.00	84/0.3	38	10700	23600	35200	46000	60000	POLYCAB UNARMoured SCREENED CABLES • (Rate Per 100 Mtrs.)													
10.00	80/0.4	52	19000	40600	60100	78300	103900										CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.
16.00	126/0.4	70	29500	67300	92800	120300	166900		0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.								
25.00	196/0.4	88	46200	104500	146500	193500	262100	2	9000	10000	11600	14400	21000								
35.00	276/0.4	110	64400	144800	205200	270000	362600	3	10600	12400	14400	19100	28100								
50.00	396/0.4	145	91300	217100	294500	384500	526600	4	12500	15500	18900	23600	36000								
70.00	354/0.5	215	132600	288100	413900	546100	727000	5	15600	20500	25000	28600	42800								
95.00	484/0.5	260	175400	3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS				6	16900	22100	26600	32800	51800								
120.00	608/0.5	305	225100	SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.	7	18500	24300	28400	38800	54900								
150.00	750/0.5	355	278800	1.50	10200	16.00	93200	8	21600	28100	36300	45200	67500								
185.00	925/0.5	415	344400	2.50	16500	25.00	145900	10	25100	33500	42100	55100	81900								
240.00	1210/0.5	500	452700	4.00	24100	35.00	201300	12	28400	38300	46900	60100	91400								
300.00	1527/0.5	585	560900	6.00	35500	50.00	-----	14	33100	46900	60800	80900	109400								
400.00	2036/0.5	695	746100	10.00	60000	-----	-----	16	37600	60400	64700	88900	127100								
								19	45200	70500	77600	106700	158300								
								24	52300	76000	90500	132700	189200								

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)								CCTV CABLES		LAN COMPUTER CABLES	
(Rate per 90 Meters)								(Rate Per 90 Mtrs. Coil)			
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	ITEM 4 PAIR	UTP
23/36	2005.00	23/38	1450.00	0.50 Sq. mm.	2105.00	1.5 Sq. mm.	5645.00	3 + 1	4355.00		UNARMoured (RATE PER COIL OF 305 MTR.)
40/36	3225.00	40/38	2330.00	0.75 Sq. mm.	3065.00	2.0 Sq. mm.	7470.00	4 + 1	4890.00	CAT-6	12790.00
70/36	5615.00	70/38	3760.00	1.00 Sq. mm.	4020.00	2.5 Sq. mm.	9285.00				



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel: +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :
POLYCAB
 WIRES & CABLES

PRICE-LIST

W. E. F. :
1st JULY 2021
 LP NO. 4/2021-22

4

POLYCAB INDUSTRIAL CABLES (MULTISTRAND) PRICE-LIST Dt. : 23rd JUNE 2021 • LP NO. 4/2021-22

CONDUCTOR AREA SQ. MM.	FR 90 Mtrs. Coil	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	1200	-----	4205	-----	4355	-----	4890
1.00	1625	-----	5510	-----	5705	-----	6050
1.50	2370	-----	8110	-----	8390	-----	8765
2.50	3735	-----	13175	-----	13635	-----	14035
4.00	5460	13350	-----	13825	-----	14610	-----
6.00	8165	19965	-----	20660	-----	21795	-----
10.00	14355	35490	-----	36725	-----	38750	-----
16.00	21230	55720	-----	57665	-----	61160	-----

Flexible copper conductor TPR insulated WELDING CABLES 1100 V as per IS : 9857

Conductor Area SQ. MM.	(AMP)	Rate Per Meter	Conductor Area SQ. MM.	(AMP)	Rate Per Meter
16.00	120	368.00	50.00	400	1106.00
25.00	160	549.00	70.00	600	1543.00
35.00	230	774.00	95.00	700	2088.00

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES (RATE PER METER)

No. of Pair & Size	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.	JELLY FILLED CABLES	
	As per DOT Specification				
	Unarmoured 0.5 MM.	Armoured 0.5 MM.		Unarmoured 0.5 MM.	Armoured 0.5 MM.
1 Pair	8.75	12.10	-----		
2 Pair	13.70	20.25	100.00		
3 Pair	19.80	30.45	-----		
4 Pair	25.10	40.25	-----		
5 Pair	32.55	47.90	154.00	76.00	127.00
10 Pair	65.95	97.90	225.00	130.00	197.00
20 Pair	131.95	194.70	300.00	231.00	310.00
50 Pair	-----	475.00	-----	534.00	627.00
100 Pair	-----	999.00	-----	1026.00	1167.00
200 Pair	-----	-----	-----	2015.00	2293.00

POLYCAB FRLS INSULATED SINGLE CORE Unsheathed Industrial Flexible Cable conforming to IS 694: 1990 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

RATE PER 100 METERS

SIZE SQ. MM.	Number/Nom. Dia of Conductor (No./dia mm)	(Amps)	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1090	3370	4400	5520
0.75	24/.2	8	1580	4515	5975	7530
1	32/.2	13	2075	5580	7510	9600
1.5	30/.25	17	3000	7185	10000	13100
2.5	50/.25	24	4830	11700	16100	21200
4	56/.3	30	7435	18100	25300	33200
6	84/.3	38	11100	24800	37000	48300
10	80/.4	52	19700	42600	63100	82200
16	126/.4	70	30500	70700	97400	126300
25	196/.4	88	47800	109700	153800	203200
35	276/.4	110	66700	152000	215500	283500
50	396/.4	145	94500	228000	309200	403700
70	354/.5	215	137200	302500	434600	573400
95	484/.5	260	181500	-----	574000	756800
120	608/.5	305	233000	-----	734500	969200
150	750/.5	355	288600	-----	1012600	1335400
185	925/.5	415	356500	-----	1218400	1615600
240	1210/.5	500	468500	-----	1606600	2126300
300	1527/.5	585	580500	-----	1998300	2531200
400	2036/.5	695	772200	-----	2664400	3341700

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:1990.

CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (Rate Per Mtr.)
RG-59	2740	8360	-----
RG-06	2850	8695	87.00
RG-11	5320	16225	154.00
RG-06 CCS	1550	4730	-----
RG-11 CCS	3360	10250	-----

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel:+91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :



PRICE-LIST

W. E. F. :
1st JULY 2021
LP NO. 4/2021-22

4

PRICE-LIST POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with AI (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	105	0.75	121	1	136	1.5	163	2.5	223
PAIR	2	0.5	153	0.75	185	1	213	1.5	263	2.5	375
PAIR	3	0.5	185	0.75	230	1	275	1.5	345	2.5	510
PAIR	4	0.5	220	0.75	280	1	338	1.5	443	2.5	663
PAIR	5	0.5	255	0.75	330	1	400	1.5	535	2.5	812
PAIR	6	0.5	293	0.75	380	1	465	1.5	625	2.5	943
PAIR	7	0.5	323	0.75	420	1	525	1.5	720	2.5	1080
PAIR	8	0.5	360	0.75	475	1	590	1.5	798	2.5	1215
PAIR	10	0.5	433	0.75	570	1	715	1.5	973	2.5	1495
PAIR	12	0.5	490	0.75	640	1	833	1.5	1140	2.5	1760
PAIR	14	0.5	540	0.75	748	1	945	1.5	1318	2.5	2028
PAIR	16	0.5	615	0.75	825	1	1068	1.5	1470	2.5	2305
PAIR	19	0.5	700	0.75	975	1	1243	1.5	1720	2.5	2700
PAIR	24	0.5	875	0.75	1223	1	1548	1.5	2163	2.5	3393
TRAIID	1	0.5	127	0.75	153	1	173	1.5	214	2.5	296
QUAD	1	0.5	147	0.75	177	1	206	1.5	256	2.5	365

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	5530	6840	7520	9700	15000
3	7080	9070	10200	13300	21000
4	8625	11100	12800	17000	28000
5	10500	13600	15900	21300	34200
6	12000	15900	18800	25400	40800
7	13400	17900	21100	28600	46300
8	15400	20200	23900	32500	52900

TERMS & CONDITIONS :

(1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.




PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel: +91 22 4922 4200/2208 5153 Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com
 Website : www.prabhatcables.com



AUTH. DISTRIBUTORS :



PRICE LIST
PVC/XLPE ARMoured CABLES
 W. E. F. : 17th AUGUST 2021
 LP NO. 02/2021-22



XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	125.00	176.00	4	229.00	301.00	390.00
3	159.00	218.00	6	314.00	421.00	568.00
4	193.00	272.00	10	497.00	679.00	855.00
5	234.00	327.00	16	688.00	965.00	1265.00
6	262.00	387.00				
			CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	290.00	438.00	25	1536.00	1788.00	1974.00
8	336.00	503.00	35	2073.00	2377.00	2926.00
10	406.00	574.00	50	2872.00	3325.00	3810.00
12	450.00	672.00	70	4159.00	4860.00	5669.00
14	515.00	799.00	95	5763.00	6721.00	7661.00
16	572.00	901.00	120	7375.00	8725.00	9760.00
19	670.00	1032.00	150	8457.00	10619.00	12396.00
24	839.00	1295.00	185	11366.00	13414.00	15260.00
27	931.00	1447.00	240	14884.00	17384.00	19848.00
30	1024.00	1624.00	300	18664.00	21730.00	24851.00
37	1246.00	1990.00	400	25206.00	29072.00	33867.00
44	1514.00	2459.00				
61	2067.00	3353.00				

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	96.00	108.00	-----	125.00
4	-----	110.00	126.00	-----	146.00
6	-----	129.00	149.00	-----	172.00
10	-----	157.00	188.00	-----	202.00
16	106.00	178.00	194.00	-----	240.00
25	139.00	208.00	261.00	302.00	322.00
35	164.00	257.00	339.00	373.00	411.00
50	199.00	317.00	444.00	482.00	548.00
70	254.00	424.00	571.00	648.00	736.00
95	275.00	543.00	719.00	815.00	929.00
120	333.00	649.00	856.00	1014.00	1142.00
150	392.00	781.00	1058.00	1181.00	1382.00
185	479.00	943.00	1296.00	1495.00	1737.00
240	625.00	1225.00	1639.00	1903.00	2176.00
300	769.00	1494.00	2049.00	2315.00	2699.00
400	970.00	1837.00	2621.00	2978.00	3403.00

H. T. XLPE ARMoured ALUMINIUM CABLES RATE PER METER

Cond.	Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3	x 35	842.00	-----	-----
3	x 50	966.00	-----	-----
3	x 70	1148.00	-----	-----
3	x 95	1374.00	1904.00	2516.00
3	x 120	1586.00	2154.00	2762.00
3	x 150	1778.00	2407.00	3051.00
3	x 185	2077.00	2714.00	3379.00
3	x 240	2499.00	3185.00	3852.00
3	x 300	2964.00	3662.00	4350.00
3	x 400	3620.00	4393.00	5062.00

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.