



# PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.  
 Tel: +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660  
 Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :



## PRICE-LIST

W. E. F. :  
 3rd MAY 2021  
 LP NO. 2/2021-22

# 2

### POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-1990.

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	05	1030	3090	4040	5070	7015	7450	8660	10200	12300	14400	16900	19100	22200	30100
0.75	24/0.2	08	1490	4140	5490	6910	9870	10500	12000	14100	17400	20600	23800	27200	31800	42700
1.00	32/0.2	13	1955	5070	6830	8735	12700	13100	15100	17800	22000	26100	30200	34500	40800	55600
1.50	30/0.25	17	2835	6815	9500	12400	17800	18600	21600	25700	30600	36300	42500	48300	57000	76300
2.50	50/0.25	24	4560	10800	15000	19700	28200	29700	34400	41100	49000	58700	68300	77800	91200	124300
4.00	56/0.3	30	7015	16300	22900	30000	41900	45400	52400	62400	-----	-----	-----	-----	-----	-----
6.00	84/0.3	38	10500	23800	33700	44100	61900	<b>POLYCAB UNARMoured SCREENED CABLES • (Rate Per 100 Mtrs.)</b>								
10.00	80/0.4	52	18200	41900	57600	75000	107100									
16.00	126/0.4	70	28300	69400	91000	118100	172100	CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.			
25.00	196/0.4	88	44300	107700	143500	189600	270200		0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.			
35.00	276/0.4	110	61700	149300	201000	264500	373800	2	9200	10200	11800	14700	21400			
50.00	396/0.4	145	87500	223800	288600	376800	542900	3	10800	12700	14700	19500	28700			
70.00	354/0.5	215	127100	297000	405600	535100	749500	4	12800	15800	19300	24100	36700			
95.00	484/0.5	260	168200	<b>3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS</b>				5	15900	20900	25500	29200	43700			
120.00	608/0.5	305	215800					6	17200	22600	27100	33500	52900			
150.00	750/0.5	355	267300	SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.	7	18900	24800	29000	39600	56000			
185.00	925/0.5	415	330100	1.50	9330	16.00	95900	8	22000	28700	37000	46100	68900			
240.00	1210/0.5	500	434000	2.50	15800	25.00	155500	10	25600	34200	43000	56200	83600			
300.00	1527/0.5	585	554300	4.00	23400	35.00	212800	12	29000	39100	47900	61300	93300			
400.00	2036/0.5	695	739200	6.00	33600	50.00	-----	14	33800	47900	62000	82500	111600			
				10.00	60000	-----	-----	16	38400	61600	66000	90700	129700			
								19	46100	71900	79200	108900	161500			
								24	53400	77600	92300	135400	193100			

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE) (Rate per 90 Meters)								CCTV CABLES (Rate Per 90 Mtrs. Coil)		LAN COMPUTER CABLES	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	ITEM 4 PAIR	UTP
23/36	2090.00	23/38	1635.00	0.50 Sq. mm.	1985.00	1.5 Sq. mm.	5180.00	3 + 1	4545.00		CAT-6
40/36	3315.00	40/38	2540.00	0.75 Sq. mm.	2885.00	2.0 Sq. mm.	7995.00	4 + 1	5095.00		
70/36	5740.00	70/38	4010.00	1.00 Sq. mm.	3570.00	2.5 Sq. mm.	8240.00				12475



# PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.  
 Tel: +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660  
 Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com



## PRICE-LIST

W. E. F. :  
 3rd MAY 2021  
 LP NO. 2/2021-22

# 2

### POLYCAB INDUSTRIAL CABLES (MULTISTRAND) PRICE-LIST Dt. : 1st APRIL 2021 • LP NO. 1/2021-22

CONDUCTOR AREA SQ. MM.	FR 90 Mtrs. Coil	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	1165	-----	3965	-----	4105	-----	4610
1.00	1580	-----	5350	-----	5540	-----	5875
1.50	2305	-----	7790	-----	8060	-----	8420
2.50	3630	-----	12825	-----	13275	-----	13665
4.00	5310	12650	-----	13100	-----	13850	-----
6.00	7940	18720	-----	19375	-----	20440	-----
10.00	13960	33365	-----	34525	-----	36430	-----
16.00	20645	52305	-----	54130	-----	57410	-----

### Flexible copper conductor TPR insulated WELDING CABLES 1100 V as per IS : 9857

Conductor Area SQ. MM.	(AMP)	Rate Per Meter	Conductor Area SQ. MM.	(AMP)	Rate Per Meter
16.00	120	375.00	50.00	400	1125.00
25.00	160	560.00	70.00	600	1568.00
35.00	230	788.00	95.00	700	2118.00

### POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES (RATE PER METER)

No. of Pair & Size	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.	JELLY FILLED CABLES	
				As per DOT Specification	
	Unarmoured 0.5 MM.	Armoured 0.5 MM.		Unarmoured 0.5 MM.	Armoured 0.5 MM.
1 Pair	8.35	11.55	-----		
2 Pair	13.70	20.40	100.00		
3 Pair	18.95	29.30	-----		
4 Pair	24.25	38.50	-----		
5 Pair	31.25	45.80	154.00	76.00	127.00
10 Pair	63.85	93.50	225.00	130.00	197.00
20 Pair	118.85	184.80	300.00	231.00	310.00
50 Pair	-----	462.00	-----	534.00	627.00
100 Pair	-----	970.00	-----	1026.00	1167.00
200 Pair	-----	-----	-----	2015.00	2293.00

### POLYCAB FRLS INSULATED SINGLE CORE Unsheathed Industrial Flexible Cable conforming to IS 694:1990 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

#### RATE PER 100 METERS

SIZE SQ. MM.	Number/Nom. Dia of Conductor (No./dia mm)	(Amps)	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1065	3325	4345	5450
0.75	24/.2	8	1540	4450	5900	7430
1	32/.2	13	2025	5450	7345	9400
1.5	30/.25	17	2935	7150	10000	13000
2.5	50/.25	24	4720	11300	15800	20700
4	56/.3	30	7260	17100	24000	31500
6	84/.3	38	10900	25000	35400	46300
10	80/.4	52	18800	44000	60500	78800
16	126/.4	70	29300	72900	95600	124000
25	196/.4	88	45900	113100	150700	199100
35	276/.4	110	63900	156800	211100	277700
50	396/.4	145	90600	235000	303000	395600
70	354/.5	215	131500	311900	425900	561900
95	484/.5	260	174100	-----	562100	743400
120	608/.5	305	223400	-----	751300	970700
150	750/.5	355	276700	-----	984800	1298800
185	925/.5	415	341700	-----	1185000	1571300
240	1210/.5	500	449200	-----	1562500	2068000
300	1527/.5	585	573700	-----	1943500	2461800
400	2036/.5	695	765100	-----	2591300	3250000

### POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:1990.

#### CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMOURD (100 MTRS.)	UNARMOURD (305 MTRS.)	ARMOURD. (100 MTRS.)
RG-59	2665	8130	?
RG-06	2880	8785	79500
RG-11	5500	16775	140500
RG-06 CCS	1610	4910	?
RG-11 CCS	3300	10065	?

**TERMS & CONDITIONS :** (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



# PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.  
Tel:+91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660  
Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :



## PRICE-LIST

W. E. F. :  
3rd MAY 2021  
LP NO. 2/2021-22

# 2

### PRICE-LIST POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with AI (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

### POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)

#### OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	105	0.75	121	1	136	1.5	163	2.5	223
PAIR	2	0.5	153	0.75	185	1	213	1.5	263	2.5	375
PAIR	3	0.5	185	0.75	230	1	275	1.5	345	2.5	510
PAIR	4	0.5	220	0.75	280	1	338	1.5	443	2.5	663
PAIR	5	0.5	255	0.75	330	1	400	1.5	535	2.5	812
PAIR	6	0.5	293	0.75	380	1	465	1.5	625	2.5	943
PAIR	7	0.5	323	0.75	420	1	525	1.5	720	2.5	1080
PAIR	8	0.5	360	0.75	475	1	590	1.5	798	2.5	1215
PAIR	10	0.5	433	0.75	570	1	715	1.5	973	2.5	1495
PAIR	12	0.5	490	0.75	640	1	833	1.5	1140	2.5	1760
PAIR	14	0.5	540	0.75	748	1	945	1.5	1318	2.5	2028
PAIR	16	0.5	615	0.75	825	1	1068	1.5	1470	2.5	2305
PAIR	19	0.5	700	0.75	975	1	1243	1.5	1720	2.5	2700
PAIR	24	0.5	875	0.75	1223	1	1548	1.5	2163	2.5	3393
TRIAID	1	0.5	127	0.75	153	1	173	1.5	214	2.5	296
QUAD	1	0.5	147	0.75	177	1	206	1.5	256	2.5	365

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	6000.00	7250.00	8100.00	10400.00	16000.00
3	7500.00	9500.00	10800.00	14100.00	22200.00
4	9100.00	11800.00	13500.00	18000.00	28800.00
5	11000.00	14500.00	16800.00	21800.00	35300.00
6	12800.00	17000.00	19800.00	26300.00	42500.00
7	14300.00	18800.00	22500.00	30000.00	50000.00
8	16300.00	21800.00	25500.00	34000.00	56000.00

#### TERMS & CONDITIONS :

(1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.




# PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.  
 Tel: +91 22 4922 4200/2208 5153 Fax : +91 22 2208 2660  
 Email : prabhatcables@gmail.com • info@prabhatcables.com  
 Website : www.prabhatcables.com



AUTH. DISTRIBUTORS :



**PRICE LIST**  
**PVC/XLPE ARMoured CABLES**  
 W. E. F. : 1st MAY 2021  
 LP NO. 02/2021-22

**2**

**XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988**

**COPPER ARMoured CABLES • 2XWY/2XFY**

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	125.00	176.00	4	229.00	301.00	390.00
3	159.00	218.00	6	314.00	421.00	568.00
4	193.00	272.00	10	497.00	679.00	855.00
5	234.00	327.00	16	688.00	965.00	1265.00
6	262.00	387.00				
			CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	290.00	438.00	25	1536.00	1788.00	1974.00
8	336.00	503.00	35	2073.00	2377.00	2926.00
10	406.00	574.00	50	2872.00	3260.00	3810.00
12	450.00	672.00	70	4077.00	4718.00	5558.00
14	515.00	799.00	95	5763.00	6525.00	7548.00
16	572.00	901.00	120	7375.00	8725.00	9760.00
19	670.00	1032.00	150	8457.00	10211.00	11393.00
24	839.00	1295.00	185	10877.00	13087.00	14235.00
27	931.00	1447.00	240	14450.00	16400.00	18903.00
30	1024.00	1624.00	300	17775.00	20500.00	23668.00
37	1246.00	1990.00	400	24006.00	27954.00	32881.00
44	1514.00	2459.00				
61	2067.00	3353.00				

**XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988**

**ALUMINIUM ARMoured CABLES • A2XWY/A2XFY**

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	91.00	102.00	-----	118.00
4	-----	104.00	119.00	-----	138.00
6	-----	122.00	141.00	-----	162.00
10	-----	148.00	177.00	-----	191.00
16	100.00	168.00	183.00	-----	226.00
25	131.00	196.00	246.00	285.00	304.00
35	155.00	242.00	320.00	352.00	388.00
50	188.00	299.00	419.00	455.00	517.00
70	240.00	400.00	539.00	611.00	694.00
95	252.00	512.00	678.00	769.00	852.00
120	314.00	612.00	808.00	957.00	1048.00
150	370.00	737.00	998.00	1114.00	1268.00
185	452.00	890.00	1223.00	1410.00	1594.00
240	558.00	1156.00	1546.00	1795.00	1996.00
300	687.00	1409.00	1880.00	2170.00	2476.00
400	866.00	1733.00	2473.00	2766.00	3210.00

**H. T. XLPE ARMoured ALUMINIUM CABLES RATE PER METER**

Cond.	Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3	x 35	794.00	-----	-----
3	x 50	911.00	-----	-----
3	x 70	1083.00	-----	-----
3	x 95	1296.00	1796.00	2374.00
3	x 120	1496.00	2032.00	2606.00
3	x 150	1677.00	2271.00	2878.00
3	x 185	1959.00	2560.00	3188.00
3	x 240	2358.00	3005.00	3634.00
3	x 300	2796.00	3455.00	4104.00
3	x 400	3415.00	4144.00	4775.00

**NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.**