



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :
POLYCAB
 IDEAS. CONNECTED.

PRICE-LIST
 W. E. F. :
1st December 2023
 LDC LP No. 05/2023-24

05

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010.

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE																																																																																									
0.50	16/0.2	05	1102	3000	4115	5270	6620	7915	8860	10600	13100	15300	17700	20100	23400	29500																																																																																									
0.75	24/0.2	08	1567	4015	5550	7230	9330	11225	12700	14900	18500	21800	25300	28800	33900	42400																																																																																									
1.00	32/0.2	13	1998	5030	7185	9190	12050	14400	16300	19200	23700	28000	32800	37400	43800	55000																																																																																									
1.50	30/0.25	17	2890	6855	9760	12850	16275	20100	22800	26300	33200	39200	46000	53300	62100	79400																																																																																									
2.50	50/0.25	24	4755	11300	15600	20900	27000	32400	37100	44100	54500	65500	75700	86600	100500	129800																																																																																									
4.00	56/0.3	30	7430	16600	23900	31300	42500	51000	61400	-----	-----	-----	-----	-----	-----	-----																																																																																									
6.00	84/0.3	38	11000	24300	35200	46400	62600	POLYCAB UNARMOURED SCREENED CABLES • (Rate Per 100 Mtrs.) <table border="1"> <thead> <tr> <th rowspan="2">CORES</th> <th>16/.20 MM.</th> <th>24/.20 MM.</th> <th>32/.20 MM.</th> <th>48/.20 MM.</th> <th>80/.20 MM.</th> </tr> <tr> <th>0.5 Sq. Mm.</th> <th>0.75 Sq. Mm.</th> <th>1.0 Sq. Mm.</th> <th>1.5 Sq. Mm.</th> <th>2.5 Sq. Mm.</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>9100</td> <td>11100</td> <td>12600</td> <td>15300</td> <td>23400</td> </tr> <tr> <td>3</td> <td>10700</td> <td>13700</td> <td>17100</td> <td>21200</td> <td>31100</td> </tr> <tr> <td>4</td> <td>13100</td> <td>17100</td> <td>20900</td> <td>26100</td> <td>39300</td> </tr> <tr> <td>5</td> <td>16600</td> <td>20600</td> <td>23700</td> <td>31600</td> <td>52800</td> </tr> <tr> <td>6</td> <td>17700</td> <td>23400</td> <td>27400</td> <td>37100</td> <td>59200</td> </tr> <tr> <td>7</td> <td>19100</td> <td>26900</td> <td>31100</td> <td>41000</td> <td>67000</td> </tr> <tr> <td>8</td> <td>22200</td> <td>31900</td> <td>35400</td> <td>47400</td> <td>69900</td> </tr> <tr> <td>10</td> <td>28000</td> <td>35100</td> <td>47200</td> <td>59400</td> <td>78100</td> </tr> <tr> <td>12</td> <td>31900</td> <td>39700</td> <td>50500</td> <td>67000</td> <td>91400</td> </tr> <tr> <td>14</td> <td>35100</td> <td>47200</td> <td>59200</td> <td>80100</td> <td>109800</td> </tr> <tr> <td>16</td> <td>37600</td> <td>54800</td> <td>66500</td> <td>88400</td> <td>129200</td> </tr> <tr> <td>19</td> <td>44900</td> <td>65000</td> <td>78500</td> <td>109800</td> <td>167000</td> </tr> <tr> <td>24</td> <td>54100</td> <td>72500</td> <td>98500</td> <td>134700</td> <td>209300</td> </tr> </tbody> </table>									CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.	0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.	2	9100	11100	12600	15300	23400	3	10700	13700	17100	21200	31100	4	13100	17100	20900	26100	39300	5	16600	20600	23700	31600	52800	6	17700	23400	27400	37100	59200	7	19100	26900	31100	41000	67000	8	22200	31900	35400	47400	69900	10	28000	35100	47200	59400	78100	12	31900	39700	50500	67000	91400	14	35100	47200	59200	80100	109800	16	37600	54800	66500	88400	129200	19	44900	65000	78500	109800	167000	24	54100	72500	98500	134700	209300
CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.																																																																																																				
	0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.																																																																																																				
2	9100	11100	12600	15300	23400																																																																																																				
3	10700	13700	17100	21200	31100																																																																																																				
4	13100	17100	20900	26100	39300																																																																																																				
5	16600	20600	23700	31600	52800																																																																																																				
6	17700	23400	27400	37100	59200																																																																																																				
7	19100	26900	31100	41000	67000																																																																																																				
8	22200	31900	35400	47400	69900																																																																																																				
10	28000	35100	47200	59400	78100																																																																																																				
12	31900	39700	50500	67000	91400																																																																																																				
14	35100	47200	59200	80100	109800																																																																																																				
16	37600	54800	66500	88400	129200																																																																																																				
19	44900	65000	78500	109800	167000																																																																																																				
24	54100	72500	98500	134700	209300																																																																																																				
10.00	80/0.4	52	19000	41800	61000	79800	107700	3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS <table border="1"> <thead> <tr> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> </tr> </thead> <tbody> <tr> <td>1.50</td> <td>8550</td> <td>16.00</td> <td>77570</td> </tr> <tr> <td>2.50</td> <td>13260</td> <td>25.00</td> <td>121240</td> </tr> <tr> <td>4.00</td> <td>19545</td> <td>35.00</td> <td>167800</td> </tr> <tr> <td>6.00</td> <td>28815</td> <td>50.00</td> <td>-----</td> </tr> <tr> <td>10.00</td> <td>50150</td> <td>-----</td> <td>-----</td> </tr> </tbody> </table>									SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.	1.50	8550	16.00	77570	2.50	13260	25.00	121240	4.00	19545	35.00	167800	6.00	28815	50.00	-----	10.00	50150	-----	-----																																																																	
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.																																																																																																						
1.50	8550	16.00	77570																																																																																																						
2.50	13260	25.00	121240																																																																																																						
4.00	19545	35.00	167800																																																																																																						
6.00	28815	50.00	-----																																																																																																						
10.00	50150	-----	-----																																																																																																						
16.00	126/0.4	70	29900	66100	96100	126600	165300																																																																																																		
25.00	196/0.4	88	47300	107900	156400	206600	294900																																																																																																		
35.00	276/0.4	110	66100	150300	217200	287100	403900																																																																																																		
50.00	396/0.4	145	95400	213400	309400	408500	584600																																																																																																		
70.00	354/0.5	215	134800	303100	429200	567400	799300																																																																																																		
95.00	484/0.5	260	177900	3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS <table border="1"> <thead> <tr> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> </tr> </thead> <tbody> <tr> <td>1.50</td> <td>8550</td> <td>16.00</td> <td>77570</td> </tr> <tr> <td>2.50</td> <td>13260</td> <td>25.00</td> <td>121240</td> </tr> <tr> <td>4.00</td> <td>19545</td> <td>35.00</td> <td>167800</td> </tr> <tr> <td>6.00</td> <td>28815</td> <td>50.00</td> <td>-----</td> </tr> <tr> <td>10.00</td> <td>50150</td> <td>-----</td> <td>-----</td> </tr> </tbody> </table>				SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.	1.50	8550	16.00	77570	2.50	13260	25.00	121240	4.00	19545	35.00	167800	6.00	28815	50.00	-----	10.00	50150	-----	-----																																																																										
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.																																																																																																						
1.50	8550	16.00	77570																																																																																																						
2.50	13260	25.00	121240																																																																																																						
4.00	19545	35.00	167800																																																																																																						
6.00	28815	50.00	-----																																																																																																						
10.00	50150	-----	-----																																																																																																						
120.00	608/0.5	305	227900																																																																																																						
150.00	750/0.5	355	285600																																																																																																						
185.00	925/0.5	415	348400																																																																																																						
240.00	1210/0.5	500	454700																																																																																																						
300.00	1527/0.5	585	569200																																																																																																						
400.00	2036/0.5	695	758200																																																																																																						

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	1675.00	23/38	1125.00	0.50 Sq. mm.	1695.00	1.5 Sq. mm.	4500.00
40/36	2555.00	40/38	1875.00	0.75 Sq. mm.	2450.00	2.0 Sq. mm.	6980.00
70/36	3460.00	70/38	2550.00	1.00 Sq. mm.	3030.00	2.5 Sq. mm.	7470.00

CCTV CABLES (Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	3300.00
4 + 1	3600.00

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMOURED (RATE PER COIL OF 305 MTR.)
CAT-6	11200.00



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com



AUTH. DISTRIBUTORS :
POLYCAB
 IDEAS. CONNECTED.

PRICE-LIST	05
W. E. F. :	
1st December 2023	
LDC LP No. 05/2023-24	

POLYCAB INDUSTRIAL CABLES (MULTISTRAND) PRICE-LIST Dt. : 6th NOVEMBER 2023 • LP NO. 11/2023-24

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	4635	-----	4780	-----	5025
1.00	-----	6080	-----	6260	-----	6520
1.50	-----	8945	-----	9210	-----	9615
2.50	-----	14515	-----	14955	-----	15610
4.00	14920	-----	15375	-----	16055	-----
6.00	22320	-----	23000	-----	24010	-----
10.00	39115	-----	40265	-----	42015	-----
16.00	61395	-----	63210	-----	65965	-----

Flexible copper conductor TPR insulated WELDING CABLES 1100 V as per IS : 9857

Conductor Area SQ. MM.	(AMP)	Rate Per Meter	Conductor Area SQ. MM.	(AMP)	Rate Per Meter
16.00	120	370.00	50.00	400	1119.00
25.00	160	573.00	70.00	600	1553.00
35.00	230	788.00	95.00	700	2060.00

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES (RATE PER METER)

No. of Pair & Size	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.	JELLY FILLED CABLES	
				As per DOT Specification	
			Unarmoured 0.5 MM.	Armoured 0.5 MM.	
1 Pair	6.60	9.20	-----		
2 Pair	11.65	16.50	-----		
3 Pair	17.10	24.45	-----		
4 Pair	22.00	32.25	-----		
5 Pair	27.00	40.00	129.00	110.00	161.00
10 Pair	-----	78.00	244.00	173.00	257.00
20 Pair	-----	150.00	388.00	-----	374.00
50 Pair	-----	390.00	-----	-----	807.00
100 Pair	-----	763.25	-----	-----	1710.00
200 Pair	-----	-----	-----	-----	3142.00

POLYCAB FRLS INSULATED SINGLE CORE Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

RATE PER 100 METERS

SIZE SQ. MM.	Number/Nom. Dia of Conductor (No./dia mm)	(Amps)	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1128	3190	4300	5455
0.75	24/.2	8	1603	4255	5790	7470
1	32/.2	13	2029	5265	7440	9470
1.5	30/.25	17	2915	7135	10060	13100
2.5	50/.25	24	4795	11700	16000	21300
4	56/.3	30	7488	17100	24300	31900
6	84/.3	38	11100	25000	35900	47100
10	80/.4	52	19100	42800	61900	81100
16	126/.4	70	30500	67600	98100	129200
25	196/.4	88	47800	110100	159500	210600
35	276/.4	110	66700	153300	221600	292900
50	396/.4	145	96300	217700	315600	416700
70	354/.5	215	136200	309200	437600	578800
95	484/.5	260	179700	-----	620300	818300
120	608/.5	305	230200	-----	787600	1039700
150	750/.5	355	288400	-----	984600	1299600
185	925/.5	415	351900	-----	1212600	1602700
240	1210/.5	500	459300	-----	1565300	2072100
300	1527/.5	585	574800	-----	1953300	2586700
400	2036/.5	695	765800	-----	2602600	3426200

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS : 694:2010.

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (100 MTRS.)
RG-59	2030	6190	
RG-06	2555	7790	83950
RG-11	5810	17720	130985
RG-06 CCS	1650	5025	
RG-11 CCS	3320	10115	

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE-LIST	05
W. E. F. :	
1th December 2023	
LDC LP No. 05/2023-24	

PRICE-LIST POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with AI (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	124	0.75	144	1	161	1.5	192	2.5	264
PAIR	2	0.5	181	0.75	217	1	250	1.5	311	2.5	447
PAIR	3	0.5	217	0.75	272	1	325	1.5	415	2.5	617
PAIR	4	0.5	260	0.75	331	1	399	1.5	522	2.5	783
PAIR	5	0.5	301	0.75	390	1	476	1.5	631	2.5	959
PAIR	6	0.5	347	0.75	453	1	551	1.5	736	2.5	1119
PAIR	7	0.5	381	0.75	496	1	619	1.5	850	2.5	1275
PAIR	8	0.5	426	0.75	567	1	700	1.5	942	2.5	1445
PAIR	10	0.5	511	0.75	674	1	844	1.5	1148	2.5	1763
PAIR	12	0.5	579	0.75	787	1	993	1.5	1345	2.5	2101
PAIR	14	0.5	637	0.75	883	1	1115	1.5	1555	2.5	2393
PAIR	16	0.5	726	0.75	972	1	1259	1.5	1736	2.5	2718
PAIR	19	0.5	826	0.75	1149	1	1467	1.5	2029	2.5	3186
PAIR	24	0.5	1032	0.75	1444	1	1826	1.5	2551	2.5	4004
TRAIID	1	0.5	150	0.75	181	1	205	1.5	253	2.5	350
QUAD	1	0.5	173	0.75	210	1	243	1.5	302	2.5	432

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	4920	6230	7480	9735	15250
3	6060	8225	9975	13200	21200
4	7530	9970	12700	17000	26700
5	9230	12465	15200	20700	33900
6	10700	14200	17700	24900	40700
7	11700	16500	20500	27900	48100
8	13200	17900	22900	31400	53600

TERMS & CONDITIONS :
(1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel: +91 22 4922 4200/2208 5153 Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com
 Website : www.prabhatcables.com

ESTD : 1958



AUTH. DISTRIBUTORS :
POLYCAB
 IDEAS. CONNECTED.

PRICE LIST

PVC/XLPE ARMOURED CABLES
 W. E. F. : 1st December 2023
 PCC LP No. 05/2022-23



XLPE ARMOURED Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMOURED CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	177.00	243.00	4	330.00	442.00	557.00
3	215.00	315.00	6	451.00	611.00	788.00
4	265.00	395.00	10	718.00	982.00	1290.00
5	317.00	469.00	16	1000.00	1468.00	1890.00
6	373.00	556.00				
			CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	416.00	631.00	25	2235.00	2688.00	2945.00
8	536.00	727.00	35	3096.00	3512.00	4072.00
10	606.00	912.00	50	4265.00	4939.00	5622.00
12	665.00	1047.00	70	6019.00	7075.00	8361.00
14	758.00	1184.00	95	8897.00	10150.00	11635.00
16	850.00	1344.00	120	10964.00	13400.00	14800.00
19	1009.00	1611.00	150	13601.00	15456.00	17875.00
24	1263.00	2018.00	185	17069.00	19932.00	22673.00
27	1392.00	2508.00	240	22176.00	25644.00	29219.00
30	1549.00	2914.00	300	27512.00	32256.00	37178.00
37	2094.00	3390.00	400	36288.00	41530.00	47578.00
44	2603.00	4084.00				
61	3799.00	5815.00				

XLPE ARMOURED Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMOURED CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	139.00	148.00	-----	172.00
4	-----	152.00	172.00	-----	202.00
6	-----	199.00	215.00	-----	258.00
10	-----	251.00	274.00	-----	311.00
16	156.00	255.00	284.00	-----	372.00
25	203.00	298.00	364.00	429.00	456.00
35	242.00	349.00	479.00	530.00	600.00
50	292.00	444.00	620.00	710.00	778.00
70	374.00	622.00	829.00	960.00	1058.00
95	416.00	747.00	1035.00	1200.00	1340.00
120	502.00	910.00	1292.00	1473.00	1660.00
150	591.00	1142.00	1530.00	1730.00	1980.00
185	724.00	1363.00	1920.00	2189.00	2427.00
240	919.00	1744.00	2455.00	2810.00	3220.00
300	1130.00	2125.00	3040.00	3434.00	4060.00
400	1426.00	2615.00	3940.00	4390.00	5160.00

H. T. XLPE ARMOURED ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1248.00	-----	-----
3 x 50	1467.00	-----	-----
3 x 70	1757.00	-----	-----
3 x 95	2032.00	2817.00	3680.00
3 x 120	2410.00	3127.00	4036.00
3 x 150	2788.00	3572.00	4511.00
3 x 185	3217.00	3989.00	4933.00
3 x 240	3882.00	4820.00	5729.00
3 x 300	4594.00	5461.00	6340.00
3 x 400	5733.00	6470.00	7598.00

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.