



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com



AUTH. DISTRIBUTORS :
POLYCAP
 IDEAS. CONNECTED.

PRICE-LIST
 W. E. F. :
 7th July 2023
 LDC LP No. 03/2023-24

03

POLYCAP INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010.

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE																																																																																									
0.50	16/0.2	05	1090	2975	4075	5220	6555	7840	8775	10525	12915	15200	17500	19900	23200	29200																																																																																									
0.75	24/0.2	08	1530	3980	5500	7140	9245	11125	12525	14760	18400	21600	25100	28600	33600	42000																																																																																									
1.00	32/0.2	13	1980	5030	7115	9175	11935	14275	16100	19000	23500	27800	32400	37000	43400	54500																																																																																									
1.50	30/0.25	17	2860	6855	9760	12875	16150	19900	22500	25700	32900	38900	45100	51800	61000	77500																																																																																									
2.50	50/0.25	24	4710	11235	15630	20925	26700	32100	36300	43200	53500	63600	73900	84200	99600	126000																																																																																									
4.00	56/0.3	30	7360	16400	23700	31000	42100	50500	60800	-----	-----	-----	-----	-----	-----	-----																																																																																									
6.00	84/0.3	38	10950	24100	34900	45900	62000	POLYCAP UNARMOURED SCREENED CABLES • (Rate Per 100 Mtrs.) <table border="1"> <thead> <tr> <th rowspan="2">CORES</th> <th>16/.20 MM.</th> <th>24/.20 MM.</th> <th>32/.20 MM.</th> <th>48/.20 MM.</th> <th>80/.20 MM.</th> </tr> <tr> <th>0.5 Sq. Mm.</th> <th>0.75 Sq. Mm.</th> <th>1.0 Sq. Mm.</th> <th>1.5 Sq. Mm.</th> <th>2.5 Sq. Mm.</th> </tr> </thead> <tbody> <tr><td>2</td><td>9000</td><td>11000</td><td>12400</td><td>15200</td><td>23200</td></tr> <tr><td>3</td><td>10600</td><td>13600</td><td>16900</td><td>21000</td><td>30800</td></tr> <tr><td>4</td><td>13000</td><td>16900</td><td>20700</td><td>25800</td><td>39000</td></tr> <tr><td>5</td><td>16400</td><td>20400</td><td>23500</td><td>31300</td><td>52300</td></tr> <tr><td>6</td><td>17600</td><td>23200</td><td>27100</td><td>36700</td><td>58700</td></tr> <tr><td>7</td><td>18900</td><td>26600</td><td>30800</td><td>40600</td><td>66300</td></tr> <tr><td>8</td><td>22000</td><td>31600</td><td>35100</td><td>46900</td><td>69300</td></tr> <tr><td>10</td><td>27800</td><td>34800</td><td>46700</td><td>58900</td><td>77300</td></tr> <tr><td>12</td><td>31600</td><td>39300</td><td>50000</td><td>66300</td><td>90500</td></tr> <tr><td>14</td><td>34800</td><td>46700</td><td>58700</td><td>79400</td><td>108800</td></tr> <tr><td>16</td><td>37200</td><td>54300</td><td>65900</td><td>87500</td><td>128000</td></tr> <tr><td>19</td><td>44500</td><td>64400</td><td>77800</td><td>108800</td><td>165400</td></tr> <tr><td>24</td><td>53600</td><td>71800</td><td>97500</td><td>133500</td><td>207300</td></tr> </tbody> </table>									CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.	0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.	2	9000	11000	12400	15200	23200	3	10600	13600	16900	21000	30800	4	13000	16900	20700	25800	39000	5	16400	20400	23500	31300	52300	6	17600	23200	27100	36700	58700	7	18900	26600	30800	40600	66300	8	22000	31600	35100	46900	69300	10	27800	34800	46700	58900	77300	12	31600	39300	50000	66300	90500	14	34800	46700	58700	79400	108800	16	37200	54300	65900	87500	128000	19	44500	64400	77800	108800	165400	24	53600	71800	97500	133500	207300
CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.																																																																																																				
	0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.																																																																																																				
2	9000	11000	12400	15200	23200																																																																																																				
3	10600	13600	16900	21000	30800																																																																																																				
4	13000	16900	20700	25800	39000																																																																																																				
5	16400	20400	23500	31300	52300																																																																																																				
6	17600	23200	27100	36700	58700																																																																																																				
7	18900	26600	30800	40600	66300																																																																																																				
8	22000	31600	35100	46900	69300																																																																																																				
10	27800	34800	46700	58900	77300																																																																																																				
12	31600	39300	50000	66300	90500																																																																																																				
14	34800	46700	58700	79400	108800																																																																																																				
16	37200	54300	65900	87500	128000																																																																																																				
19	44500	64400	77800	108800	165400																																																																																																				
24	53600	71800	97500	133500	207300																																																																																																				
10.00	80/0.4	52	18800	41400	60400	79100	106700	3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS <table border="1"> <thead> <tr> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> </tr> </thead> <tbody> <tr><td>1.50</td><td>8420</td><td>16.00</td><td>77800</td></tr> <tr><td>2.50</td><td>13300</td><td>25.00</td><td>121600</td></tr> <tr><td>4.00</td><td>19600</td><td>35.00</td><td>168300</td></tr> <tr><td>6.00</td><td>28900</td><td>50.00</td><td>-----</td></tr> <tr><td>10.00</td><td>50300</td><td>-----</td><td>-----</td></tr> </tbody> </table>									SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.	1.50	8420	16.00	77800	2.50	13300	25.00	121600	4.00	19600	35.00	168300	6.00	28900	50.00	-----	10.00	50300	-----	-----																																																																	
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.																																																																																																						
1.50	8420	16.00	77800																																																																																																						
2.50	13300	25.00	121600																																																																																																						
4.00	19600	35.00	168300																																																																																																						
6.00	28900	50.00	-----																																																																																																						
10.00	50300	-----	-----																																																																																																						
16.00	126/0.4	70	29600	65500	95200	125400	163800																																																																																																		
25.00	196/0.4	88	46800	106900	154900	204700	292100																																																																																																		
35.00	276/0.4	110	65500	148900	215200	284400	400100																																																																																																		
50.00	396/0.4	145	94500	211400	306500	404700	579200																																																																																																		
70.00	354/0.5	215	131000	300300	425200	562100	791800																																																																																																		
95.00	484/0.5	260	172900																																																																																																						
120.00	608/0.5	305	221400																																																																																																						
150.00	750/0.5	355	277500																																																																																																						
185.00	925/0.5	415	338600																																																																																																						
240.00	1210/0.5	500	450500																																																																																																						
300.00	1527/0.5	585	563900																																																																																																						
400.00	2036/0.5	695	751100																																																																																																						

POLYCAP INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	1665.00	23/38	1120.00	0.50 Sq. mm.	1685.00	1.5 Sq. mm.	4475.00
40/36	2540.00	40/38	1865.00	0.75 Sq. mm.	2440.00	2.0 Sq. mm.	6950.00
70/36	3445.00	70/38	2540.00	1.00 Sq. mm.	3020.00	2.5 Sq. mm.	7435.00

CCTV CABLES (Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	3255.00
4 + 1	3550.00

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMOURED (RATE PER COIL OF 305 MTR.)
CAT-6	11000.00



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com



AUTH. DISTRIBUTORS :
POLYCAP
 IDEAS. CONNECTED.

PRICE-LIST	03
W. E. F. :	
7th July 2023	
LDC LP No. 03/2023-24	

POLYCAP INDUSTRIAL CABLES (MULTISTRAND) PRICE-LIST Dt. : 7th JUNE 2023 • LP NO. 11/2023-24

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	4590	-----	4735	-----	4980
1.00	-----	6025	-----	6200	-----	6460
1.50	-----	8860	-----	9120	-----	9525
2.50	-----	14375	-----	14815	-----	15465
4.00	14560	-----	15005	-----	15665	-----
6.00	21785	-----	22445	-----	23430	-----
10.00	38750	-----	39890	-----	41620	-----
16.00	60820	-----	62620	-----	65350	-----

Flexible copper conductor TPR insulated WELDING CABLES 1100 V as per IS : 9857

Conductor Area SQ. MM.	(AMP)	Rate Per Meter	Conductor Area SQ. MM.	(AMP)	Rate Per Meter
16.00	120	366.00	50.00	400	1094.00
25.00	160	558.00	70.00	600	1539.00
35.00	230	768.00	95.00	700	2030.00

POLYCAP Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES (RATE PER METER)

No. of Pair & Size	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.	JELLY FILLED CABLES	
				As per DOT Specification	
			Unarmoured 0.5 MM.	Armoured 0.5 MM.	
1 Pair	6.61	9.30	-----		
2 Pair	11.75	16.50	-----		
3 Pair	17.11	24.50	-----		
4 Pair	22.00	32.25	-----		
5 Pair	27.00	40.00	129.00	110.00	161.00
10 Pair	-----	77.80	244.00	173.00	257.00
20 Pair	-----	150.00	388.00	-----	374.00
50 Pair	-----	385.00	-----	-----	807.00
100 Pair	-----	756.00	-----	-----	1710.00
200 Pair	-----	-----	-----	-----	3142.00

POLYCAP FRLS INSULATED SINGLE CORE Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

RATE PER 100 METERS

SIZE SQ. MM.	Number/Nom. Dia of Conductor (No./dia mm)	(Amps)	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1115	3160	4260	5405
0.75	24/.2	8	1565	4215	5735	7370
1	32/.2	13	2010	5265	7370	9455
1.5	30/.25	17	2890	7140	10065	13105
2.5	50/.25	24	4750	11585	15985	21300
4	56/.3	30	7420	16900	24100	31600
6	84/.3	38	11060	24800	35600	46600
10	80/.4	52	18900	42400	61300	80300
16	126/.4	70	30200	66900	97100	128000
25	196/.4	88	46800	109100	158100	208700
35	276/.4	110	65500	151800	219500	290200
50	396/.4	145	94500	215700	312700	412900
70	354/.5	215	131000	306300	433600	573400
95	484/.5	260	172900	-----	614500	810700
120	608/.5	305	221400	-----	780300	1030000
150	750/.5	355	277500	-----	975400	1287400
185	925/.5	415	338600	-----	1201300	1587800
240	1210/.5	500	450500	-----	1550700	2052800
300	1527/.5	585	563900	-----	1935100	2562700
400	2036/.5	695	751100	-----	2578400	3394300

POLYCAP PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS : 694:2010.

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (100 MTRS.)
RG-59	2005	6115	
RG-06	2525	7701	83000
RG-11	5740	17507	129500
RG-06 CCS	1630	4972	
RG-11 CCS	3280	10004	

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :
POLYCAP
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
6th July 2023
LDC LP No. 03/2023-24

03

PRICE-LIST POLYCAP INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with AI (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	124	0.75	144	1	161	1.5	192	2.5	264
PAIR	2	0.5	181	0.75	217	1	250	1.5	311	2.5	447
PAIR	3	0.5	217	0.75	272	1	325	1.5	415	2.5	617
PAIR	4	0.5	260	0.75	331	1	399	1.5	522	2.5	783
PAIR	5	0.5	301	0.75	390	1	476	1.5	631	2.5	959
PAIR	6	0.5	347	0.75	453	1	551	1.5	736	2.5	1119
PAIR	7	0.5	381	0.75	496	1	619	1.5	850	2.5	1275
PAIR	8	0.5	426	0.75	567	1	700	1.5	942	2.5	1445
PAIR	10	0.5	511	0.75	674	1	844	1.5	1148	2.5	1763
PAIR	12	0.5	579	0.75	787	1	993	1.5	1345	2.5	2101
PAIR	14	0.5	637	0.75	883	1	1115	1.5	1555	2.5	2393
PAIR	16	0.5	726	0.75	972	1	1259	1.5	1736	2.5	2718
PAIR	19	0.5	826	0.75	1149	1	1467	1.5	2029	2.5	3186
PAIR	24	0.5	1032	0.75	1444	1	1826	1.5	2551	2.5	4004
TRAIID	1	0.5	150	0.75	181	1	205	1.5	253	2.5	350
QUAD	1	0.5	173	0.75	210	1	243	1.5	302	2.5	432

POLYCAP BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	4870	6175	7410	9640	15100
3	6005	8150	9880	13100	21000
4	7460	9880	12600	16800	26400
5	9140	12350	15100	20500	33600
6	10625	14100	17500	24700	40300
7	11610	16350	20300	27700	47700
8	13100	17800	22700	31100	53100

TERMS & CONDITIONS :

(1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel: +91 22 4922 4200/2208 5153 Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com
 Website : www.prabhatcables.com

ESTD : 1958



AUTH. DISTRIBUTORS :
POLYCAB
 IDEAS. CONNECTED.

PRICE LIST

PVC/XLPE ARMoured CABLES

W. E. F. : 6th July 2023

PCC LP No. 04/2022-23

4

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	177.00	243.00	4	330.00	442.00	557.00
3	215.00	315.00	6	451.00	611.00	788.00
4	265.00	395.00	10	718.00	982.00	1290.00
5	317.00	469.00	16	1000.00	1468.00	1890.00
6	373.00	556.00				
			CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	416.00	631.00	25	2235.00	2688.00	2945.00
8	536.00	727.00	35	3096.00	3512.00	4072.00
10	606.00	912.00	50	4265.00	4939.00	5622.00
12	665.00	1047.00	70	6019.00	7075.00	8361.00
14	758.00	1184.00	95	8897.00	10150.00	11635.00
16	850.00	1344.00	120	10964.00	13400.00	14800.00
19	1009.00	1611.00	150	13601.00	15456.00	17875.00
24	1263.00	2018.00	185	17069.00	19932.00	22673.00
27	1392.00	2508.00	240	22176.00	25644.00	29219.00
30	1549.00	2914.00	300	27512.00	32256.00	37178.00
37	2094.00	3390.00	400	36288.00	41530.00	47578.00
44	2603.00	4084.00				
61	3799.00	5815.00				

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	139.00	148.00	-----	172.00
4	-----	152.00	172.00	-----	202.00
6	-----	199.00	215.00	-----	258.00
10	-----	251.00	274.00	-----	311.00
16	156.00	255.00	284.00	-----	372.00
25	203.00	298.00	364.00	429.00	456.00
35	242.00	349.00	479.00	530.00	600.00
50	292.00	444.00	620.00	710.00	778.00
70	374.00	622.00	829.00	960.00	1058.00
95	416.00	747.00	1035.00	1200.00	1340.00
120	502.00	910.00	1292.00	1473.00	1660.00
150	591.00	1142.00	1530.00	1730.00	1980.00
185	724.00	1363.00	1920.00	2189.00	2427.00
240	919.00	1744.00	2455.00	2810.00	3220.00
300	1130.00	2125.00	3040.00	3434.00	4060.00
400	1426.00	2615.00	3940.00	4390.00	5160.00

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1248.00	-----	-----
3 x 50	1467.00	-----	-----
3 x 70	1757.00	-----	-----
3 x 95	2032.00	2817.00	3680.00
3 x 120	2410.00	3127.00	4036.00
3 x 150	2788.00	3572.00	4511.00
3 x 185	3217.00	3989.00	4933.00
3 x 240	3882.00	4820.00	5729.00
3 x 300	4594.00	5461.00	6340.00
3 x 400	5733.00	6470.00	7598.00

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.