



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel: +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :



PRICE-LIST
 W. E. F. :
 16th AUGUST 2019
 LP NO. 02/2019-20

2

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-1990. (RATE PER 100 MTRS.)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE																																																																																									
0.50	16/0.2	05	665	2000	2625	3400	4350	5250	6125	7000	8400	9900	11900	13500	15800	19600																																																																																									
0.75	24/0.2	08	950	2750	3590	4655	6130	7350	8270	9850	12000	13950	16100	18500	21900	27700																																																																																									
1.00	32/0.2	13	1230	3325	4465	5730	7620	9100	10200	11800	14600	17100	20400	23500	27700	35000																																																																																									
1.50	30/0.25	17	1800	4340	6100	7970	10500	12700	14450	18500	20200	24500	28500	32500	38700	48500																																																																																									
2.50	50/0.25	24	2915	7035	9750	12870	17000	20400	23200	29300	33300	39500	46900	53500	63600	79500																																																																																									
4.00	56/0.3	30	4450	10800	14900	19400	26600	31900	36800	43800	51600	62000	-----	-----	-----	-----																																																																																									
6.00	84/0.3	38	6600	14900	22200	28100	41200	POLYCAB UNARMoured SCREENED CABLES • (Rate Per 100 Mtrs.) <table border="1"> <thead> <tr> <th rowspan="2">CORES</th> <th>16/.20 MM.</th> <th>24/.20 MM.</th> <th>32/.20 MM.</th> <th>48/.20 MM.</th> <th>80/.20 MM.</th> </tr> <tr> <th>0.5 Sq. Mm.</th> <th>0.75 Sq. Mm.</th> <th>1.0 Sq. Mm.</th> <th>1.5 Sq. Mm.</th> <th>2.5 Sq. Mm.</th> </tr> </thead> <tbody> <tr><td>2</td><td>5500</td><td>6600</td><td>7900</td><td>9200</td><td>14000</td></tr> <tr><td>3</td><td>6800</td><td>8700</td><td>9800</td><td>12400</td><td>18300</td></tr> <tr><td>4</td><td>8700</td><td>10600</td><td>13000</td><td>15100</td><td>23200</td></tr> <tr><td>5</td><td>11400</td><td>14000</td><td>16700</td><td>20400</td><td>30700</td></tr> <tr><td>6</td><td>12300</td><td>16000</td><td>19000</td><td>22300</td><td>36900</td></tr> <tr><td>7</td><td>14000</td><td>17100</td><td>20700</td><td>26000</td><td>42200</td></tr> <tr><td>8</td><td>15400</td><td>20100</td><td>24000</td><td>31000</td><td>52300</td></tr> <tr><td>10</td><td>17900</td><td>24300</td><td>27900</td><td>36600</td><td>63700</td></tr> <tr><td>12</td><td>21000</td><td>27900</td><td>32700</td><td>41900</td><td>74000</td></tr> <tr><td>14</td><td>23800</td><td>32500</td><td>39200</td><td>50300</td><td>86600</td></tr> <tr><td>16</td><td>25700</td><td>39200</td><td>42800</td><td>55900</td><td>96400</td></tr> <tr><td>19</td><td>32500</td><td>44100</td><td>49700</td><td>64200</td><td>111200</td></tr> <tr><td>24</td><td>39900</td><td>51200</td><td>63700</td><td>81100</td><td>141100</td></tr> </tbody> </table>									CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.	0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.	2	5500	6600	7900	9200	14000	3	6800	8700	9800	12400	18300	4	8700	10600	13000	15100	23200	5	11400	14000	16700	20400	30700	6	12300	16000	19000	22300	36900	7	14000	17100	20700	26000	42200	8	15400	20100	24000	31000	52300	10	17900	24300	27900	36600	63700	12	21000	27900	32700	41900	74000	14	23800	32500	39200	50300	86600	16	25700	39200	42800	55900	96400	19	32500	44100	49700	64200	111200	24	39900	51200	63700	81100	141100
CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.																																																																																																				
	0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.																																																																																																				
2	5500	6600	7900	9200	14000																																																																																																				
3	6800	8700	9800	12400	18300																																																																																																				
4	8700	10600	13000	15100	23200																																																																																																				
5	11400	14000	16700	20400	30700																																																																																																				
6	12300	16000	19000	22300	36900																																																																																																				
7	14000	17100	20700	26000	42200																																																																																																				
8	15400	20100	24000	31000	52300																																																																																																				
10	17900	24300	27900	36600	63700																																																																																																				
12	21000	27900	32700	41900	74000																																																																																																				
14	23800	32500	39200	50300	86600																																																																																																				
16	25700	39200	42800	55900	96400																																																																																																				
19	32500	44100	49700	64200	111200																																																																																																				
24	39900	51200	63700	81100	141100																																																																																																				
10.00	80/0.4	52	11400	26200	37200	48700	70500																																																																																																		
16.00	126/0.4	70	18000	42400	59400	77200	112200																																																																																																		
25.00	196/0.4	88	28200	68500	99000	128000	188200																																																																																																		
35.00	276/0.4	110	39000	95500	137900	175000	260200																																																																																																		
50.00	396/0.4	145	55500	134500	196600	250500	376800																																																																																																		
70.00	354/0.5	215	80700	228200	273500	359800	525700																																																																																																		
95.00	484/0.5	260	106700	252000	375100	485000	725600																																																																																																		
120.00	608/0.5	305	140000	318800	467300	615000	942200																																																																																																		
150.00	750/0.5	355	175000	398600	602200	790000	1154000																																																																																																		
185.00	925/0.5	415	216000	491600	735700	982000	1408400																																																																																																		
240.00	1210/0.5	500	280000	637700	960000	1270000	1855800																																																																																																		
300.00	1527/0.5	585	350000	797100	1200000	1600000	2307800																																																																																																		
400.00	2036/0.5	695	466600	1062800	1588000	2120000	3061500																																																																																																		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE) (Rate per 90 Meters)								CCTV CABLES (Rate Per 90 Mtrs. Coil)		LAN COMPUTER CABLES			
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	ITEM 4 PAIR	UTP	UTP	STP
23/36	1710.00	23/38	1205.00	0.50 Sq. mm.	1565.00	1.5 Sq. mm.	4100.00				Unarmoured Rate 305 Mtr	Armoured Rate 100 Mtr	Rate Per 305 Mtr
40/36	2690.00	40/38	2010.00	0.75 Sq. mm.	2215.00	2.0 Sq. mm.	6080.00	3 + 1	3045.00	CAT-5E	7155	8550	9950
70/36	4705.00	70/38	3155.00	1.00 Sq. mm.	2870.00	2.5 Sq. mm.	6695.00	4 + 1	3520.00	CAT-6	8700	9650	12500



www.prabhatcables.com

AUTH. DISTRIBUTORS :



PRICE-LIST
 W. E. F. :
16th AUGUST 2019
 LP NO. 02/2019-20

2

POLYCAP INDUSTRIAL CABLES (MULTISTRAND)								POLYCAP FRLS INSULATED SINGLE CORE				POLYCAP PVC INSULATED & FRLS			
CONDUCTOR AREA SQ. MM.	FR 90 Mtrs. Coil	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	FRZH 200 Mtrs. Coil	FRZH 300 Mtrs. Coil	Unsheathed Industrial Flexible Cable conforming to IS 694: 1990 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.				MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:1990.			
								RATE PER 100 METERS				SIZE SQ. MM.	Number/Nom. Dia of Conductor (No./dia mm)	(Amps)	SINGLE CORE
0.75	785	-----	2615	-----	2745	-----	2810	0.5	16/.2	5	690	2150	2825	3655	
1.00	1025	-----	3415	-----	3585	-----	3670	0.75	24/.2	8	985	2955	3860	5000	
1.50	1535	-----	5115	-----	5370	-----	5500	1	32/.2	13	1275	3575	4800	6160	
2.50	2465	-----	8215	-----	8625	-----	8830	1.5	30/.25	17	1865	4560	6405	8370	
4.00	3680	8180	-----	8590	-----	8795	-----	2.5	50/.25	24	3015	7400	10200	13500	
6.00	5510	12245	-----	12860	-----	13160	-----	4	56/.3	30	4605	11300	15600	20400	
10.00	9740	21650	-----	22730	-----	23270	-----	6	84/.3	38	6830	15600	23300	29500	
16.00	15600	34670	-----	36400	-----	37270	-----	10	80/.4	52	11800	27500	39100	51100	
Flexible copper conductor TPR insulated WELDING CABLES 1100 V as per IS : 9857								16	126/.4	70	18600	44500	62400	81100	
Conductor Area SQ. MM.	(AMP)	Rate Per Meter	Conductor Area SQ. MM.	(AMP)	Rate Per Meter	25	196/.4	88	29200	71900	104000	134400			
16.00	120	273.00	50.00	400	794.00	35	276/.4	110	40400	100300	144800	183800			
25.00	160	400.00	70.00	600	1107.00	50	396/.4	145	57400	141200	206400	263000			
35.00	230	559.00	95.00	700	1493.00	70	354/.5	215	83500	239600	287200	377800			
POLYCAP Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES (RATE PER METER)								95	484/.5	260	110400	3 CORE FLAT CABLES for SUBMERSIBLE Pump Motors			
No. of Pair & Size	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.	JELLY FILLED CABLES		Unarmoured 0.5 MM.	Armoured 0.5 MM.	SIZE SQ. MM.	Conductor MM	Rate PER 100 Mtrs.					
	As per DOT Specification														
1 Pair	6.10	8.15	-----			150	750/.5	355	181100	1.50	22/.3	6550.00			
2 Pair	10.15	13.60	66.00			185	925/.5	415	223600	2.50	36/.3	10450.00			
3 Pair	15.00	20.25	-----			240	1210/.5	500	289800	4.00	56/.3	15200.00			
4 Pair	18.75	26.40	-----			300	1527/.5	585	362300	6.00	84/.3	22300.00			
5 Pair	23.00	32.80	103.00	62.00	111.00	400	2036/.5	695	482900	10.00	80/.4	38600.00			
10 Pair	-----	63.55	151.00	99.00	167.00	CO-AXIAL CABLES • (RATE PER COIL)				16.00	126/.4	61500.00			
20 Pair	-----	119.00	192.00	162.00	240.00	ITEM	UNARM. (100 MT.)	UNARM. (305 MT.)	ARM. (100 MT.)	25.00	196/.4	96200.00			
50 Pair	-----	318.00	452.00	384.00	492.00	RG-59	1700	5185	7700	35.00	276/.4	133500.00			
100 Pair	-----	617.00	894.00	702.00	848.00	RG-06	2170	6620	8400	50.00	396/.4	217400.00			
200 Pair	-----	-----	-----	1376.00	1578.00	RG-11	4925	15020	11900						
						RG-06 CCS	1700	5185	-----						
						RG-11 CCS	3230	9850	-----						

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel: +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :



PRICE-LIST

W. E. F. :
16th AUGUST 2019
LP NO. 02/2019-20

2

PRICE-LIST POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with AI (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

Str/Solid Cu PVC/XLPE Insulated Pair/Triad/Quad laid up together with AI Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

OVERALL SHIELDED-UNARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE		
PAIR	1	0.5	81	0.75	92	1	100	1.5	121	2.5	164	PAIR	1	0.5	47	0.75	57	1	68	1.5	80	2.5	112
PAIR	2	0.5	119	0.75	142	1	160	1.5	200	2.5	284	PAIR	2	0.5	74	0.75	92	1	112	1.5	157	2.5	214
PAIR	3	0.5	142	0.75	173	1	201	1.5	258	2.5	374	PAIR	3	0.5	97	0.75	123	1	157	1.5	203	2.5	304
PAIR	4	0.5	166	0.75	209	1	246	1.5	319	2.5	470	PAIR	4	0.5	112	0.75	157	1	203	1.5	259	2.5	394
PAIR	5	0.5	193	0.75	245	1	291	1.5	383	2.5	560	PAIR	5	0.5	147	0.75	192	1	283	1.5	314	2.5	486
PAIR	6	0.5	220	0.75	283	1	336	1.5	446	2.5	657	PAIR	6	0.5	168	0.75	214	1	304	1.5	383	2.5	573
PAIR	7	0.5	239	0.75	309	1	372	1.5	498	2.5	743	PAIR	7	0.5	181	0.75	247	1	314	1.5	426	2.5	663
PAIR	8	0.5	269	0.75	350	1	423	1.5	558	2.5	841	PAIR	8	0.5	203	0.75	271	1	371	1.5	486	2.5	754
PAIR	10	0.5	321	0.75	410	1	502	1.5	676	2.5	1034	PAIR	10	0.5	247	0.75	350	1	450	1.5	608	2.5	945
PAIR	12	0.5	361	0.75	474	1	584	1.5	791	2.5	1213	PAIR	12	0.5	295	0.75	404	1	530	1.5	720	2.5	1113
PAIR	14	0.5	390	0.75	533	1	660	1.5	906	2.5	1394	PAIR	14	0.5	325	0.75	462	1	608	1.5	821	2.5	1282
PAIR	16	0.5	443	0.75	598	1	744	1.5	1015	2.5	1581	PAIR	16	0.5	383	0.75	516	1	697	1.5	945	2.5	1461
PAIR	19	0.5	501	0.75	692	1	863	1.5	1184	2.5	1849	PAIR	19	0.5	439	0.75	617	1	809	1.5	1102	2.5	1720
PAIR	24	0.5	625	0.75	864	1	1070	1.5	1486	2.5	2322	PAIR	24	0.5	541	0.75	764	1	1011	1.5	1384	2.5	2180
TRAIID	1	0.5	97	0.75	114	1	123	1.5	154	2.5	215	TRAIID	1	0.5	63	0.75	71	1	89	1.5	110	2.5	162
QUAD	1	0.5	108	0.75	130	1	147	1.5	186	2.5	265	QUAD	1	0.5	68	0.75	84	1	108	1.5	147	2.5	214

TERMS & CONDITIONS :

(1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.




PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel: +91 22 4922 4200/2208 5153 Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com
 Website : www.prabhatcables.com



AUTH. DISTRIBUTORS :



PRICE LIST
PVC/XLPE ARMoured CABLES
 W. E. F. : 4th June 2019
 LP NO. 01/2019-20

1

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	81.00	105.00	4	137.00	178.00	225.00
3	99.00	133.00	6	183.00	244.00	314.00
4	118.00	165.00	10	291.00	392.00	505.00
5	138.00	198.00	16	415.00	554.00	728.00
6	158.00	230.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	175.00	260.00				
8	198.00	292.00	25	908.00	1093.00	1196.00
10	254.00	342.00	35	1249.00	1434.00	1649.00
12	292.00	400.00	50	1703.00	1991.00	2256.00
14	333.00	462.00	70	2419.00	2818.00	3232.00
16	344.00	521.00	95	3473.00	4058.00	4649.00
19	399.00	610.00	120	4365.00	5199.00	5851.00
24	499.00	765.00	150	5448.00	6283.00	7303.00
27	557.00	852.00	185	6704.00	7838.00	8981.00
30	638.00	982.00	240	8637.00	10067.00	11576.00
37	778.00	1199.00	300	10753.00	12541.00	14424.00
44	945.00	1483.00	400	14110.00	16316.00	18925.00
61	1290.00	2021.00				

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	72.00	80.00	-----	92.00
4	-----	78.00	86.00	-----	99.00
6	-----	91.00	100.00	-----	113.00
10	-----	108.00	126.00	-----	141.00
16	71.00	124.00	134.00	-----	161.00
25	91.00	139.00	181.00	203.00	220.00
35	103.00	161.00	215.00	242.00	269.00
50	125.00	200.00	272.00	314.00	347.00
70	160.00	268.00	366.00	427.00	470.00
95	180.00	344.00	454.00	515.00	573.00
120	216.00	409.00	543.00	644.00	702.00
150	257.00	494.00	670.00	762.00	865.00
185	314.00	616.00	819.00	951.00	1074.00
240	385.00	801.00	1047.00	1197.00	1371.00
300	469.00	976.00	1265.00	1467.00	1653.00
400	589.00	1229.00	1608.00	1868.00	2100.00

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond.	Cross Section in SQ. MM.	3.3 KV (E/UE)	6.6 KV (E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
3	x 35	-----	-----	560.00	-----	-----	-----
3	x 50	-----	-----	633.00	-----	-----	-----
3	x 70	659.00	704.00	752.00	-----	-----	-----
3	x 95	798.00	838.00	890.00	1151.00	1198.00	1597.00
3	x 120	939.00	979.00	1026.00	1338.00	1367.00	1822.00
3	x 150	1060.00	1104.00	1147.00	1479.00	1508.00	1929.00
3	x 185	1249.00	1274.00	1335.00	1653.00	1690.00	2130.00
3	x 240	1480.00	1541.00	1601.00	1945.00	1981.00	2437.00
3	x 300	1748.00	1838.00	1862.00	2236.00	2272.00	2737.00
3	x 400	2125.00	2298.00	2341.00	2629.00	2676.00	3169.00

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.