



PRICE LIST 1 JANUARY 2026



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

1st January 2026

LDC LP No. 09/2025-26

09

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	05	1855	4545	6240	7980	10375	12450	13925	16500	20600	24000	27600	31500	36500	45900
0.75	24/0.2	08	2600	6085	8435	10850	14675	17825	19900	23300	29300	34100	40000	45000	53100	66400
1.00	32/0.2	13	3275	7730	10715	13905	19000	22800	25800	29900	37000	44100	51200	58300	68600	85800
1.50	30/0.25	17	4705	10600	15200	19750	26000	31500	35400	40900	52200	61500	72600	83800	97300	124600
2.50	50/0.25	24	7745	17600	24000	32400	42200	51000	58400	69400	85200	102300	118800	135900	157400	203800
4.00	56/0.3	30	11900	25800	37000	49200	66900	80100	96700	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.3	38	17800	37900	54500	72300	98400	POLYCAB UNARMoured SCREENED CABLES								
10.00	80/0.4	52	31600	64800	95200	125600	169800	CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.			
16.00	126/0.4	70	50000	102100	149400	197300	261000		0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.			
25.00	196/0.4	88	76200	170300	247700	323500	473700		2	13400	16400	18600	22500	34000		
35.00	276/0.4	110	106700	237200	344400	452500	649400		3	15600	20400	25100	31000	45500		
50.00	396/0.4	145	152100	336400	490400	647700	940100		4	19300	25100	30500	38000	57300		
70.00	354/0.5	215	215000	478200	680300	899400	1285600		5	24500	30000	35100	46100	77100		
95.00	484/0.5	260	283500	Flexible copper WELDING CABLES	Conductor Area SQ. MM.	(AMP)	Rate Per Meter		6	25800	35100	40000	54100	86500		
120.00	608/0.5	305	372900						7	27800	39100	45500	59900	97700		
150.00	750/0.5	355	466600					8	32400	46500	51700	69000	101900			
185.00	925/0.5	415	591700					10	41200	51500	68700	86700	113900			
240.00	1210/0.5	500	757800					12	46500	58000	73700	97700	133400			
300.00	1527/0.5	585	948200					14	51500	68700	86500	117000	160300			
400.00	2036/0.5	695	1263500					16	55000	79900	97100	129000	188700			
								19	65400	94800	114600	160300	243600			
				24	79100	105800	143600	196400	305300							

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1897	4830	6515	8255
0.75	24/.2	8	2675	6445	8780	11230
1	32/.2	13	3310	8070	11125	14250
1.5	30/.25	17	4745	11100	15700	20100
2.5	50/.25	24	7850	18100	24700	33200
4	56/.3	30	12100	26400	37900	50000
6	84/.3	38	18100	38900	55500	73300
10	80/.4	52	32300	65800	96700	127600
16	126/.4	70	50000	104900	152900	201100
25	196/.4	88	76200	173900	252700	330500
35	276/.4	110	106700	242000	351000	462400
50	396/.4	145	152100	343600	500100	660100
70	354/.5	215	215000	487500	693800	917400
95	484/.5	260	283500	-----	983400	1297300
120	608/.5	305	372900	-----	1248700	1648000
150	750/.5	355	466600	-----	1560800	2060300
185	925/.5	415	591700	-----	1922200	2540700
240	1210/.5	500	757800	-----	2481400	3284600
300	1527/.5	585	948200	-----	3096400	4100300
400	2036/.5	695	1263500	-----	4125700	5430900

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	7925	-----	8080	-----	8610
1.00	-----	10245	-----	10425	-----	10985
1.50	-----	14975	-----	15265	-----	16095
2.50	-----	24810	-----	25230	-----	26700
4.00	25795	-----	26080	-----	27750	-----
6.00	38050	-----	38520	-----	40910	-----
10.00	65680	-----	66375	-----	70550	-----
16.00	103350	-----	104375	-----	111030	-----

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	7665	9820	11800	15400	24000
3	9515	13025	15600	20900	33300
4	11800	15800	20000	27900	41900
6	16700	22100	27600	39000	63300
8	20800	27900	35700	49000	83900

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.

(2) Subject to change without prior notice.

(3) This cancels all our previous price-lists.

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	890.00	1250.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1580.00	2240.00	-----	-----	-----
3 Pair	2325.00	3295.00	-----	-----	-----
4 Pair	2980.00	4360.00	-----	-----	-----
5 Pair	3670.00	5420.00	158.00	137.00	198.00
10 Pair	-----	10515.00	301.00	214.00	317.00
RATE PER METER					
20 Pair	-----	226.70	478.00	-----	462.00
50 Pair	-----	587.00	-----	-----	994.00
100 Pair	-----	1147.30	-----	-----	2110.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	12240	16.00	113600
2.50	19020	25.00	177710
4.00	28400	35.00	246100
6.00	42080	50.00	-----
10.00	73150		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)						(Rate per 90 Meters)		CCTV CABLES (Rate Per 90 Mtrs. Coil)	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2480.00	23/38	1685.00	0.50 Sq. mm.	2525.00	1.5 Sq. mm.	6710.00	3 + 1	4685.00
40/36	3795.00	40/38	2785.00	0.75 Sq. mm.	3655.00	2.0 Sq. mm.	10375.00	4 + 1	5090.00
70/36	5150.00	70/38	3790.00	1.00 Sq. mm.	4515.00	2.5 Sq. mm.	11140.00		

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2825	8595	
RG-06	3530	10850	116720
RG-11	8075	24700	182185
RG-06 CCS	2310	7045	
RG-11 CCS	4675	14235	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	15440.00

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	284.00	401.00	4	557.00	746.00	956.00
3	361.00	518.00	6	784.00	1077.00	1407.00
4	446.00	668.00	10	1247.00	1752.00	2287.00
5	542.00	820.00	16	1807.00	2505.00	3308.00
6	645.00	965.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	710.00	1089.00				
8	908.00	1329.00				
10	1034.00	1530.00				
12	1149.00	1778.00				
14	1315.00	2067.00				
16	1470.00	2348.00				
19	1744.00	2764.00				
24	2181.00	3461.00				
27	2426.00	3881.00				
30	2706.00	4668.00	25	4146.00	4969.00	5465.00
37	3510.00	5453.00	35	5839.00	6669.00	7753.00
44	4100.00	6368.00	50	7893.00	9290.00	10519.00
61	6035.00	9232.00	70	11525.00	13341.00	15184.00
			95	15980.00	18299.00	21093.00
			120	19594.00	24066.00	26281.00
			150	24919.00	29113.00	33383.00
			185	31676.00	37061.00	42310.00
			240	41146.00	47837.00	54581.00
			300	51858.00	59973.00	69405.00
			400	66607.00	75800.00	92786.00

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1845.00	-----	-----
3 x 50	2205.00	-----	-----
3 x 70	2686.00	-----	-----
3 x 95	3047.00	4204.00	5569.00
3 x 120	3680.00	4723.00	6278.00
3 x 150	4310.00	5416.00	6749.00
3 x 185	4914.00	6114.00	7534.00
3 x 240	5954.00	7218.00	8898.00
3 x 300	7042.00	8464.00	10045.00
3 x 400	8812.00	10264.00	12176.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	213.00	238.00	-----	265.00
4	-----	242.00	260.00	-----	303.00
6	-----	294.00	321.00	-----	384.00
10	-----	372.00	415.00	-----	527.00
16	239.00	423.00	446.00	-----	564.00
25	315.00	452.00	594.00	690.00	738.00
35	382.00	564.00	755.00	838.00	956.00
50	470.00	730.00	982.00	1136.00	1277.00
70	601.00	978.00	1346.00	1531.00	1735.00
95	721.00	1207.00	1658.00	1920.00	2163.00
120	844.00	1455.00	2100.00	2428.00	2743.00
150	1006.00	1789.00	2578.00	2877.00	3373.00
185	1236.00	2150.00	3191.00	3642.00	4149.00
240	1527.00	2851.00	4075.00	4575.00	5357.00
300	1880.00	3494.00	5036.00	5628.00	6603.00
400	2374.00	4538.00	6437.00	7189.00	8243.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	154	0.75	180	1	200	1.5	238	2.5	327
PAIR	2	0.5	225	0.75	270	1	311	1.5	386	2.5	553
PAIR	3	0.5	270	0.75	338	1	403	1.5	515	2.5	764
PAIR	4	0.5	322	0.75	411	1	496	1.5	647	2.5	971
PAIR	5	0.5	377	0.75	487	1	596	1.5	790	2.5	1201
PAIR	6	0.5	435	0.75	567	1	690	1.5	921	2.5	1401
PAIR	8	0.5	534	0.75	710	1	876	1.5	1179	2.5	1809
PAIR	10	0.5	639	0.75	843	1	1057	1.5	1439	2.5	2630
PAIR	12	0.5	726	0.75	985	1	1244	1.5	1684	2.5	2997
PAIR	16	0.5	909	0.75	1217	1	1577	1.5	2174	2.5	3402
PAIR	19	0.5	1034	0.75	1440	1	1836	1.5	2541	2.5	3988
PAIR	24	0.5	1292	0.75	1808	1	2287	1.5	3193	2.5	5013
TRAID	1	0.5	187	0.75	225	1	253	1.5	315	2.5	435

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.