



PRICE LIST 3 JUNE 2025



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :
3rd June 2025
LDC LP No. 02/2025-26

02

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE			
0.50	16/0.2	05	1435	3660	5020	6420	8235	9835	11100	13100	16300	19100	21900	25000	28900	36500			
0.75	24/0.2	08	2015	4890	6795	8735	11650	14045	15700	18500	23200	27000	31700	35700	42200	52700			
1.00	32/0.2	13	2565	6225	8640	11175	15000	18050	20400	23700	29400	35000	40700	46300	54400	68200			
1.50	30/0.25	17	3695	8455	12150	15750	20500	24950	28100	32400	41300	48600	57500	66300	77000	98600			
2.50	50/0.25	24	6075	13950	19200	25900	33300	40300	46200	54900	67400	81000	94100	107500	124500	161300			
4.00	56/0.3	30	9330	20500	29500	39300	52800	63200	76300	-----	-----	-----	-----	-----	-----	-----			
6.00	84/0.3	38	13950	30200	43500	57700	77800	POLYCAB UNARMoured SCREENED CABLES											
10.00	80/0.4	52	24500	51600	75900	100100	134200	CORES	16/.20 MM.		24/.20 MM.		32/.20 MM.		48/.20 MM.		80/.20 MM.		
16.00	126/0.4	70	38700	81500	119100	157300	206100		0.5 Sq. Mm.		0.75 Sq. Mm.		1.0 Sq. Mm.		1.5 Sq. Mm.		2.5 Sq. Mm.		
25.00	196/0.4	88	60700	135800	197600	258100	374200		2	11200		13800		15600		18900		28500	
35.00	276/0.4	110	84900	189100	274600	360900	512900		3	13100		17200		21000		26000		38100	
50.00	396/0.4	145	120700	268300	391100	516500	742500		4	16200		21000		25600		31900		48100	
70.00	354/0.5	215	171100	381300	542500	717200	1015400		5	20500		25200		29400		38700		64600	
95.00	484/0.5	260	225600	Flexible copper WELDING CABLES	Conductor Area SQ. MM.	(AMP)	Rate Per Meter		6	21700		29400		33500		45400		72500	
120.00	608/0.5	305	290200						7	23400		32800		38100		50200		81900	
150.00	750/0.5	355	363800					8	27200		39100		43300		57900		85500		
185.00	925/0.5	415	452100					10	34500		43100		57600		72700		95600		
240.00	1210/0.5	500	590600					12	39100		48700		61800		81900		111800		
300.00	1527/0.5	585	739100					14	43100		57600		72500		98100		134400		
400.00	2036/0.5	695	984800					16	46100		67100		81400		108300		158300		
								19	54900		79500		96000		134400		204300		
				24	66300		88800		120500		164700		256100						

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1470	3890	5245	6650
0.75	24/.2	8	2065	5190	7075	9010
1	32/.2	13	2600	6500	8955	11480
1.5	30/.25	17	3720	8805	12515	16000
2.5	50/.25	24	6165	14450	19700	26500
4	56/.3	30	9390	21100	30200	39900
6	84/.3	38	14150	31000	44300	58400
10	80/.4	52	25000	52500	77000	101800
16	126/.4	70	38700	83600	121900	160300
25	196/.4	88	60700	138600	201500	263500
35	276/.4	110	84900	193000	280000	368600
50	396/.4	145	120700	274000	398800	526500
70	354/.5	215	171100	388800	553200	731600
95	484/.5	260	225600	-----	784200	1034500
120	608/.5	305	290200	-----	995700	1314200
150	750/.5	355	363800	-----	1244800	1643000
185	925/.5	415	452100	-----	1532900	2026100
240	1210/.5	500	590600	-----	1978800	2619300
300	1527/.5	585	739100	-----	2469200	3269800
400	2036/.5	695	984800	-----	3290000	4331000

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	5950	-----	6135	-----	6465
1.00	-----	7805	-----	8035	-----	8375
1.50	-----	11495	-----	11840	-----	12355
2.50	-----	18650	-----	19220	-----	20070
4.00	19210	-----	19790	-----	20665	-----
6.00	28735	-----	29605	-----	30905	-----
10.00	50375	-----	51850	-----	54110	-----
16.00	79865	-----	82215	-----	85800	-----

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	6125	7840	9405	12300	19175
3	7595	10350	12465	16600	26550
4	9430	12500	16000	22300	33500
6	13400	17600	22000	31200	50600
8	16600	22300	28500	39200	66900

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.

(2) Subject to change without prior notice.

(3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :
3rd June 2025
LDC LP No. 02/2025-26

02

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES

No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	725.00	1020.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1285.00	1815.00	-----	-----	-----
3 Pair	1890.00	2685.00	-----	-----	-----
4 Pair	2420.00	3550.00	-----	-----	-----
5 Pair	2980.00	4405.00	139.00	123.00	179.00
10 Pair	-----	8555.00	264.00	193.00	286.00
RATE PER METER					
20 Pair	-----	183.90	419.00	-----	417.00
50 Pair	-----	477.00	-----	-----	898.00
100 Pair	-----	933.00	-----	-----	1906.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS

SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	10010	16.00	92800
2.50	15530	25.00	145200
4.00	23240	35.00	201100
6.00	34400	50.00	-----
10.00	59800		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	1985.00	23/38	1350.00	0.50 Sq. mm.	2020.00	1.5 Sq. mm.	5380.00
40/36	3045.00	40/38	2240.00	0.75 Sq. mm.	2930.00	2.0 Sq. mm.	8315.00
70/36	4130.00	70/38	3030.00	1.00 Sq. mm.	3615.00	2.5 Sq. mm.	8925.00

CCTV CABLES (Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	4020.00
4 + 1	4370.00

CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2420	7380	
RG-06	3035	9310	100200
RG-11	6930	21200	156400
RG-06 CCS	1965	5990	
RG-11 CCS	3970	12100	

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	13380.00

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	218.00	309.00	4	419.00	561.00	719.00
3	278.00	398.00	6	590.00	809.00	1058.00
4	343.00	514.00	10	937.00	1316.00	1680.00
5	417.00	631.00	16	1390.00	1926.00	2485.00
6	496.00	743.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	547.00	838.00				
8	699.00	1023.00				
10	795.00	1177.00				
12	884.00	1368.00				
14	1012.00	1590.00				
16	1131.00	1807.00				
19	1342.00	2128.00				
24	1679.00	2663.00	25	3116.00	3735.00	4108.00
27	1867.00	2987.00	35	4389.00	5013.00	5828.00
30	2082.00	3592.00	50	5933.00	6983.00	7907.00
37	2701.00	4196.00	70	8663.00	10028.00	11414.00
44	3155.00	4900.00	95	12012.00	13755.00	15855.00
61	4644.00	7105.00	120	14729.00	18090.00	19755.00
			150	18732.00	21884.00	25094.00
			185	23810.00	27859.00	31805.00
			240	30929.00	35959.00	41029.00
			300	38982.00	45082.00	52171.00
			400	50069.00	56979.00	69748.00

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1587.00	-----	-----
3 x 50	1896.00	-----	-----
3 x 70	2311.00	-----	-----
3 x 95	2621.00	3615.00	4789.00
3 x 120	3164.00	4062.00	5400.00
3 x 150	3707.00	4659.00	5804.00
3 x 185	4226.00	5259.00	6480.00
3 x 240	5121.00	6208.00	7653.00
3 x 300	6057.00	7279.00	8639.00
3 x 400	7579.00	8827.00	10472.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

Cross Section in SQ. MM.	ALUMINIUM ARMoured CABLES • A2XWY/A2XFY				
	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	184.00	205.00	-----	228.00
4	-----	209.00	224.00	-----	261.00
6	-----	253.00	276.00	-----	330.00
10	-----	320.00	357.00	-----	454.00
16	206.00	364.00	384.00	-----	485.00
25	271.00	389.00	511.00	593.00	635.00
35	328.00	485.00	649.00	721.00	822.00
50	404.00	628.00	844.00	977.00	1098.00
70	517.00	840.00	1158.00	1316.00	1492.00
95	620.00	1038.00	1426.00	1643.00	1861.00
120	719.00	1239.00	1788.00	2058.00	2337.00
150	857.00	1524.00	2196.00	2439.00	2873.00
185	1053.00	1832.00	2718.00	3088.00	3534.00
240	1301.00	2429.00	3471.00	3878.00	4563.00
300	1601.00	2977.00	4289.00	4771.00	5625.00
400	2022.00	3865.00	5483.00	6095.00	7021.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	141	0.75	164	1	183	1.5	218	2.5	299
PAIR	2	0.5	206	0.75	247	1	285	1.5	354	2.5	507
PAIR	3	0.5	247	0.75	310	1	369	1.5	471	2.5	700
PAIR	4	0.5	295	0.75	376	1	454	1.5	592	2.5	889
PAIR	5	0.5	345	0.75	446	1	546	1.5	723	2.5	1100
PAIR	6	0.5	398	0.75	519	1	632	1.5	843	2.5	1283
PAIR	8	0.5	489	0.75	650	1	802	1.5	1080	2.5	1657
PAIR	10	0.5	586	0.75	772	1	968	1.5	1317	2.5	2021
PAIR	12	0.5	664	0.75	902	1	1139	1.5	1542	2.5	2409
PAIR	16	0.5	833	0.75	1114	1	1444	1.5	1990	2.5	3115
PAIR	19	0.5	947	0.75	1318	1	1682	1.5	2327	2.5	3652
PAIR	24	0.5	1183	0.75	1656	1	2094	1.5	2924	2.5	4590
TRAID	1	0.5	171	0.75	206	1	232	1.5	288	2.5	398

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.