



PRICE LIST 1 OCTOBER 2025



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

1st October 2025

LDC LP No. 04/2025-26

04

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE				
0.50	16/0.2	05	1525	3845	5275	6750	8655	10350	11650	13800	17100	20100	23100	26300	30400	38400				
0.75	24/0.2	08	2135	5140	7140	9180	12250	14800	16500	19500	24400	28400	33400	37500	44400	55400				
1.00	32/0.2	13	2710	6545	9080	11750	15750	19000	21400	24900	30900	36800	42700	48700	57100	71600				
1.50	30/0.25	17	3920	8885	12775	16550	21550	26200	29500	34100	43400	51100	60400	69700	80900	103600				
2.50	50/0.25	24	6450	14700	20200	27200	35000	42300	48600	57600	70800	85100	98800	112900	130800	169400				
4.00	56/0.3	30	9880	21500	31000	41300	55500	66400	80200	-----	-----	-----	-----	-----	-----	-----				
6.00	84/0.3	38	14900	31700	45700	60600	81700	POLYCAB UNARMoured SCREENED CABLES												
10.00	80/0.4	52	26075	54200	79800	105200	141000	CORES	16/.20 MM.		24/.20 MM.		32/.20 MM.		48/.20 MM.		80/.20 MM.			
16.00	126/0.4	70	40900	85600	125200	165200	216500		0.5 Sq. Mm.		0.75 Sq. Mm.		1.0 Sq. Mm.		1.5 Sq. Mm.		2.5 Sq. Mm			
25.00	196/0.4	88	64100	142700	207600	271100	393100	2	11500		14100		16000		19400		29200			
35.00	276/0.4	110	89600	198700	288500	379100	538900	3	13400		17600		21500		26700		39100			
50.00	396/0.4	145	127400	281800	410900	542600	780100	4	16600		21500		26200		32700		49300			
70.00	354/0.5	215	180600	400600	570000	753500	1066800	5	21000		25800		30100		39700		66200			
95.00	484/0.5	260	238200	Flexible copper WELDING CABLES				6	22200		30100		34300		46500		74300			
120.00	608/0.5	305	306400	Conductor Area SQ. MM.		(AMP)		Rate Per Meter		7	24000		33600		39100		51500		83900	
150.00	750/0.5	355	384100	16.00		120		487.00		8	27900		40100		44400		59300		87600	
185.00	925/0.5	415	486600	25.00		160		762.00		10	35400		44200		59000		74500		98000	
240.00	1210/0.5	500	623500	35.00		230		1052.00		12	40100		49900		63300		83900		114600	
300.00	1527/0.5	585	780300	50.00		400		1494.00		14	44200		59000		74300		100600		137800	
400.00	2036/0.5	695	1039700	70.00		600		2113.00		16	47300		68800		83400		111000		162300	
				95.00		700		2783.00		19	56300		81500		98400		137800		209400	
				95.00		700		2783.00		24	68000		91000		123500		168800		262500	

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1560	4090	5515	6990
0.75	24/.2	8	2190	5450	7430	9465
1	32/.2	13	2745	6830	9410	12065
1.5	30/.25	17	3950	9250	13160	16850
2.5	50/.25	24	6540	15200	20700	27800
4	56/.3	30	9945	22100	31700	41900
6	84/.3	38	15100	32500	46500	61400
10	80/.4	52	26700	55200	80900	107000
16	126/.4	70	40900	87800	128100	168400
25	196/.4	88	64100	145700	211700	276800
35	276/.4	110	89600	202800	294200	387300
50	396/.4	145	127400	287800	419000	553100
70	354/.5	215	180600	408500	581200	768600
95	484/.5	260	238200	-----	823900	1086800
120	608/.5	305	306400	-----	1046100	1380700
150	750/.5	355	384100	-----	1307700	1726100
185	925/.5	415	486600	-----	1610500	2128600
240	1210/.5	500	623500	-----	2079000	2751900
300	1527/.5	585	780300	-----	2594200	3435300
400	2036/.5	695	1039700	-----	3456500	4550100

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	6315	-----	6510	-----	6860
1.00	-----	8280	-----	8525	-----	8885
1.50	-----	12195	-----	12560	-----	13105
2.50	-----	19785	-----	20395	-----	21295
4.00	20380	-----	21000	-----	21925	-----
6.00	30490	-----	31410	-----	32785	-----
10.00	53440	-----	55010	-----	57410	-----
16.00	84730	-----	87220	-----	91025	-----

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	6530	8350	10025	13125	20450
3	8100	11045	13300	17700	28300
4	10050	13300	17000	23800	35700
6	14200	18800	23500	33200	53900
8	17700	23800	30300	41800	71300

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.

(2) Subject to change without prior notice.

(3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :
1st October 2025
LDC LP No. 04/2025-26

04

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	765.00	1075.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1360.00	1920.00	-----	-----	-----
3 Pair	1995.00	2835.00	-----	-----	-----
4 Pair	2560.00	3745.00	-----	-----	-----
5 Pair	3150.00	4650.00	143.00	123.00	179.00
10 Pair	-----	9030.00	272.00	193.00	286.00
RATE PER METER					
20 Pair	-----	194.60	432.00	-----	417.00
50 Pair	-----	504.00	-----	-----	898.00
100 Pair	-----	985.00	-----	-----	1906.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	10565	16.00	98000
2.50	16400	25.00	153300
4.00	24500	35.00	212300
6.00	36300	50.00	-----
10.00	63100		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)						(Rate per 90 Meters)		CCTV CABLES (Rate Per 90 Mtrs. Coil)	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2120.00	23/38	1440.00	0.50 Sq. mm.	2160.00	1.5 Sq. mm.	5735.00	3 + 1	4140.00
40/36	3245.00	40/38	2385.00	0.75 Sq. mm.	3125.00	2.0 Sq. mm.	8870.00	4 + 1	4500.00
70/36	4405.00	70/38	3240.00	1.00 Sq. mm.	3855.00	2.5 Sq. mm.	9520.00		

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2495	7600	
RG-06	3125	9590	103205
RG-11	7140	21835	161090
RG-06 CCS	2025	6170	
RG-11 CCS	4090	12465	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	13780.00

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	229.00	324.00	4	450.00	603.00	773.00
3	292.00	418.00	6	634.00	870.00	1137.00
4	360.00	540.00	10	1007.00	1415.00	1848.00
5	438.00	663.00	16	1494.00	2070.00	2734.00
6	521.00	780.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	574.00	880.00		25	3350.00	4015.00
8	734.00	1074.00		35	4718.00	5389.00
10	835.00	1236.00		50	6378.00	7507.00
12	928.00	1436.00		70	9313.00	10780.00
14	1063.00	1670.00		95	12913.00	14787.00
16	1188.00	1897.00		120	15834.00	19447.00
19	1409.00	2234.00		150	20137.00	23525.00
24	1763.00	2796.00		185	25596.00	29948.00
27	1960.00	3136.00		240	33249.00	38656.00
30	2186.00	3772.00		300	41906.00	48463.00
37	2836.00	4406.00		400	53824.00	61252.00
44	3313.00	5145.00				74979.00
61	4876.00	7460.00				

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1650.00	-----	-----
3 x 50	1972.00	-----	-----
3 x 70	2403.00	-----	-----
3 x 95	2726.00	3760.00	4981.00
3 x 120	3291.00	4224.00	5616.00
3 x 150	3855.00	4845.00	6036.00
3 x 185	4395.00	5469.00	6739.00
3 x 240	5326.00	6456.00	7959.00
3 x 300	6299.00	7570.00	8985.00
3 x 400	7882.00	9180.00	10891.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	191.00	213.00	-----	237.00
4	-----	217.00	233.00	-----	271.00
6	-----	263.00	287.00	-----	343.00
10	-----	333.00	371.00	-----	472.00
16	214.00	379.00	399.00	-----	504.00
25	282.00	405.00	531.00	617.00	660.00
35	341.00	504.00	675.00	750.00	855.00
50	420.00	653.00	878.00	1016.00	1142.00
70	538.00	874.00	1204.00	1369.00	1552.00
95	645.00	1080.00	1483.00	1717.00	1935.00
120	748.00	1289.00	1860.00	2151.00	2430.00
150	891.00	1585.00	2284.00	2549.00	2988.00
185	1095.00	1905.00	2827.00	3227.00	3675.00
240	1353.00	2526.00	3610.00	4053.00	4746.00
300	1665.00	3096.00	4461.00	4986.00	5850.00
400	2103.00	4020.00	5702.00	6369.00	7302.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	141	0.75	164	1	183	1.5	218	2.5	299
PAIR	2	0.5	206	0.75	247	1	285	1.5	354	2.5	507
PAIR	3	0.5	247	0.75	310	1	369	1.5	471	2.5	700
PAIR	4	0.5	295	0.75	376	1	454	1.5	592	2.5	889
PAIR	5	0.5	345	0.75	446	1	546	1.5	723	2.5	1100
PAIR	6	0.5	398	0.75	519	1	632	1.5	843	2.5	1283
PAIR	8	0.5	489	0.75	650	1	802	1.5	1080	2.5	1657
PAIR	10	0.5	586	0.75	772	1	968	1.5	1317	2.5	2021
PAIR	12	0.5	664	0.75	902	1	1139	1.5	1542	2.5	2409
PAIR	16	0.5	833	0.75	1114	1	1444	1.5	1990	2.5	3115
PAIR	19	0.5	947	0.75	1318	1	1682	1.5	2327	2.5	3652
PAIR	24	0.5	1183	0.75	1656	1	2094	1.5	2924	2.5	4590
TRAID	1	0.5	171	0.75	206	1	232	1.5	288	2.5	398

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.