



PRICE LIST 4 NOVEMBER 2025



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

4th November 2025

LDC LP No. 06/2025-26

06

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	05	1650	4135	5675	7260	9445	11300	12700	15000	18700	21900	25200	28700	33200	41900
0.75	24/0.2	08	2310	5535	7680	9875	13355	16175	18100	21200	26600	31000	36400	41000	48400	60500
1.00	32/0.2	13	2910	7040	9765	12630	17200	20700	23400	27200	33700	40200	46600	53100	62400	78100
1.50	30/0.25	17	4185	9600	13800	17900	23500	28600	32100	37200	47400	55800	65900	76000	88300	113100
2.50	50/0.25	24	6885	15900	21800	29400	38200	46200	53000	62900	77300	92800	107800	123200	142700	184900
4.00	56/0.3	30	10600	23300	33500	44600	60600	72500	87500	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.3	38	15900	34300	49400	65500	89100	POLYCAB UNARMoured SCREENED CABLES								
10.00	80/0.4	52	27700	58600	86200	113700	153800	CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.			
16.00	126/0.4	70	43800	92500	135300	178600	236300		0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.			
25.00	196/0.4	88	68100	154200	224300	293000	428900	2	12300	15000	17000	20600	31100			
35.00	276/0.4	110	95300	214800	311800	409800	588000	3	14300	18700	23000	28400	41600			
50.00	396/0.4	145	135900	304600	444100	586500	851200	4	17700	23000	27900	34800	52500			
70.00	354/0.5	215	192100	433000	616000	814300	1164100	5	22400	27500	32100	42200	70600			
95.00	484/0.5	260	253300	Flexible copper WELDING CABLES				6	23700	32100	36600	49500	79200			
120.00	608/0.5	305	326700	Conductor Area SQ. MM.	(AMP)	Rate Per Meter	7	25500	35800	41600	54800	89400				
150.00	750/0.5	355	408900	16.00	120	519.00	8	29700	42600	47300	63200	93300				
185.00	925/0.5	415	518500	25.00	160	812.00	10	37700	47100	62900	79400	104300				
240.00	1210/0.5	500	664000	35.00	230	1121.00	12	42600	53100	67500	89400	122100				
300.00	1527/0.5	585	830900	50.00	400	1591.00	14	47100	62900	79200	107100	146800				
400.00	2036/0.5	695	1107200	70.00	600	2251.00	16	50400	73200	88900	118200	172800				
				95.00	700	2964.00	19	59900	86800	104900	146800	223100				
							24	72400	96900	131500	179800	279600				

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

4th November 2025

LDC LP No. 06/2025-26

06

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1685	4400	5930	7515
0.75	24/.2	8	2373	5865	7995	10185
1	32/.2	13	2947	7350	10125	12975
1.5	30/.25	17	4217	10000	14200	18200
2.5	50/.25	24	6982	16400	22400	30100
4	56/.3	30	10650	23900	34300	45300
6	84/.3	38	16100	35200	50200	66400
10	80/.4	52	28300	59600	87500	115600
16	126/.4	70	43800	95000	138400	182000
25	196/.4	88	68100	157500	228800	299200
35	276/.4	110	95300	219100	317900	418600
50	396/.4	145	135900	311100	452800	597800
70	354/.5	215	192100	441500	628200	830600
95	484/.5	260	253300	-----	890400	1174600
120	608/.5	305	326700	-----	1130600	1492200
150	750/.5	355	408900	-----	1413400	1865600
185	925/.5	415	518500	-----	1740500	2300600
240	1210/.5	500	664000	-----	2246900	2974200
300	1527/.5	585	830900	-----	2803700	3712800
400	2036/.5	695	1107200	-----	3735700	4917700

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	6945	-----	7080	-----	7545
1.00	-----	8980	-----	9135	-----	9630
1.50	-----	13125	-----	13380	-----	14105
2.50	-----	21745	-----	22115	-----	23405
4.00	22610	-----	22860	-----	24325	-----
6.00	33355	-----	33770	-----	35865	-----
10.00	57585	-----	58190	-----	61855	-----
16.00	90610	-----	91500	-----	97340	-----

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	7020	8990	10800	14125	22000
3	8710	11900	14300	19100	30500
4	10800	14400	18300	25600	38400
6	15300	20200	25300	35700	58000
8	19000	25600	32700	44900	76800

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.

(2) Subject to change without prior notice.

(3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :
4th November 2025
LDC LP No. 06/2025-26

06

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES

No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	820.00	1150.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1455.00	2060.00	-----	-----	-----
3 Pair	2135.00	3035.00	-----	-----	-----
4 Pair	2740.00	4010.00	-----	-----	-----
5 Pair	3375.00	4980.00	147.00	127.00	184.00
10 Pair	-----	9670.00	280.00	199.00	295.00
RATE PER METER					
20 Pair	-----	208.50	445.00	-----	430.00
50 Pair	-----	539.85	-----	-----	925.00
100 Pair	-----	1055.15	-----	-----	1963.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS

SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	11260	16.00	104475
2.50	17490	25.00	163425
4.00	26120	35.00	226325
6.00	38700	50.00	-----
10.00	67275		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2285.00	23/38	1550.00	0.50 Sq. mm.	2325.00	1.5 Sq. mm.	6170.00
40/36	3490.00	40/38	2565.00	0.75 Sq. mm.	3365.00	2.0 Sq. mm.	9545.00
70/36	4740.00	70/38	3485.00	1.00 Sq. mm.	4150.00	2.5 Sq. mm.	10245.00

CCTV CABLES (Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	4395.00
4 + 1	4775.00

CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2650	8065	
RG-06	3315	10175	109490
RG-11	7575	23165	170900
RG-06 CCS	2170	6610	
RG-11 CCS	4385	13355	

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	14625.00

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	252.00	356.00	4	495.00	663.00	850.00
3	321.00	460.00	6	697.00	957.00	1251.00
4	396.00	594.00	10	1108.00	1557.00	2033.00
5	482.00	729.00	16	1643.00	2277.00	3007.00
6	573.00	858.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	631.00	968.00				
8	807.00	1181.00				
10	919.00	1360.00				
12	1021.00	1580.00				
14	1169.00	1837.00				
16	1307.00	2087.00				
19	1550.00	2457.00				
24	1939.00	3076.00				
27	2156.00	3450.00				
30	2405.00	4149.00	25	3769.00	4517.00	4968.00
37	3120.00	4847.00	35	5308.00	6063.00	7048.00
44	3644.00	5660.00	50	7175.00	8445.00	9563.00
61	5364.00	8206.00	70	10477.00	12128.00	13804.00
			95	14527.00	16635.00	19175.00
			120	17813.00	21878.00	23892.00
			150	22654.00	26466.00	30348.00
			185	28796.00	33692.00	38464.00
			240	37405.00	43488.00	49619.00
			300	47144.00	54521.00	63095.00
			400	60552.00	68909.00	84351.00

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1774.00	-----	-----
3 x 50	2120.00	-----	-----
3 x 70	2583.00	-----	-----
3 x 95	2930.00	4042.00	5355.00
3 x 120	3538.00	4541.00	6037.00
3 x 150	4144.00	5208.00	6489.00
3 x 185	4725.00	5879.00	7244.00
3 x 240	5725.00	6940.00	8556.00
3 x 300	6771.00	8138.00	9659.00
3 x 400	8473.00	9869.00	11708.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

Cross Section in SQ. MM.	ALUMINIUM ARMoured CABLES • A2XWY/A2XFY				
	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	205.00	229.00	-----	255.00
4	-----	233.00	250.00	-----	291.00
6	-----	283.00	309.00	-----	369.00
10	-----	358.00	399.00	-----	507.00
16	230.00	407.00	429.00	-----	542.00
25	303.00	435.00	571.00	663.00	710.00
35	367.00	542.00	726.00	806.00	919.00
50	452.00	702.00	944.00	1092.00	1228.00
70	578.00	940.00	1294.00	1472.00	1668.00
95	693.00	1161.00	1594.00	1846.00	2080.00
120	804.00	1386.00	2000.00	2312.00	2612.00
150	958.00	1704.00	2455.00	2740.00	3212.00
185	1177.00	2048.00	3039.00	3469.00	3951.00
240	1454.00	2715.00	3881.00	4357.00	5102.00
300	1790.00	3328.00	4796.00	5360.00	6289.00
400	2261.00	4322.00	6130.00	6847.00	7850.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	147	0.75	171	1	190	1.5	227	2.5	311
PAIR	2	0.5	214	0.75	257	1	296	1.5	368	2.5	527
PAIR	3	0.5	257	0.75	322	1	384	1.5	490	2.5	728
PAIR	4	0.5	307	0.75	391	1	472	1.5	616	2.5	925
PAIR	5	0.5	359	0.75	464	1	568	1.5	752	2.5	1144
PAIR	6	0.5	414	0.75	540	1	657	1.5	877	2.5	1334
PAIR	8	0.5	509	0.75	676	1	834	1.5	1123	2.5	1522
PAIR	10	0.5	609	0.75	803	1	1007	1.5	1370	2.5	2102
PAIR	12	0.5	691	0.75	938	1	1185	1.5	1604	2.5	2505
PAIR	16	0.5	866	0.75	1159	1	1502	1.5	2070	2.5	3240
PAIR	19	0.5	985	0.75	1371	1	1749	1.5	2420	2.5	3798
PAIR	24	0.5	1230	0.75	1722	1	2178	1.5	3041	2.5	4774
TRAID	1	0.5	178	0.75	214	1	241	1.5	300	2.5	414

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.