



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
1st May 2024
LDC LP No. 03/2024-25

03

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010.

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	05	1276	3430	4700	6015	7560	9045	10100	12100	15000	17500	20200	23000	26800	33700
0.75	24/0.2	08	1815	4585	6335	8260	10660	12825	14500	17100	21200	24900	28900	33000	38700	48300
1.00	32/0.2	13	2315	5750	8210	10500	13800	16500	18500	21900	27100	32000	37500	42600	50000	62800
1.50	30/0.25	17	3340	7900	11300	14810	18850	22950	26100	30000	37900	44800	52500	60900	70900	90600
2.50	50/0.25	24	5500	13000	18000	24000	30900	37000	42200	50500	62300	74800	86400	98800	114700	148200
4.00	56/0.3	30	8530	19000	27300	35700	48600	58200	70000	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.3	38	12700	27700	40200	52900	71500	POLYCAB UNARMoured SCREENED CABLES • (Rate Per 100 Mtrs.)								
10.00	80/0.4	52	21800	47900	69900	91500	123600	CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.			
16.00	126/0.4	70	34300	75800	110200	145200	189600		0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.			
25.00	196/0.4	88	54200	126200	182800	241400	344700	2	10150	12400	14050	17000	25900			
35.00	276/0.4	110	75800	175700	253900	335600	472300	3	11800	15200	19000	23600	34500			
50.00	396/0.4	145	109400	249500	361700	477600	683500	4	14600	19000	23200	28900	43600			
70.00	354/0.5	215	154600	354400	501800	663200	934500	5	18500	22800	26200	35100	58600			
95.00	484/0.5	260	204000	3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS	SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.	6	19700	25900	30400	41100	65700		
120.00	608/0.5	305	262800						7	21200	29800	34500	45500	74200		
150.00	750/0.5	355	329100						8	24600	35400	39300	52500	77500		
185.00	925/0.5	415	409400						10	31200	39000	52300	65900	86700		
240.00	1210/0.5	500	534300						12	35400	44100	56000	74200	101400		
300.00	1527/0.5	585	668700						14	39000	52300	65700	88900	121900		
400.00	2036/0.5	695	890800						16	41800	60800	73700	98100	143400		
									19	49800	72100	87100	121900	185200		
				24	60100	80500	109300	149300	232200							

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	1855.00	23/38	1255.00	0.50 Sq. mm.	1880.00	1.5 Sq. mm.	4990.00
40/36	2835.00	40/38	2080.00	0.75 Sq. mm.	2720.00	2.0 Sq. mm.	7735.00
70/36	3835.00	70/38	2820.00	1.00 Sq. mm.	3360.00	2.5 Sq. mm.	8290.00

CCTV CABLES (Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	3660.00
4 + 1	3980.00

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
	CAT-6 12180.00



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
1th May 2024
LDC LP No. 03/2024-25

03

POLYCAB INDUSTRIAL CABLES (MULTISTRAND) PRICE-LIST Dt. : 1th MAY 2024 • LP NO. 03/2024-25

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	5340	-----	5505	-----	5795
1.00	-----	7010	-----	7215	-----	7515
1.50	-----	10310	-----	10620	-----	11085
2.50	-----	16735	-----	17245	-----	18000
4.00	17205	-----	17730	-----	18505	-----
6.00	25730	-----	26505	-----	27675	-----
10.00	45095	-----	46410	-----	48430	-----
16.00	70775	-----	72855	-----	76030	-----

Flexible copper conductor TPR insulated WELDING CABLES 1100 V as per IS : 9857

Conductor Area SQ. MM.	(AMP)	Rate Per Meter	Conductor Area SQ. MM.	(AMP)	Rate Per Meter
16.00	120	418.00	50.00	400	1265.00
25.00	160	648.00	70.00	600	1759.00
35.00	230	891.00	95.00	700	2329.00

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES (RATE PER METER)

No. of Pair & Size	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.	JELLYFILLED CABLES	
				As per DOT Specification	
1 Pair	7.35	10.30	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	12.95	18.40	-----		
3 Pair	19.05	27.20	-----		
4 Pair	24.45	35.90	-----		
5 Pair	30.00	44.55	139.00	119.00	174.00
10 Pair	-----	86.65	264.00	187.00	278.00
20 Pair	-----	167.65	419.00	-----	405.00
50 Pair	-----	434.70	-----	-----	872.00
100 Pair	-----	851.00	-----	-----	1850.00
200 Pair	-----	-----	-----	-----	3398.00

POLYCAB FRLS INSULATED SINGLE CORE
Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

RATE PER 100 METERS

SIZE SQ. MM.	Number/Nom. Dia of Conductor (No./dia mm)	(Amps)	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1310	3650	4915	6235
0.75	24/.2	8	1860	4860	6615	8530
1	32/.2	13	2345	6005	8500	10815
1.5	30/.25	17	3370	8230	11700	15110
2.5	50/.25	24	5540	13500	18450	24620
4	56/.3	30	8600	19600	27700	36375
6	84/.3	38	12800	28550	41000	53700
10	80/.4	52	21900	49100	71000	93000
16	126/.4	70	34900	77700	112600	148200
25	196/.4	88	54900	128800	186400	246200
35	276/.4	110	76400	179300	259000	342600
50	396/.4	145	110400	254600	368900	487100
70	354/.5	215	156300	361500	511700	676700
95	484/.5	260	206100	-----	725200	956800
120	608/.5	305	265200	-----	920800	1215500
150	750/.5	355	332400	-----	1151100	1519400
185	925/.5	415	413300	-----	1417700	1873800
240	1210/.5	500	539600	-----	1830000	2422500
300	1527/.5	585	675300	-----	2283600	3024100
400	2036/.5	695	899700	-----	3042800	4005600

CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2225	6800	
RG-06	2800	8570	92200
RG-11	6375	19500	144000
RG-06 CCS	1815	5520	
RG-11 CCS	3650	11110	

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
1st May 2024
LDC LP No. 03/2024-25

03

PRICE-LIST POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	134	0.75	156	1	174	1.5	208	2.5	285
PAIR	2	0.5	196	0.75	235	1	271	1.5	337	2.5	483
PAIR	3	0.5	235	0.75	295	1	351	1.5	449	2.5	667
PAIR	4	0.5	281	0.75	358	1	432	1.5	564	2.5	847
PAIR	5	0.5	329	0.75	425	1	520	1.5	689	2.5	1048
PAIR	6	0.5	379	0.75	494	1	602	1.5	803	2.5	1222
PAIR	7	0.5	416	0.75	542	1	676	1.5	928	2.5	1393
PAIR	8	0.5	466	0.75	619	1	764	1.5	1029	2.5	1578
PAIR	10	0.5	558	0.75	735	1	922	1.5	1254	2.5	1925
PAIR	12	0.5	632	0.75	859	1	1085	1.5	1469	2.5	2294
PAIR	14	0.5	695	0.75	964	1	1217	1.5	1697	2.5	2613
PAIR	16	0.5	793	0.75	1061	1	1375	1.5	1895	2.5	2967
PAIR	19	0.5	902	0.75	1255	1	1602	1.5	2216	2.5	3478
PAIR	24	0.5	1127	0.75	1577	1	1994	1.5	2785	2.5	4371
TRAID	1	0.5	163	0.75	196	1	221	1.5	274	2.5	379
QUAD	1	0.5	187	0.75	228	1	263	1.5	327	2.5	468

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	5535	7075	8510	11075	17325
3	6870	9330	11275	14965	24000
4	8510	11275	14450	19300	30250
5	10500	14100	17200	23400	38300
6	12100	16000	20000	28200	45900
7	13200	18700	23200	31700	54400
8	15000	20200	25900	35600	60600

TERMS & CONDITIONS :

(1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel: +91 22 4922 4200/2208 5153 Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com
Website : www.prabhatcables.com



AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE LIST
PVC/XLPE ARMoured CABLES
W. E. F. : 11th May 2024
PCC LP No. 02/ 2024 - 25

2

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	205.00	289.00	4	392.00	525.00	672.00
3	255.00	373.00	6	536.00	740.00	950.00
4	315.00	467.00	10	856.00	1175.00	1538.00
5	378.00	557.00	16	1250.00	1838.00	2371.00
6	442.00	659.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	494.00	749.00	25	2937.00	3520.00	3872.00
8	636.00	863.00	35	3982.00	4615.00	5254.00
10	719.00	1040.00	50	5443.00	6424.00	7282.00
12	788.00	1208.00	70	7920.00	9035.00	10318.00
14	898.00	1404.00	95	10824.00	12511.00	14740.00
16	1008.00	1594.00	120	13882.00	17050.00	18619.00
19	1197.00	1880.00	150	17655.00	20625.00	23650.00
24	1498.00	2352.00	185	22440.00	26257.00	29975.00
27	1649.00	2804.00	240	29150.00	33891.00	38669.00
30	1838.00	3371.00	300	36740.00	42489.00	49170.00
37	2483.00	3938.00	400	47190.00	53702.00	65737.00
44	2961.00	4599.00				
61	4358.00	6668.00				

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond.	Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3	x 35	1453.00	-----	-----
3	x 50	1737.00	-----	-----
3	x 70	2116.00	-----	-----
3	x 95	2400.00	3311.00	4386.00
3	x 120	2897.00	3720.00	4945.00
3	x 150	3394.00	4266.00	5315.00
3	x 185	3870.00	4816.00	5934.00
3	x 240	4689.00	5685.00	7009.00
3	x 300	5547.00	6665.00	7912.00
3	x 400	6940.00	8084.00	9589.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	163.00	181.00	-----	202.00
4	-----	185.00	198.00	-----	232.00
6	-----	224.00	245.00	-----	292.00
10	-----	284.00	316.00	-----	402.00
16	182.00	323.00	340.00	-----	430.00
25	240.00	344.00	435.00	505.00	541.00
35	290.00	430.00	575.00	639.00	728.00
50	358.00	556.00	748.00	865.00	973.00
70	458.00	744.00	1026.00	1166.00	1322.00
95	549.00	920.00	1263.00	1456.00	1648.00
120	637.00	1098.00	1538.00	1823.00	2010.00
150	759.00	1350.00	1888.00	2161.00	2471.00
185	933.00	1623.00	2339.00	2736.00	3040.00
240	1153.00	2152.00	2986.00	3435.00	3925.00
300	1419.00	2637.00	3689.00	4227.00	4838.00
400	1792.00	3424.00	4716.00	5400.00	6220.00

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.