



# PRICE LIST 14 AUGUST 2026



Auth. Distributors  
**POLYCAB**  
IDEAS. CONNECTED.

## PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,  
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com  
info@prabhatcables.com • Website : www.prabhatcables.com

### BRANCHES :

#### HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,  
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA  
Tel. : +91 86554 86242 / 86554 86246  
Email : hubli@prabhatcables.com

#### ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,  
Bhubaneswar - 751006, INDIA  
Tel. : +91 96810 07838 / 86554 86253  
Email : abani@prabhatcables.com, odisha@prabhatcables.com

#### BANGALORE

Karania Chambers-2, No 16, 2nd Floor, 80 Feet Road,  
Basaveshwara Nagar, Bangalore - 560079, INDIA  
Tel. : +91 97390 02495  
Email : bgr@prabhatcables.com

#### KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,  
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)  
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247  
Email : klbg@prabhatcables.com

#### GUWAHATI

Ground, Dag No. 53, 54 and 1312 of Patta No. 784, Rungpur  
Compound, Girijananda Chowdhury University, Hatkhawapara,  
Azara, Kamrup Metropolitan, Assam 781017, INDIA  
Tel. : +91 99541 99542  
Email : assam@prabhatcables.com



# PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

HUBLI : +91 86554 86242 / 86554 86246 • ODISHA : +91 96810 07838 / 86554 86253

BANGALORE : +91 97390 02495 • KALABURGI : +91 86554 86249 / 86554 86247

GUWAHATI : +91 99541 99542

Auth. Distributors

## POLYCAB

IDEAS. CONNECTED.

### PRICE-LIST

W. E. F. :

14th August 2026

LDC LP No. 04/2026-27

# 04

### POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

| COND. AREA<br>SQ.MM. | Cond. Const.<br>(No/Dia mm) | AMPS | SINGLE<br>CORE | 2<br>CORE                      | 3<br>CORE | 4<br>CORE         | 5<br>CORE | 6<br>CORE                          | 7<br>CORE   | 8<br>CORE    | 10<br>CORE  | 12<br>CORE  | 14<br>CORE  | 16<br>CORE | 19<br>CORE | 24<br>CORE |
|----------------------|-----------------------------|------|----------------|--------------------------------|-----------|-------------------|-----------|------------------------------------|-------------|--------------|-------------|-------------|-------------|------------|------------|------------|
| 0.50                 | 16/0.2                      | 05   | 2090           | 5405                           | 7580      | 9845              | 12730     | 15165                              | 17150       | 20075        | 24800       | 29050       | 33650       | 38700      | 45350      | 57025      |
| 0.75                 | 24/0.2                      | 08   | 3020           | 7695                           | 10610     | 13900             | 18325     | 21875                              | 25150       | 28900        | 35700       | 42425       | 49400       | 56100      | 66450      | 83425      |
| 1.00                 | 32/0.2                      | 13   | 3875           | 9615                           | 13710     | 17900             | 23950     | 28525                              | 32700       | 37600        | 46700       | 55300       | 63050       | 73700      | 86850      | 109200     |
| 1.50                 | 30/0.25                     | 17   | 5610           | 13460                          | 19225     | 25450             | 33850     | 40125                              | 46200       | 53000        | 65900       | 79400       | 91700       | 104650     | 123900     | 156500     |
| 2.50                 | 50/0.25                     | 24   | 9345           | 21625                          | 30550     | 41400             | 55100     | 65925                              | 76000       | 87150        | 108700      | 129900      | 151300      | 172550     | 205150     | 258900     |
| 4.00                 | 56/0.3                      | 30   | 14800          | 32600                          | 47600     | 62500             | 89000     | 106600                             | 129500      | -----        | -----       | -----       | -----       | -----      | -----      | -----      |
| 6.00                 | 84/0.3                      | 38   | 22100          | 48350                          | 70500     | 93200             | 131900    | POLYCAB UNARMoured SCREENED CABLES |             |              |             |             |             |            |            |            |
| 10.00                | 80/0.4                      | 52   | 37800          | 82800                          | 121700    | 160400            | 227800    | CORES                              | 16/.20 MM.  | 24/.20 MM.   | 32/.20 MM.  | 48/.20 MM.  | 80/.20 MM.  |            |            |            |
| 16.00                | 126/0.4                     | 70   | 59400          | 127100                         | 186100    | 246100            | 345200    |                                    | 0.5 Sq. Mm. | 0.75 Sq. Mm. | 1.0 Sq. Mm. | 1.5 Sq. Mm. | 2.5 Sq. Mm. |            |            |            |
| 25.00                | 196/0.4                     | 88   | 96400          | 213300                         | 311900    | 413600            | 549300    |                                    | 2           | 14900        | 17550       | 20700       | 26000       | 40700      |            |            |
| 35.00                | 276/0.4                     | 110  | 132100         | 296400                         | 435100    | 576500            | 764600    |                                    | 3           | 17550        | 21950       | 26300       | 34400       | 53300      |            |            |
| 50.00                | 396/0.4                     | 145  | 188400         | 420600                         | 619800    | 819500            | 1091400   |                                    | 4           | 21000        | 26600       | 33000       | 43200       | 67900      |            |            |
| 70.00                | 354/0.5                     | 215  | 264300         | 590600                         | 862400    | 1144100           | 1518000   |                                    | 5           | 26900        | 33200       | 41300       | 53900       | 82200      |            |            |
| 95.00                | 484/0.5                     | 260  | 349400         | 590600                         | 862400    | 1144100           | 1518000   |                                    | 6           | 30600        | 38500       | 48400       | 62200       | 96300      |            |            |
| 120.00               | 608/0.5                     | 305  | 451400         | Flexible copper WELDING CABLES |           |                   |           | 7                                  | 33000       | 42500        | 52600       | 70200       | 111900      |            |            |            |
| 150.00               | 750/0.5                     | 355  | 565000         | Conductor Area<br>SQ. MM.      | (AMP)     | Rate<br>Per Meter | 8         | 36200                              | 47600       | 59300        | 79600       | 129500      |             |            |            |            |
| 185.00               | 925/0.5                     | 415  | 700000         | 16.00                          | 120       | 723.00            | 10        | 43100                              | 57200       | 71200        | 96600       | 144600      |             |            |            |            |
| 240.00               | 1210/0.5                    | 500  | 907600         | 25.00                          | 160       | 1107.00           | 12        | 49400                              | 67400       | 84400        | 116200      | 184900      |             |            |            |            |
| 300.00               | 1527/0.5                    | 585  | 1135100        | 35.00                          | 230       | 1554.00           | 14        | 58300                              | 78700       | 97900        | 132500      | 203700      |             |            |            |            |
| 400.00               | 2036/0.5                    | 695  | 1495700        | 50.00                          | 400       | 2197.00           | 16        | 63800                              | 86200       | 110100       | 149700      | 239700      |             |            |            |            |
|                      |                             |      |                | 70.00                          | 600       | 3102.00           | 19        | 73100                              | 99400       | 129600       | 173900      | 309400      |             |            |            |            |
|                      |                             |      |                | 95.00                          | 700       | 4092.00           | 24        | 90900                              | 121800      | 157400       | 218200      | 388000      |             |            |            |            |

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

**POLYCAB FRLS INSULATED SINGLE CORE**

Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

**POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.**
**RATE PER 100 METERS**

| SIZE<br>SQ. MM. | Cond. Const.<br>(No/Dia mm) | AMPS | SINGLE<br>CORE | 2<br>CORE | 3<br>CORE | 4<br>CORE |
|-----------------|-----------------------------|------|----------------|-----------|-----------|-----------|
| 0.5             | 16/.2                       | 5    | 2130           | 5765      | 7885      | 10150     |
| 0.75            | 24/.2                       | 8    | 3070           | 7995      | 10900     | 14240     |
| 1               | 32/.2                       | 13   | 3950           | 9905      | 14050     | 18185     |
| 1.5             | 30/.25                      | 17   | 5685           | 13800     | 19525     | 25825     |
| 2.5             | 50/.25                      | 24   | 9510           | 21950     | 30975     | 42025     |
| 4               | 56/.3                       | 30   | 15110          | 33200     | 48400     | 63350     |
| 6               | 84/.3                       | 38   | 22300          | 49000     | 71400     | 94100     |
| 10              | 80/.4                       | 52   | 38200          | 84200     | 123000    | 161900    |
| 16              | 126/.4                      | 70   | 59400          | 127100    | 186100    | 246100    |
| 25              | 196/.4                      | 88   | 96400          | 213300    | 311900    | 413600    |
| 35              | 276/.4                      | 110  | 132100         | 296400    | 435100    | 576500    |
| 50              | 396/.4                      | 145  | 188400         | 420600    | 619800    | 819500    |
| 70              | 354/.5                      | 215  | 264300         | 590600    | 862400    | 1144100   |
| 95              | 484/.5                      | 260  | 349400         | -----     | 1176600   | 1557300   |
| 120             | 608/.5                      | 305  | 451400         | -----     | 1497000   | 1983000   |
| 150             | 750/.5                      | 355  | 565000         | -----     | 1895300   | 2504600   |
| 185             | 925/.5                      | 415  | 700000         | -----     | 2287100   | 3023800   |
| 240             | 1210/.5                     | 500  | 907600         | -----     | 3048500   | 4003400   |
| 300             | 1527/.5                     | 585  | 1135100        | -----     | 3649800   | 5016600   |
| 400             | 2036/.5                     | 695  | 1495700        | -----     | 4866400   | 6689200   |

**POLYCAB INDUSTRIAL CABLES (MULTISTRAND)**

| CONDUCTOR<br>AREA SQ. MM. | FR<br>200 Mtrs. Coil | FR<br>300 Mtrs. Coil | FRLSH<br>200 Mtrs. Coil | FRLSH<br>300 Mtrs. Coil | HFFR<br>200 Mtrs. Coil | HFFR<br>300 Mtrs. Coil |
|---------------------------|----------------------|----------------------|-------------------------|-------------------------|------------------------|------------------------|
| 0.75                      | -----                | 9555                 | -----                   | 9735                    | -----                  | 10680                  |
| 1.00                      | -----                | 12265                | -----                   | 12490                   | -----                  | 13420                  |
| 1.50                      | -----                | 17970                | -----                   | 18325                   | -----                  | 19535                  |
| 2.50                      | -----                | 29830                | -----                   | 30330                   | -----                  | 32460                  |
| 4.00                      | 31010                | -----                | 31410                   | -----                   | 33360                  | -----                  |
| 6.00                      | 46425                | -----                | 47000                   | -----                   | 49920                  | -----                  |
| 10.00                     | 79885                | -----                | 80815                   | -----                   | 85795                  | -----                  |
| 16.00                     | 125685               | -----                | 126935                  | -----                   | 135020                 | -----                  |

**POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)**

| Cores | 0.5 sq.mm<br>(16/.2) | 0.75 sq.mm<br>(24/.2) | 1.0 sq.mm<br>(32/.2) | 1.5 sq.mm<br>(30/.25) | 2.5 sq.mm<br>(50/.25) |
|-------|----------------------|-----------------------|----------------------|-----------------------|-----------------------|
| 2     | 9550                 | 12300                 | 14775                | 19400                 | 30500                 |
| 3     | 12000                | 16000                 | 20000                | 26800                 | 42800                 |
| 4     | 14775                | 19700                 | 25225                | 34800                 | 55300                 |
| 6     | 20600                | 28300                 | 36300                | 49900                 | 81000                 |
| 8     | 26500                | 36600                 | 46800                | 66100                 | 108300                |

**TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.**
**(2) Subject to change without prior notice.**
**(3) This cancels all our previous price-lists.**



# PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

HUBLI : +91 86554 86242 / 86554 86246 • ODISHA : +91 96810 07838 / 86554 86253

BANGALORE : +91 97390 02495 • KALABURGI : +91 86554 86249 / 86554 86247

GUWAHATI : +91 99541 99542

Auth. Distributors

## POLYCAB

IDEAS. CONNECTED.

### PRICE-LIST

W. E. F. :

14th August 2026

LDC LP No. 04/2026-27

# 04

#### POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES

| No. of Pair & Size | Rate Per 90 Meter Coil |                       | Rate Per Meter      | JELLYFILLED CABLES<br>As per DOT Specification |                     |
|--------------------|------------------------|-----------------------|---------------------|------------------------------------------------|---------------------|
|                    | Unarmoured<br>0.4 MM.  | Unarmoured<br>0.5 MM. | Armoured<br>0.5 MM. |                                                |                     |
| 1 Pair             | 1070.00                | 1475.00               | -----               | Unarmoured<br>0.5 MM.                          | Armoured<br>0.5 MM. |
| 2 Pair             | 1830.00                | 2795.00               | -----               | -----                                          | -----               |
| 3 Pair             | 2665.00                | 3985.00               | -----               | -----                                          | -----               |
| 4 Pair             | 3580.00                | 5295.00               | -----               | -----                                          | -----               |
| 5 Pair             | 4660.00                | 6615.00               | 192.00              | 168.00                                         | 220.00              |
| 10 Pair            | -----                  | 13225.00              | 368.00              | 261.00                                         | 338.00              |
| RATE PER METER     |                        |                       |                     |                                                |                     |
| 20 Pair            | -----                  | 287.65                | 570.00              | -----                                          | 596.00              |
| 50 Pair            | -----                  | 755.35                | -----               | -----                                          | 1319.00             |
| 100 Pair           | -----                  | 1510.70               | -----               | -----                                          | 2517.00             |

#### 3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS

| SIZE<br>SQ. MM. | RATE PER<br>100 MTRS. | SIZE<br>SQ. MM. | RATE PER<br>100 MTRS. |
|-----------------|-----------------------|-----------------|-----------------------|
| 1.50            | 13815                 | 16.00           | 131425                |
| 2.50            | 22365                 | 25.00           | 214835                |
| 4.00            | 34620                 | 35.00           | 300840                |
| 6.00            | 50665                 | 50.00           | -----                 |
| 10.00           | 88580                 |                 |                       |

#### POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

| SIZE  | RATE    | SIZE  | RATE    | SIZE         | RATE    | SIZE        | RATE     |
|-------|---------|-------|---------|--------------|---------|-------------|----------|
| 23/36 | 2640.00 | 23/38 | 1745.00 | 0.50 Sq. mm. | 3185.00 | 1.5 Sq. mm. | 8805.00  |
| 40/36 | 4220.00 | 40/38 | 2945.00 | 0.75 Sq. mm. | 4680.00 | 2.0 Sq. mm. | 12620.00 |
| 70/36 | 6275.00 | 70/38 | 4595.00 | 1.00 Sq. mm. | 6185.00 | 2.5 Sq. mm. | 14615.00 |

#### CCTV CABLES

(Rate Per 90 Mtrs. Coil)

| SIZE  | RATE    |
|-------|---------|
| 3 + 1 | 4865.00 |
| 4 + 1 | 5625.00 |

#### CO-AXIAL CABLES • (RATE PER COIL)

| ITEM      | UNARMoured (100 MTRS.) | UNARMoured (305 MTRS.) | ARMoured. (1000 MTRS.) |
|-----------|------------------------|------------------------|------------------------|
| RG-59     | 4135                   | 12620                  |                        |
| RG-06     | 4230                   | 12895                  | 100785                 |
| RG-11     | 9990                   | 30460                  | 183805                 |
| RG-06 CCS | 2870                   | 8755                   |                        |
| RG-11 CCS | 5625                   | 17150                  |                        |

#### LAN COMPUTER CABLES

| ITEM<br>4 PAIR | UTP                                       |
|----------------|-------------------------------------------|
|                | UNARMoured<br>(RATE PER COIL OF 305 MTR.) |
| CAT-6          | 19145.00                                  |

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

**RATE PER METER**

**XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988**

**COPPER ARMoured CABLES • 2XWY/2XFY**

| NO. OF CORES | 1.5 SQ. MM. | 2.5 SQ. MM. | CROSS SECTION IN SQ. MM. | 2 CORE   | 3 CORE   | 4 CORE   |
|--------------|-------------|-------------|--------------------------|----------|----------|----------|
| 2            | 283.00      | 398.00      | 4                        | 549.00   | 761.00   | 990.00   |
| 3            | 360.00      | 529.00      | 6                        | 781.00   | 1102.00  | 1433.00  |
| 4            | 452.00      | 682.00      | 10                       | 1266.00  | 1803.00  | 2386.00  |
| 5            | 575.00      | 847.00      | 16                       | 1791.00  | 2679.00  | 3519.00  |
| 6            | 694.00      | 993.00      | CROSS SECTION IN SQ. MM. | 3 CORE   | 3.5 CORE | 4 CORE   |
| 7            | 723.00      | 1155.00     |                          |          |          |          |
| 8            | 822.00      | 1332.00     |                          |          |          |          |
| 10           | 1030.00     | 1582.00     |                          |          |          |          |
| 12           | 1158.00     | 1873.00     |                          |          |          |          |
| 14           | 1329.00     | 2196.00     |                          |          |          |          |
| 16           | 1520.00     | 2482.00     |                          |          |          |          |
| 19           | 1802.00     | 2916.00     |                          |          |          |          |
| 24           | 2254.00     | 3673.00     | 25                       | 4186.00  | 5079.00  | 5568.00  |
| 27           | 2555.00     | 4186.00     | 35                       | 6039.00  | 6915.00  | 7990.00  |
| 30           | 2848.00     | 5034.00     | 50                       | 8148.00  | 9593.00  | 10889.00 |
| 37           | 3695.00     | 5878.00     | 70                       | 11816.00 | 13795.00 | 15824.00 |
| 44           | 4315.00     | 6866.00     | 95                       | 16921.00 | 19604.00 | 22356.00 |
| 61           | 6354.00     | 9955.00     | 120                      | 20868.00 | 24866.00 | 27826.00 |
|              |             |             | 150                      | 25683.00 | 29751.00 | 34435.00 |
|              |             |             | 185                      | 32528.00 | 38025.00 | 43081.00 |
|              |             |             | 240                      | 42426.00 | 49007.00 | 56327.00 |
|              |             |             | 300                      | 54190.00 | 61971.00 | 71483.00 |
|              |             |             | 400                      | 70082.00 | 78454.00 | 97626.00 |

**H. T. XLPE ARMoured ALUMINIUM CABLES**

| Cond. Cross Section in SQ. MM. | 6.6 KV (UE)<br>11 KV (E) | 22 KV (E) | 33 KV (E) |
|--------------------------------|--------------------------|-----------|-----------|
| 3 x 35                         | 1809.00                  | -----     | -----     |
| 3 x 50                         | 2179.00                  | -----     | -----     |
| 3 x 70                         | 2646.00                  | -----     | -----     |
| 3 x 95                         | 3158.00                  | 4071.00   | 5202.00   |
| 3 x 120                        | 3707.00                  | 4539.00   | 5834.00   |
| 3 x 150                        | 4337.00                  | 5445.00   | 6792.00   |
| 3 x 185                        | 5086.00                  | 5997.00   | 7482.00   |
| 3 x 240                        | 6468.00                  | 7171.00   | 8612.00   |
| 3 x 300                        | 7348.00                  | 8538.00   | 9849.00   |
| 3 x 400                        | 9361.00                  | 10484.00  | 11797.00  |

**XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988**

**ALUMINIUM ARMoured CABLES • A2XWY/A2XFY**

| Cross Section in SQ. MM. | 1 CORE  | 2 CORE  | 3 CORE  | 3.5 CORE | 4 CORE  |
|--------------------------|---------|---------|---------|----------|---------|
| 2.5                      | -----   | 224.00  | 241.00  | -----    | 266.00  |
| 4                        | -----   | 241.00  | 284.00  | -----    | 315.00  |
| 6                        | -----   | 303.00  | 353.00  | -----    | 395.00  |
| 10                       | -----   | 349.00  | 417.00  | -----    | 546.00  |
| 16                       | 242.00  | 406.00  | 464.00  | -----    | 592.00  |
| 25                       | 302.00  | 418.00  | 556.00  | 653.00   | 702.00  |
| 35                       | 376.00  | 536.00  | 761.00  | 843.00   | 960.00  |
| 50                       | 479.00  | 723.00  | 986.00  | 1124.00  | 1266.00 |
| 70                       | 608.00  | 921.00  | 1323.00 | 1532.00  | 1717.00 |
| 95                       | 744.00  | 1192.00 | 1702.00 | 1941.00  | 2264.00 |
| 120                      | 891.00  | 1468.00 | 2083.00 | 2433.00  | 2771.00 |
| 150                      | 1061.00 | 1797.00 | 2580.00 | 2837.00  | 3348.00 |
| 185                      | 1288.00 | 2194.00 | 3192.00 | 3589.00  | 4217.00 |
| 240                      | 1600.00 | 2776.00 | 4130.00 | 4575.00  | 5454.00 |
| 300                      | 1945.00 | 3414.00 | 5107.00 | 5674.00  | 6741.00 |
| 400                      | 2511.00 | 4475.00 | 6481.00 | 7200.00  | 8667.00 |

**Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.**

**OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES**

| TYPE  | No. | SIZE | RATE | SIZE | RATE | SIZE | RATE | SIZE | RATE | SIZE | RATE |
|-------|-----|------|------|------|------|------|------|------|------|------|------|
| PAIR  | 1   | 0.5  | 156  | 0.75 | 181  | 1    | 203  | 1.5  | 244  | 2.5  | 375  |
| PAIR  | 2   | 0.5  | 237  | 0.75 | 303  | 1    | 343  | 1.5  | 425  | 2.5  | 674  |
| PAIR  | 3   | 0.5  | 293  | 0.75 | 386  | 1    | 462  | 1.5  | 592  | 2.5  | 926  |
| PAIR  | 4   | 0.5  | 355  | 0.75 | 483  | 1    | 581  | 1.5  | 751  | 2.5  | 1184 |
| PAIR  | 5   | 0.5  | 434  | 0.75 | 599  | 1    | 708  | 1.5  | 904  | 2.5  | 1446 |
| PAIR  | 6   | 0.5  | 499  | 0.75 | 689  | 1    | 833  | 1.5  | 1092 | 2.5  | 1846 |
| PAIR  | 8   | 0.5  | 639  | 0.75 | 883  | 1    | 1061 | 1.5  | 1388 | 2.5  | 2199 |
| PAIR  | 10  | 0.5  | 809  | 0.75 | 1065 | 1    | 1337 | 1.5  | 1820 | 2.5  | 2790 |
| PAIR  | 12  | 0.5  | 869  | 0.75 | 1235 | 1    | 1456 | 1.5  | 2002 | 2.5  | 3359 |
| PAIR  | 16  | 0.5  | 1149 | 0.75 | 1538 | 1    | 1994 | 1.5  | 2749 | 2.5  | 4302 |
| PAIR  | 19  | 0.5  | 1307 | 0.75 | 1821 | 1    | 2321 | 1.5  | 3212 | 2.5  | 5041 |
| PAIR  | 24  | 0.5  | 1631 | 0.75 | 2345 | 1    | 3056 | 1.5  | 3908 | 2.5  | 6035 |
| TRAID | 1   | 0.5  | 193  | 0.75 | 237  | 1    | 269  | 1.5  | 348  | 2.5  | 499  |

**NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.**