



PRICE LIST 14 OCTOBER 2025



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

14th October 2025

LDC LP No. 05/2025-26

05

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE				
0.50	16/0.2	05	1570	3995	5480	7015	8995	10760	12100	14300	17800	20900	24000	27300	31600	39900				
0.75	24/0.2	08	2200	5345	7420	9540	12720	15400	17200	20200	25300	29500	34700	39000	46100	57600				
1.00	32/0.2	13	2805	6800	9435	12200	16380	19700	22300	25900	32100	38300	44400	50600	59400	74400				
1.50	30/0.25	17	4035	9235	13280	17200	22400	27250	30600	35400	45100	53100	62800	72400	84100	107700				
2.50	50/0.25	24	6635	15300	21000	28300	36400	44000	50500	59900	73600	88400	102700	117300	135900	176100				
4.00	56/0.3	30	10190	22400	32200	42900	57700	69000	83300	-----	-----	-----	-----	-----	-----	-----				
6.00	84/0.3	38	15300	33000	47500	63000	84900	POLYCAB UNARMoured SCREENED CABLES												
10.00	80/0.4	52	26700	56300	82900	109300	146500	CORES	16/.20 MM.		24/.20 MM.		32/.20 MM.		48/.20 MM.		80/.20 MM.			
16.00	126/0.4	70	42300	88900	130100	171700	225000		0.5 Sq. Mm.		0.75 Sq. Mm.		1.0 Sq. Mm.		1.5 Sq. Mm.		2.5 Sq. Mm.			
25.00	196/0.4	88	66300	148300	215700	281700	408500	2	11900		14600		16500		20000		30200			
35.00	276/0.4	110	92600	206500	299800	394000	560000	3	13900		18200		22300		27600		40400			
50.00	396/0.4	145	131800	292900	427000	563900	810700	4	17200		22300		27100		33800		51000			
70.00	354/0.5	215	186800	416300	592300	783000	1108700	5	21700		26700		31200		41000		68500			
95.00	484/0.5	260	246300	Flexible copper WELDING CABLES				6	23000		31200		35500		48100		76900			
120.00	608/0.5	305	316800	Conductor Area SQ. MM.		(AMP)		Rate Per Meter		7	24800		34800		40400		53200		86800	
150.00	750/0.5	355	397200	16.00		120		504.00		8	28800		41400		45900		61400		90600	
185.00	925/0.5	415	503200	25.00		160		788.00		10	36600		45700		61100		77100		101300	
240.00	1210/0.5	500	644800	35.00		230		1088.00		12	41400		51600		65500		86800		118500	
300.00	1527/0.5	585	807000	50.00		400		1545.00		14	45700		61100		76900		104000		142500	
400.00	2036/0.5	695	1075200	70.00		600		2185.00		16	48900		71100		86300		114800		167800	
				95.00		700		2878.00		19	58200		84300		101800		142500		216600	
										24	70300		94100		127700		174600		271500	

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1605	4250	5730	7260
0.75	24/.2	8	2260	5665	7725	9840
1	32/.2	13	2840	7100	9780	12535
1.5	30/.25	17	4065	9615	13675	17500
2.5	50/.25	24	6730	15800	21500	28900
4	56/.3	30	10255	23000	33000	43600
6	84/.3	38	15500	33800	48300	63800
10	80/.4	52	27300	57300	84100	111200
16	126/.4	70	42300	91300	133100	175000
25	196/.4	88	66300	151400	220000	287700
35	276/.4	110	92600	210700	305700	402500
50	396/.4	145	131800	299100	435400	574800
70	354/.5	215	186800	424500	604000	798700
95	484/.5	260	246300	-----	856200	1129400
120	608/.5	305	316800	-----	1087100	1434800
150	750/.5	355	397200	-----	1359000	1793800
185	925/.5	415	503200	-----	1673600	2212100
240	1210/.5	500	644800	-----	2160500	2859800
300	1527/.5	585	807000	-----	2695900	3570000
400	2036/.5	695	1075200	-----	3592000	4728600

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	6560	-----	6765	-----	7125
1.00	-----	8605	-----	8855	-----	9230
1.50	-----	12670	-----	13050	-----	13615
2.50	-----	20555	-----	21185	-----	22125
4.00	21170	-----	21815	-----	22775	-----
6.00	31675	-----	32630	-----	34060	-----
10.00	55520	-----	57145	-----	59635	-----
16.00	88020	-----	90610	-----	94560	-----

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	6750	8645	10375	13575	21150
3	8375	11425	13750	18325	29300
4	10400	13800	17600	24600	36900
6	14700	19400	24300	34300	55800
8	18300	24600	31400	43200	73800

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.

(2) Subject to change without prior notice.

(3) This cancels all our previous price-lists.

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES					
No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	790.00	1105.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1400.00	1980.00	-----	-----	-----
3 Pair	2055.00	2920.00	-----	-----	-----
4 Pair	2635.00	3855.00	-----	-----	-----
5 Pair	3245.00	4790.00	147.00	127.00	184.00
10 Pair	-----	9300.00	280.00	199.00	295.00
RATE PER METER					
20 Pair	-----	200.45	445.00	-----	430.00
50 Pair	-----	519.10	-----	-----	925.00
100 Pair	-----	1014.55	-----	-----	1963.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS			
SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	10880	16.00	100940
2.50	16900	25.00	157900
4.00	25235	35.00	218670
6.00	37390	50.00	-----
10.00	65000		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)						(Rate per 90 Meters)		CCTV CABLES (Rate Per 90 Mtrs. Coil)	
SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2185.00	23/38	1485.00	0.50 Sq. mm.	2225.00	1.5 Sq. mm.	5905.00	3 + 1	4265.00
40/36	3340.00	40/38	2455.00	0.75 Sq. mm.	3220.00	2.0 Sq. mm.	9135.00	4 + 1	4635.00
70/36	4535.00	70/38	3335.00	1.00 Sq. mm.	3970.00	2.5 Sq. mm.	9805.00		

CO-AXIAL CABLES • (RATE PER COIL)			
ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2570	7830	
RG-06	3220	9880	106300
RG-11	7355	22490	165925
RG-06 CCS	2085	6355	
RG-11 CCS	4215	12840	

LAN COMPUTER CABLES	
ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	14200.00

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	252.00	356.00	4	495.00	663.00	850.00
3	321.00	460.00	6	697.00	957.00	1251.00
4	396.00	594.00	10	1108.00	1557.00	2033.00
5	482.00	729.00	16	1643.00	2277.00	3007.00
6	573.00	858.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	631.00	968.00				
8	807.00	1181.00				
10	919.00	1360.00				
12	1021.00	1580.00				
14	1169.00	1837.00				
16	1307.00	2087.00				
19	1550.00	2457.00				
24	1939.00	3076.00				
27	2156.00	3450.00				
30	2405.00	4149.00	25	3769.00	4517.00	4968.00
37	3120.00	4847.00	35	5308.00	6063.00	7048.00
44	3644.00	5660.00	50	7175.00	8445.00	9563.00
61	5364.00	8206.00	70	10477.00	12128.00	13804.00
			95	14527.00	16635.00	19175.00
			120	17813.00	21878.00	23892.00
			150	22654.00	26466.00	30348.00
			185	28796.00	33692.00	38464.00
			240	37405.00	43488.00	49619.00
			300	47144.00	54521.00	63095.00
			400	60552.00	68909.00	84351.00

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1774.00	-----	-----
3 x 50	2120.00	-----	-----
3 x 70	2583.00	-----	-----
3 x 95	2930.00	4042.00	5355.00
3 x 120	3538.00	4541.00	6037.00
3 x 150	4144.00	5208.00	6489.00
3 x 185	4725.00	5879.00	7244.00
3 x 240	5725.00	6940.00	8556.00
3 x 300	6771.00	8138.00	9659.00
3 x 400	8473.00	9869.00	11708.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

Cross Section in SQ. MM.	ALUMINIUM ARMoured CABLES • A2XWY/A2XFY				
	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	205.00	229.00	-----	255.00
4	-----	233.00	250.00	-----	291.00
6	-----	283.00	309.00	-----	369.00
10	-----	358.00	399.00	-----	507.00
16	230.00	407.00	429.00	-----	542.00
25	303.00	435.00	571.00	663.00	710.00
35	367.00	542.00	726.00	806.00	919.00
50	452.00	702.00	944.00	1092.00	1228.00
70	578.00	940.00	1294.00	1472.00	1668.00
95	693.00	1161.00	1594.00	1846.00	2080.00
120	804.00	1386.00	2000.00	2312.00	2612.00
150	958.00	1704.00	2455.00	2740.00	3212.00
185	1177.00	2048.00	3039.00	3469.00	3951.00
240	1454.00	2715.00	3881.00	4357.00	5102.00
300	1790.00	3328.00	4796.00	5360.00	6289.00
400	2261.00	4322.00	6130.00	6847.00	7850.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	147	0.75	171	1	190	1.5	227	2.5	311
PAIR	2	0.5	214	0.75	257	1	296	1.5	368	2.5	527
PAIR	3	0.5	257	0.75	322	1	384	1.5	490	2.5	728
PAIR	4	0.5	307	0.75	391	1	472	1.5	616	2.5	925
PAIR	5	0.5	359	0.75	464	1	568	1.5	752	2.5	1144
PAIR	6	0.5	414	0.75	540	1	657	1.5	877	2.5	1334
PAIR	8	0.5	509	0.75	676	1	834	1.5	1123	2.5	1522
PAIR	10	0.5	609	0.75	803	1	1007	1.5	1370	2.5	2102
PAIR	12	0.5	691	0.75	938	1	1185	1.5	1604	2.5	2505
PAIR	16	0.5	866	0.75	1159	1	1502	1.5	2070	2.5	3240
PAIR	19	0.5	985	0.75	1371	1	1749	1.5	2420	2.5	3798
PAIR	24	0.5	1230	0.75	1722	1	2178	1.5	3041	2.5	4774
TRAID	1	0.5	178	0.75	214	1	241	1.5	300	2.5	414

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.