



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
16th April 2024
LDC LP No. 02/2024-25

02

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010.

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	05	1230	3330	4560	5840	7340	8780	9800	11700	14600	17000	19600	22300	26000	32700
0.75	24/0.2	08	1750	4450	6150	8020	10350	12450	14100	16600	20600	24200	28100	32000	37600	46900
1.00	32/0.2	13	2230	5580	7970	10190	13400	15980	18000	21300	26300	31100	36400	41400	48500	61000
1.50	30/0.25	17	3220	7670	10970	14380	18040	22260	25300	29100	36800	43500	51000	59100	68800	88000
2.50	50/0.25	24	5300	12600	17470	23320	30000	35900	41000	49000	60500	72600	83900	95900	111400	143900
4.00	56/0.3	30	8280	18400	26500	34700	47200	56500	68000	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.3	38	12300	26900	39000	51400	69400	POLYCAB UNARMoured SCREENED CABLES • (Rate Per 100 Mtrs.)								
10.00	80/0.4	52	21200	46500	67900	88800	120000	CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.			
16.00	126/0.4	70	33300	73600	107000	141000	184100		0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.			
25.00	196/0.4	88	52600	122500	177500	234400	334700	2	9900	12100	13700	16600	25300			
35.00	276/0.4	110	73600	170600	246500	325800	458500	3	11500	14800	18500	23000	33700			
50.00	396/0.4	145	106200	242200	351200	463700	663600	4	14200	18500	22600	28200	42500			
70.00	354/0.5	215	150100	344100	487200	643900	907300	5	18000	22200	25600	34200	57200			
95.00	484/0.5	260	198100	3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS				6	19200	25300	29700	40100	64100			
120.00	608/0.5	305	255100					7	20700	29100	33700	44400	72400			
150.00	750/0.5	355	319500	SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.	8	24000	34500	38300	51200	75600			
185.00	925/0.5	415	397500	1.50	9060	16.00	82300	10	30400	38000	51000	64300	84600			
240.00	1210/0.5	500	518700	2.50	14070	25.00	128750	12	34500	43000	54600	72400	98900			
300.00	1527/0.5	585	649200	4.00	20735	35.00	178200	14	38000	51000	64100	86700	118900			
400.00	2036/0.5	695	864900	6.00	30570	50.00	-----	16	40800	59300	71900	95700	139900			
				10.00	53200	-----	-----	19	48600	70300	85000	118900	180700			
								24	58600	78500	106600	145700	226500			

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	1775.00	23/38	1200.00	0.50 Sq. mm.	1800.00	1.5 Sq. mm.	4775.00
40/36	2710.00	40/38	1990.00	0.75 Sq. mm.	2600.00	2.0 Sq. mm.	7400.00
70/36	3670.00	70/38	2700.00	1.00 Sq. mm.	3215.00	2.5 Sq. mm.	7930.00

CCTV CABLES (Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	3500.00
4 + 1	3810.00

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
	CAT-6 11650.00



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
16th April 2024
LDC LP No. 02/2024-25

02

POLYCAB INDUSTRIAL CABLES (MULTISTRAND) PRICE-LIST Dt. : 16th APRIL 2024 • LP NO. 02/2024-25

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	5160	-----	5320	-----	5600
1.00	-----	6770	-----	6970	-----	7260
1.50	-----	9960	-----	10260	-----	10710
2.50	-----	16170	-----	16660	-----	17390
4.00	16620	-----	17130	-----	17880	-----
6.00	24860	-----	25610	-----	26740	-----
10.00	43570	-----	44840	-----	46790	-----
16.00	68380	-----	70390	-----	73460	-----

Flexible copper conductor TPR insulated WELDING CABLES 1100 V as per IS : 9857

Conductor Area SQ. MM.	(AMP)	Rate Per Meter	Conductor Area SQ. MM.	(AMP)	Rate Per Meter
16.00	120	408.00	50.00	400	1234.00
25.00	160	632.00	70.00	600	1714.00
35.00	230	869.00	95.00	700	2272.00

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES (RATE PER METER)

No. of Pair & Size	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.	JELLYFILLED CABLES	
				As per DOT Specification	
1 Pair	7.00	9.80	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	12.35	17.50	-----		
3 Pair	18.15	25.90	-----		
4 Pair	23.30	34.20	-----		
5 Pair	28.60	42.45	129.00	116.00	169.00
10 Pair	-----	82.50	244.00	182.00	270.00
20 Pair	-----	159.65	388.00	-----	393.00
50 Pair	-----	414.00	-----	-----	847.00
100 Pair	-----	810.50	-----	-----	1796.00
200 Pair	-----	-----	-----	-----	3299.00

POLYCAB FRLS INSULATED SINGLE CORE
Unsheathed Industrial Flexible Cable conforming to IS 694:
2010 with Flexible Bright Annealed Copper Conductor for
Voltage Grade upto 1100 Volts.

RATE PER 100 METERS

SIZE SQ. MM.	Number/Nom. Dia of Conductor (No./dia mm)	(Amps)	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1260	3540	4770	6050
0.75	24/.2	8	1790	4720	6420	8280
1	32/.2	13	2260	5830	8250	10500
1.5	30/.25	17	3250	7990	11340	14670
2.5	50/.25	24	5340	13100	17900	23900
4	56/.3	30	8340	19000	26900	35300
6	84/.3	38	12400	27700	39800	52100
10	80/.4	52	21300	47700	68900	90300
16	126/.4	70	33900	75400	109300	143900
25	196/.4	88	53300	125000	181000	239000
35	276/.4	110	74200	174100	251500	332600
50	396/.4	145	107200	247200	358200	472900
70	354/.5	215	151700	351000	496800	657000
95	484/.5	260	200100	-----	704100	928900
120	608/.5	305	257500	-----	894000	1180100
150	750/.5	355	322700	-----	1117600	1475100
185	925/.5	415	401300	-----	1376400	1819200
240	1210/.5	500	523900	-----	1776700	2351900
300	1527/.5	585	655600	-----	2217100	2936000
400	2036/.5	695	873500	-----	2954200	3888900

CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2130	6500	
RG-06	2680	8200	88200
RG-11	6100	18650	137600
RG-06 CCS	1735	5280	
RG-11 CCS	3490	10630	

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
16th April 2024
LDC LP No. 02/2024-25

02

PRICE-LIST POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	130	0.75	151	1	169	1.5	202	2.5	277
PAIR	2	0.5	190	0.75	228	1	263	1.5	327	2.5	469
PAIR	3	0.5	228	0.75	286	1	341	1.5	436	2.5	648
PAIR	4	0.5	273	0.75	348	1	419	1.5	548	2.5	822
PAIR	5	0.5	319	0.75	413	1	505	1.5	669	2.5	1017
PAIR	6	0.5	368	0.75	480	1	584	1.5	780	2.5	1186
PAIR	7	0.5	404	0.75	526	1	656	1.5	901	2.5	1352
PAIR	8	0.5	452	0.75	601	1	742	1.5	999	2.5	1532
PAIR	10	0.5	542	0.75	714	1	895	1.5	1217	2.5	1869
PAIR	12	0.5	614	0.75	834	1	1053	1.5	1426	2.5	2227
PAIR	14	0.5	675	0.75	936	1	1182	1.5	1648	2.5	2537
PAIR	16	0.5	770	0.75	1030	1	1335	1.5	1840	2.5	2881
PAIR	19	0.5	876	0.75	1218	1	1555	1.5	2151	2.5	3377
PAIR	24	0.5	1094	0.75	1531	1	1936	1.5	2704	2.5	4244
TRAID	1	0.5	158	0.75	190	1	215	1.5	266	2.5	368
QUAD	1	0.5	182	0.75	221	1	255	1.5	317	2.5	454

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	5400	6900	8300	10800	16900
3	6700	9100	11000	14600	23400
4	8300	11000	14100	18800	29500
5	10200	13800	16800	22800	37400
6	11800	15600	19500	27500	44800
7	12900	18200	22600	30900	53100
8	14600	19700	25300	34700	59100

TERMS & CONDITIONS :

(1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel: +91 22 4922 4200/2208 5153 Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com
Website : www.prabhatcables.com

ESTD : 1958



AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE LIST

PVC/XLPE ARMoured CABLES

W. E. F. : 16th April 2024

PCC LP No. 01/ 2024 - 25

1

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE	
2	195.00	275.00	4	373.00	500.00	640.00	
3	243.00	355.00	6	510.00	705.00	905.00	
4	300.00	445.00	10	815.00	1119.00	1465.00	
5	360.00	530.00	16	1190.00	1750.00	2258.00	
6	421.00	628.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE	
7	470.00	713.00		25	2670.00	3200.00	3520.00
8	606.00	822.00		35	3620.00	4195.00	4776.00
10	685.00	990.00		50	4948.00	5840.00	6620.00
12	750.00	1150.00		70	7200.00	8214.00	9380.00
14	855.00	1337.00		95	9840.00	11374.00	13400.00
16	960.00	1518.00		120	12620.00	15500.00	16926.00
19	1140.00	1790.00		150	16050.00	18750.00	21500.00
24	1427.00	2240.00		185	20400.00	23870.00	27250.00
27	1570.00	2670.00		240	26500.00	30810.00	35154.00
30	1750.00	3210.00		300	33400.00	38626.00	44700.00
37	2365.00	3750.00		400	42900.00	48820.00	59761.00
44	2820.00	4380.00					
61	4150.00	6350.00					

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond.	Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3	x 35	1352.00	-----	-----
3	x 50	1616.00	-----	-----
3	x 70	1968.00	-----	-----
3	x 95	2233.00	3080.00	4080.00
3	x 120	2695.00	3460.00	4600.00
3	x 150	3157.00	3968.00	4944.00
3	x 185	3600.00	4480.00	5520.00
3	x 240	4362.00	5288.00	6520.00
3	x 300	5160.00	6200.00	7360.00
3	x 400	6456.00	7520.00	8920.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	152.00	168.00	-----	188.00
4	-----	172.00	184.00	-----	216.00
6	-----	208.00	228.00	-----	272.00
10	-----	264.00	294.00	-----	374.00
16	162.00	300.00	316.00	-----	400.00
25	213.00	320.00	405.00	470.00	503.00
35	258.00	400.00	535.00	594.00	677.00
50	318.00	517.00	696.00	805.00	905.00
70	407.00	692.00	954.00	1085.00	1230.00
95	488.00	856.00	1175.00	1354.00	1533.00
120	566.00	1021.00	1431.00	1696.00	1870.00
150	675.00	1256.00	1756.00	2010.00	2299.00
185	829.00	1510.00	2176.00	2545.00	2828.00
240	1025.00	2002.00	2778.00	3195.00	3651.00
300	1261.00	2453.00	3432.00	3932.00	4500.00
400	1593.00	3185.00	4387.00	5023.00	5786.00

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.