



PRICE LIST

18 DECEMBER 2025



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

18th December 2025
LDC LP No. 08/2025-26

08

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	05	1760	4410	6055	7745	10075	12075	13525	16000	20000	23300	26825	30600	35400	44600
0.75	24/0.2	08	2465	5905	8190	10530	14250	17300	19350	22600	28400	33100	38800	43700	51600	64500
1.00	32/0.2	13	3105	7505	10400	13500	18400	22100	25000	29000	35900	42850	49700	56600	66600	83300
1.50	30/0.25	17	4465	10235	14700	19100	25100	30500	34200	39600	50500	59500	70200	81000	94100	120500
2.50	50/0.25	24	7345	17000	23200	31300	40800	49300	56500	67100	82400	98900	114900	131400	152200	197100
4.00	56/0.3	30	11310	24900	35700	47500	64600	77300	93300	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.3	38	16950	36600	52600	69800	95000	POLYCAB UNARMoured SCREENED CABLES								
10.00	80/0.4	52	29550	62500	91900	121200	163900	CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.			
16.00	126/0.4	70	46700	98600	144200	190400	251900		0.5 Sq. Mm.	0.75 Sq. Mm.	1.0 Sq. Mm.	1.5 Sq. Mm.	2.5 Sq. Mm.			
25.00	196/0.4	88	72600	164400	239100	312300	457200	2	12800	15600	17700	21425	32350			
35.00	276/0.4	110	101600	229000	332400	436800	626800	3	14900	19450	23900	29540	43300			
50.00	396/0.4	145	144900	324700	473400	625200	907400	4	18400	23900	29000	36200	54600			
70.00	354/0.5	215	204800	461600	656700	868100	1240900	5	23300	28600	33400	43900	73400			
95.00	484/0.5	260	270000	Flexible copper WELDING CABLES				6	24600	33400	38100	51500	82400			
120.00	608/0.5	305	355100	Conductor Area SQ. MM.	(AMP)	Rate Per Meter	7	26500	37200	43300	57000	93000				
150.00	750/0.5	355	444400	16.00	120	553.00	8	30900	44300	49200	65700	97000				
185.00	925/0.5	415	563500	25.00	160	865.00	10	39200	49000	65400	82600	108500				
240.00	1210/0.5	500	721700	35.00	230	1195.00	12	44300	55200	70200	93000	127000				
300.00	1527/0.5	585	903000	50.00	400	1696.00	14	49000	65400	82400	111400	152700				
400.00	2036/0.5	695	1203300	70.00	600	2399.00	16	52400	76100	92500	122900	179700				
				95.00	700	3160.00	19	62300	90300	109100	152700	232000				
				95.00	700	3160.00	24	75300	100800	136800	187000	290800				

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

POLYCAB FRLS INSULATED SINGLE CORE

Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1800	4690	6325	8015
0.75	24/.2	8	2535	6255	8525	10900
1	32/.2	13	3140	7835	10800	13830
1.5	30/.25	17	4500	10700	15200	19450
2.5	50/.25	24	7445	17500	23900	32140
4	56/.3	30	11500	25500	36600	48300
6	84/.3	38	17200	37550	53600	70800
10	80/.4	52	30200	63500	93300	123200
16	126/.4	70	46700	101300	147600	194100
25	196/.4	88	72600	167900	243900	319000
35	276/.4	110	101600	233600	338800	446300
50	396/.4	145	144900	331700	482700	637200
70	354/.5	215	204800	470600	669700	885500
95	484/.5	260	270000	-----	949200	1252200
120	608/.5	305	355100	-----	1205300	1590700
150	750/.5	355	444400	-----	1506600	1988700
185	925/.5	415	563500	-----	1855400	2452400
240	1210/.5	500	721700	-----	2395200	3170500
300	1527/.5	585	903000	-----	2988800	3957800
400	2036/.5	695	1203300	-----	3982300	5242200

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	7405	-----	7550	-----	8045
1.00	-----	9575	-----	9740	-----	10265
1.50	-----	13995	-----	14265	-----	15040
2.50	-----	23185	-----	23580	-----	24950
4.00	24105	-----	24375	-----	25935	-----
6.00	35560	-----	36000	-----	38235	-----
10.00	61385	-----	62030	-----	65935	-----
16.00	96590	-----	97545	-----	103765	-----

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	7300	9350	11235	14700	22900
3	9060	12400	14900	19900	31700
4	11230	15000	19000	26600	39900
6	15900	21000	26300	37100	60300
8	19800	26600	34000	46700	79900

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.

(2) Subject to change without prior notice.

(3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

18th December 2025
LDC LP No. 08/2025-26

08

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES

No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	865.00	1215.00	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1535.00	2175.00	-----	-----	-----
3 Pair	2255.00	3200.00	-----	-----	-----
4 Pair	2895.00	4235.00	-----	-----	-----
5 Pair	3565.00	5260.00	158.00	137.00	198.00
10 Pair	-----	10210.00	301.00	214.00	317.00
RATE PER METER					
20 Pair	-----	220.10	478.00	-----	462.00
50 Pair	-----	569.90	-----	-----	994.00
100 Pair	-----	1113.90	-----	-----	2110.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS

SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	11885	16.00	110295
2.50	18465	25.00	172535
4.00	27570	35.00	238930
6.00	40855	50.00	-----
10.00	71020		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	2410.00	23/38	1635.00	0.50 Sq. mm.	2450.00	1.5 Sq. mm.	6515.00
40/36	3685.00	40/38	2705.00	0.75 Sq. mm.	3550.00	2.0 Sq. mm.	10075.00
70/36	5000.00	70/38	3680.00	1.00 Sq. mm.	4385.00	2.5 Sq. mm.	10815.00

CCTV CABLES (Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	4550.00
4 + 1	4940.00

CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2745	8345	
RG-06	3430	10530	113320
RG-11	7840	23975	176880
RG-06 CCS	2245	6840	
RG-11 CCS	4540	13820	

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	15440.00

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	284.00	401.00	4	557.00	746.00	956.00
3	361.00	518.00	6	784.00	1077.00	1407.00
4	446.00	668.00	10	1247.00	1752.00	2287.00
5	542.00	820.00	16	1807.00	2505.00	3308.00
6	645.00	965.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	710.00	1089.00				
8	908.00	1329.00				
10	1034.00	1530.00				
12	1149.00	1778.00				
14	1315.00	2067.00				
16	1470.00	2348.00				
19	1744.00	2764.00				
24	2181.00	3461.00	25	4146.00	4969.00	5465.00
27	2426.00	3881.00	35	5839.00	6669.00	7753.00
30	2706.00	4668.00	50	7893.00	9290.00	10519.00
37	3510.00	5453.00	70	11525.00	13341.00	15184.00
44	4100.00	6368.00	95	15980.00	18299.00	21093.00
61	6035.00	9232.00	120	19594.00	24066.00	26281.00
			150	24919.00	29113.00	33383.00
			185	31676.00	37061.00	42310.00
			240	41146.00	47837.00	54581.00
			300	51858.00	59973.00	69405.00
			400	66607.00	75800.00	92786.00

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1845.00	-----	-----
3 x 50	2205.00	-----	-----
3 x 70	2686.00	-----	-----
3 x 95	3047.00	4204.00	5569.00
3 x 120	3680.00	4723.00	6278.00
3 x 150	4310.00	5416.00	6749.00
3 x 185	4914.00	6114.00	7534.00
3 x 240	5954.00	7218.00	8898.00
3 x 300	7042.00	8464.00	10045.00
3 x 400	8812.00	10264.00	12176.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	213.00	238.00	-----	265.00
4	-----	242.00	260.00	-----	303.00
6	-----	294.00	321.00	-----	384.00
10	-----	372.00	415.00	-----	527.00
16	239.00	423.00	446.00	-----	564.00
25	315.00	452.00	594.00	690.00	738.00
35	382.00	564.00	755.00	838.00	956.00
50	470.00	730.00	982.00	1136.00	1277.00
70	601.00	978.00	1346.00	1531.00	1735.00
95	721.00	1207.00	1658.00	1920.00	2163.00
120	844.00	1455.00	2100.00	2428.00	2743.00
150	1006.00	1789.00	2578.00	2877.00	3373.00
185	1236.00	2150.00	3191.00	3642.00	4149.00
240	1527.00	2851.00	4075.00	4575.00	5357.00
300	1880.00	3494.00	5036.00	5628.00	6603.00
400	2374.00	4538.00	6437.00	7189.00	8243.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	154	0.75	180	1	200	1.5	238	2.5	327
PAIR	2	0.5	225	0.75	270	1	311	1.5	386	2.5	553
PAIR	3	0.5	270	0.75	338	1	403	1.5	515	2.5	764
PAIR	4	0.5	322	0.75	411	1	496	1.5	647	2.5	971
PAIR	5	0.5	377	0.75	487	1	596	1.5	790	2.5	1201
PAIR	6	0.5	435	0.75	567	1	690	1.5	921	2.5	1401
PAIR	8	0.5	534	0.75	710	1	876	1.5	1179	2.5	1809
PAIR	10	0.5	639	0.75	843	1	1057	1.5	1439	2.5	2630
PAIR	12	0.5	726	0.75	985	1	1244	1.5	1684	2.5	2997
PAIR	16	0.5	909	0.75	1217	1	1577	1.5	2174	2.5	3402
PAIR	19	0.5	1034	0.75	1440	1	1836	1.5	2541	2.5	3988
PAIR	24	0.5	1292	0.75	1808	1	2287	1.5	3193	2.5	5013
TRAID	1	0.5	187	0.75	225	1	253	1.5	315	2.5	435

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.