



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
16th May 2024
LDC LP No. 04/2024-25

04

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010.

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	05	1310	3500	4795	6135	7710	9230	10300	12350	15300	17900	20600	23500	27300	34400
0.75	24/0.2	08	1860	4680	6500	8355	10900	13100	14800	17450	21600	25400	29500	33700	39500	49300
1.00	32/0.2	13	2375	5955	8270	10670	14100	16850	18900	22300	27600	32600	38300	43500	51000	64100
1.50	30/0.25	17	3425	8095	11485	15040	19230	23400	26600	30600	38700	45700	54100	62500	72300	92400
2.50	50/0.25	24	5640	13080	18365	24315	31500	37700	43000	51500	63500	76300	88100	100800	117000	151200
4.00	56/0.3	30	8745	19600	28265	37150	49600	59525	71400	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.3	38	13020	28810	41675	54775	73100	POLYCAB UNARMoured SCREENED CABLES • (Rate Per 100 Mtrs.)								
10.00	80/0.4	52	22860	49290	71905	94525	126100	CORES	16/.20 MM.		24/.20 MM.		32/.20 MM.		48/.20 MM.	
16.00	126/0.4	70	35720	77300	112400	148350	193400		0.5 Sq. Mm.		0.75 Sq. Mm.		1.0 Sq. Mm.		1.5 Sq. Mm.	
25.00	196/0.4	88	56200	128700	186500	243600	351600	2	10350		12650		14330		17350	
35.00	276/0.4	110	78600	179200	259000	340400	481700	3	12040		15500		19400		24100	
50.00	396/0.4	145	112100	254500	368900	487200	697200	4	14900		19400		23700		29500	
70.00	354/0.5	215	158500	361500	511800	676500	953200	5	18900		23300		26700		35800	
95.00	484/0.5	260	209100	3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS				6	20100		26400		31000		41900	
120.00	608/0.5	305	269400	SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.	7	21600		30400		35200		46400	
150.00	750/0.5	355	337300					8	25100		36100		40100		53600	
185.00	925/0.5	415	419600	1.50	9710	16.00	88150	10	31800		39800		53300		67200	
240.00	1210/0.5	500	547700	2.50	15070	25.00	138000	12	36100		45000		57100		75700	
300.00	1527/0.5	585	685400	4.00	22210	35.00	190900	14	39800		53300		67000		90700	
400.00	2036/0.5	695	913100	6.00	32750	50.00	-----	16	42600		62000		75200		100100	
				10.00	57000	-----	-----	19	50800		73500		88800		124300	
								24	61300		82100		111500		152300	

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	1900.00	23/38	1285.00	0.50 Sq. mm.	1925.00	1.5 Sq. mm.	5115.00
40/36	2905.00	40/38	2130.00	0.75 Sq. mm.	2785.00	2.0 Sq. mm.	7930.00
70/36	3930.00	70/38	2890.00	1.00 Sq. mm.	3445.00	2.5 Sq. mm.	8500.00

CCTV CABLES (Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	3750.00
4 + 1	4080.00

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
	CAT-6 12500.00



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
16th May 2024
LDC LP No. 04/2024-25

04

POLYCAB INDUSTRIAL CABLES (MULTISTRAND) PRICE-LIST Dt. : 16th MAY 2024 • LP NO. 04/2024-25

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	-----	5530	-----	5700	-----	6000
1.00	-----	7255	-----	7470	-----	7780
1.50	-----	10670	-----	10995	-----	11475
2.50	-----	17320	-----	17850	-----	18630
4.00	17810	-----	18350	-----	19155	-----
6.00	26630	-----	27435	-----	28645	-----
10.00	46675	-----	48035	-----	50125	-----
16.00	73250	-----	75405	-----	78690	-----

Flexible copper conductor TPR insulated WELDING CABLES 1100 V as per IS : 9857

Conductor Area SQ. MM.	(AMP)	Rate Per Meter	Conductor Area SQ. MM.	(AMP)	Rate Per Meter
16.00	120	426.50	50.00	400	1309.00
25.00	160	667.00	70.00	600	1850.00
35.00	230	921.00	95.00	700	2438.00

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES (RATE PER METER)

No. of Pair & Size	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.	JELLYFILLED CABLES	
				As per DOT Specification	
1 Pair	7.55	10.55	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	13.30	18.85	-----		
3 Pair	19.55	27.90	-----		
4 Pair	25.05	36.80	-----		
5 Pair	30.75	45.65	139.00	119.00	174.00
10 Pair	-----	88.80	264.00	187.00	278.00
20 Pair	-----	171.85	419.00	-----	405.00
50 Pair	-----	445.55	-----	-----	872.00
100 Pair	-----	872.30	-----	-----	1850.00
200 Pair	-----	-----	-----	-----	3398.00

POLYCAB FRLS INSULATED SINGLE CORE
Unsheathed Industrial Flexible Cable conforming to IS 694:
2010 with Flexible Bright Annealed Copper Conductor for
Voltage Grade upto 1100 Volts.

RATE PER 100 METERS

SIZE SQ. MM.	Number/Nom. Dia of Conductor (No./dia mm)	(Amps)	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1345	3725	5015	6360
0.75	24/.2	8	1910	4960	6765	8625
1	32/.2	13	2405	6215	8565	10980
1.5	30/.25	17	3455	8430	11845	15305
2.5	50/.25	24	5725	13580	18795	24790
4	56/.3	30	8815	20215	28815	37860
6	84/.3	38	13150	29525	42385	55480
10	80/.4	52	23400	50240	72875	95960
16	126/.4	70	36250	79300	114900	151200
25	196/.4	88	56900	131400	190100	248500
35	276/.4	110	79500	182900	264200	347600
50	396/.4	145	113200	259700	376300	496800
70	354/.5	215	160200	368700	521900	690200
95	484/.5	260	211300	-----	739700	975900
120	608/.5	305	271800	-----	939200	1239800
150	750/.5	355	340700	-----	1174100	1549800
185	925/.5	415	423600	-----	1446100	1911300
240	1210/.5	500	553100	-----	1866600	2471000
300	1527/.5	585	692200	-----	2329300	3084600
400	2036/.5	695	922200	-----	3103700	4085700

CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2280	6970	
RG-06	2870	8785	94500
RG-11	6535	20000	147600
RG-06 CCS	1860	5660	
RG-11 CCS	3740	11400	

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel : +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
16th May 2024
LDC LP No. 04/2024-25

04

PRICE-LIST POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	134	0.75	156	1	174	1.5	208	2.5	285
PAIR	2	0.5	196	0.75	235	1	271	1.5	337	2.5	483
PAIR	3	0.5	235	0.75	295	1	351	1.5	449	2.5	667
PAIR	4	0.5	281	0.75	358	1	432	1.5	564	2.5	847
PAIR	5	0.5	329	0.75	425	1	520	1.5	689	2.5	1048
PAIR	6	0.5	379	0.75	494	1	602	1.5	803	2.5	1222
PAIR	7	0.5	416	0.75	542	1	676	1.5	928	2.5	1393
PAIR	8	0.5	466	0.75	619	1	764	1.5	1029	2.5	1578
PAIR	10	0.5	558	0.75	735	1	922	1.5	1254	2.5	1925
PAIR	12	0.5	632	0.75	859	1	1085	1.5	1469	2.5	2294
PAIR	14	0.5	695	0.75	964	1	1217	1.5	1697	2.5	2613
PAIR	16	0.5	793	0.75	1061	1	1375	1.5	1895	2.5	2967
PAIR	19	0.5	902	0.75	1255	1	1602	1.5	2216	2.5	3478
PAIR	24	0.5	1127	0.75	1577	1	1994	1.5	2785	2.5	4371
TRAID	1	0.5	163	0.75	196	1	221	1.5	274	2.5	379
QUAD	1	0.5	187	0.75	228	1	263	1.5	327	2.5	468

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	5650	7220	8680	11300	17675
3	7010	9520	11500	15265	24480
4	8680	11500	14750	19700	30855
5	10700	14400	17500	23900	39100
6	12300	16300	20400	28800	46800
7	13500	19100	23700	32300	55500
8	15300	20600	26400	36300	61800

TERMS & CONDITIONS :

(1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel: +91 22 4922 4200/2208 5153 Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com
Website : www.prabhatcables.com

ESTD : 1958



AUTH. DISTRIBUTORS :
POLYCAB
IDEAS. CONNECTED.

PRICE LIST
PVC/XLPE ARMoured CABLES
W. E. F. : 1st May 2024
PCC LP No. 02/ 2024 - 25

2

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE	
2	205.00	289.00	4	392.00	525.00	672.00	
3	255.00	373.00	6	536.00	740.00	950.00	
4	315.00	467.00	10	856.00	1175.00	1538.00	
5	378.00	557.00	16	1250.00	1838.00	2371.00	
6	442.00	659.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE	
7	494.00	749.00		25	2937.00	3520.00	3872.00
8	636.00	863.00		35	3982.00	4615.00	5254.00
10	719.00	1040.00		50	5443.00	6424.00	7282.00
12	788.00	1208.00		70	7920.00	9035.00	10318.00
14	898.00	1404.00		95	10824.00	12511.00	14740.00
16	1008.00	1594.00		120	13882.00	17050.00	18619.00
19	1197.00	1880.00		150	17655.00	20625.00	23650.00
24	1498.00	2352.00		185	22440.00	26257.00	29975.00
27	1649.00	2804.00		240	29150.00	33891.00	38669.00
30	1838.00	3371.00		300	36740.00	42489.00	49170.00
37	2483.00	3938.00	400	47190.00	53702.00	65737.00	
44	2961.00	4599.00					
61	4358.00	6668.00					

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond.	Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3	x 35	1453.00	-----	-----
3	x 50	1737.00	-----	-----
3	x 70	2116.00	-----	-----
3	x 95	2400.00	3311.00	4386.00
3	x 120	2897.00	3720.00	4945.00
3	x 150	3394.00	4266.00	5315.00
3	x 185	3870.00	4816.00	5934.00
3	x 240	4689.00	5685.00	7009.00
3	x 300	5547.00	6665.00	7912.00
3	x 400	6940.00	8084.00	9589.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	163.00	181.00	-----	202.00
4	-----	185.00	198.00	-----	232.00
6	-----	224.00	245.00	-----	292.00
10	-----	284.00	316.00	-----	402.00
16	182.00	323.00	340.00	-----	430.00
25	240.00	344.00	435.00	505.00	541.00
35	290.00	430.00	575.00	639.00	728.00
50	358.00	556.00	748.00	865.00	973.00
70	458.00	744.00	1026.00	1166.00	1322.00
95	549.00	920.00	1263.00	1456.00	1648.00
120	637.00	1098.00	1538.00	1823.00	2010.00
150	759.00	1350.00	1888.00	2161.00	2471.00
185	933.00	1623.00	2339.00	2736.00	3040.00
240	1153.00	2152.00	2986.00	3435.00	3925.00
300	1419.00	2637.00	3689.00	4227.00	4838.00
400	1792.00	3424.00	4716.00	5400.00	6220.00

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.