PRICE LIST
21 APRIL 2025

Auth. Distributors

POLYCAB

IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.
Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR
Ph No.101, 275/1-2, Sarora, Industrial Area Urla, Near
Shivam Engg., Sarora, Raipur, Chhattisgarh - 493221, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI
98-B,Behind krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA
Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE
Karania Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI
Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI
Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com

PRABHAT CABLES PVT. LTD.

ESTD : 1958

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246
ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495
KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
21st April 2025
LDC LP No. 01/2025-26

01

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.2	**05**	1400	3570	4895	6260	8035	9595	10800	12800	15900	18600	21400	24400	28200	35600
0.75	24/0.2	**08**	1965	4770	6630	8520	11355	13700	15300	18000	22600	26300	30900	34800	41200	51400
1.00	32/0.2	**13**	2500	6070	8430	10900	14625	17615	19900	23100	28700	34100	39700	45200	53100	66500
1.50	30/0.25	**17**	3605	8250	11850	15350	19985	24325	27400	31600	40300	47400	56100	64700	75100	96200
2.50	50/0.25	**24**	5925	13600	18700	25300	32500	39300	45100	53600	65800	79000	91800	104900	121500	157400
4.00	56/0.3	**30**	9100	20000	28800	38300	51500	61700	74400	--------	--------	--------	--------	--------	--------	--------
6.00	84/0.3	**38**	13600	29500	42400	56300	75900									
10.00	80/0.4	**52**	23900	50300	74000	97700	130900									
16.00	126/0.4	**70**	37800	79500	116200	153500	201100									
25.00	196/0.4	**88**	59200	132500	192800	251800	365100									
35.00	276/0.4	**110**	82800	184500	267900	352100	500400									
50.00	396/0.4	**145**	117800	261800	381600	503900	724400									
70.00	354/0.5	**215**	166900	372000	529300	699700	990600									
95.00	484/0.5	**260**	220100													
120.00	608/0.5	**305**	283100													
150.00	750/0.5	**355**	354900													
185.00	925/0.5	**415**	441100													
240.00	1210/0.5	**500**	576200													
300.00	1527/0.5	**585**	721100													
400.00	2036/0.5	**695**	960800													

Flexible copper WELDING CABLES

Conductor Area SQ. MM.	(AMP)	Rate Per Meter
16.00	**120**	450.00
25.00	**160**	703.00
35.00	**230**	972.00
50.00	**400**	1381.00
70.00	**600**	1952.00
95.00	**700**	2572.00

POLYCAB UNARMOURED SCREENED CABLES

CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.
	0.5 Sq. Mm.	**0.75 Sq. Mm.**	**1.0 Sq. Mm.**	**1.5 Sq. Mm.**	**2.5 Sq. Mm.**
2	10950	13500	15250	18400	27800
3	12775	16750	20500	25400	37200
4	15800	20500	25000	31100	46900
5	20000	24600	28700	37800	63000
6	21200	28700	32700	44300	70700
7	22800	32000	37200	49000	79900
8	26500	38100	42200	56500	83400
10	33700	42000	56200	70900	93300
12	38100	47500	60300	79900	109100
14	42000	56200	70700	95700	131100
16	45000	65500	79400	105700	154400
19	53600	77600	93700	131100	199300
24	64700	86600	117600	160700	249900

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

PRABHAT CABLES PVT. LTD.

ESTD : 1958

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246
ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495
KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
21st April 2025
LDC LP No. 01/2025-26

01

POLYCAB FRLS INSULATED SINGLE CORE
Unsheathed Industrial Flexible Cable conforming to IS 694: 2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.

RATE PER 100 METERS

SIZE SQ. MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.5	16/.2	5	1435	3795	5115	6485
0.75	24/.2	8	2015	5060	6900	8790
1	32/.2	13	2535	6340	8735	11200
1.5	30/.25	17	3630	8590	12210	15605
2.5	50/.25	24	6015	14100	19200	25900
4	56/.3	30	9160	20600	29500	38900
6	84/.3	38	13800	30200	43200	57000
10	80/.4	52	24400	51200	75100	99300
16	126/.4	70	37800	81600	118900	156400
25	196/.4	88	59200	135200	196600	257100
35	276/.4	110	82800	188300	273200	359600
50	396/.4	145	117800	267300	389100	513700
70	354/.5	215	166900	379300	539700	713800
95	484/.5	260	220100	----------	765100	1009300
120	608/.5	305	283100	----------	971400	1282100
150	750/.5	355	354900	----------	1214400	1602900
185	925/.5	415	441100	----------	1495500	1976700
240	1210/.5	500	576200	----------	1930500	2555400
300	1527/.5	585	721100	----------	2409000	3190000
400	2036/.5	695	960800	----------	3209800	4225400

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil
0.75	--------	5805	--------	5985	--------	6305
1.00	--------	7615	--------	7840	--------	8170
1.50	--------	11200	--------	11535	--------	12035
2.50	--------	18170	--------	18725	--------	19550
4.00	18685	-------	19250	-------	20100	-------
6.00	27940	-------	28785	-------	30050	-------
10.00	48955	-------	50390	-------	52585	-------
16.00	77615	-------	79900	-------	83380	-------

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	5975	7650	9175	11960	18700
3	7410	10100	12160	16175	25900
4	9200	12200	15600	21800	32700
6	13100	17200	21500	30400	49400
8	16200	21800	27800	38200	65300

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes.
(2) Subject to change without prior notice.
(3) This cancels all our previous price-lists.

PRABHAT CABLES PVT. LTD.

ESTD : 1958

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153
RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246
ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495
KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB
IDEAS. CONNECTED.

PRICE-LIST
W. E. F. :
21st April 2025
LDC LP No. 01/2025-26

01

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES

No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.
1 Pair	705.00	990.00	-------		
2 Pair	1245.00	1760.00	-------		
3 Pair	1835.00	2605.00	-------	-------	-------
4 Pair	2350.00	3445.00	-------	-------	-------
5 Pair	2890.00	4275.00	139.00	123.00	179.00
10 Pair	-------	8305.00	264.00	193.00	286.00
RATE PER METER					
20 Pair	-------	178.55	419.00	-------	417.00
50 Pair	-------	463.00	--------	-------	898.00
100 Pair	-------	906.15	--------	-------	1906.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS

SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	9815	16.00	90145
2.50	15230	25.00	140930
4.00	22780	35.00	195280
6.00	33400	50.00	----------
10.00	58050		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE) (Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
23/36	1965.00	23/38	1335.00	0.50 Sq. mm.	2000.00	1.5 Sq. mm.	5325.00
40/36	3015.00	40/38	2215.00	0.75 Sq. mm.	2900.00	2.0 Sq. mm.	8235.00
70/36	4090.00	70/38	3000.00	1.00 Sq. mm.	3580.00	2.5 Sq. mm.	8835.00

CCTV CABLES (Rate Per 90 Mtrs. Coil)

SIZE	RATE
3 + 1	3900.00
4 + 1	4240.00

CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMOURED (100 MTRS.)	UNARMOURED (305 MTRS.)	ARMOURED. (1000 MTRS.)
RG-59	2370	7240	
RG-06	2975	9125	98260
RG-11	6790	20800	153300
RG-06 CCS	1925	5870	
RG-11 CCS	3890	11850	

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMOURED (RATE PER COIL OF 305 MTR.)
CAT-6	12990.00

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

PRABHAT CABLES PVT. LTD.

ESTD : 1958

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153
RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246
ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495
KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS : POLYCAB
IDEAS. CONNECTED.

PRICE LIST

PVC/XLPE ARMOURED CABLES

W. E. F. : 24th February 2025
PCC LP No. 06/ 2024 - 25

6

XLPE ARMOURED Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMOURED CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.
2	218.00	309.00
3	278.00	398.00
4	343.00	514.00
5	417.00	631.00
6	496.00	743.00
7	547.00	838.00
8	699.00	1023.00
10	795.00	1177.00
12	884.00	1368.00
14	1012.00	1590.00
16	1131.00	1807.00
19	1342.00	2128.00
24	1679.00	2663.00
27	1867.00	2987.00
30	2082.00	3592.00
37	2701.00	4196.00
44	3155.00	4900.00
61	4644.00	7105.00

CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
4	419.00	561.00	719.00
6	590.00	809.00	1058.00
10	937.00	1316.00	1680.00
16	1390.00	1926.00	2485.00
CROSS SECTION IN SQ. MM.	**3 CORE**	**3.5 CORE**	**4 CORE**
25	3116.00	3735.00	4108.00
35	4389.00	5013.00	5828.00
50	5933.00	6983.00	7907.00
70	8663.00	10028.00	11414.00
95	12012.00	13755.00	15855.00
120	14729.00	18090.00	19755.00
150	18732.00	21884.00	25094.00
185	23810.00	27859.00	31805.00
240	30929.00	35959.00	41029.00
300	38982.00	45082.00	52171.00
400	50069.00	56979.00	69748.00

H. T. XLPE ARMOURED ALUMINIUM CABLES — RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1587.00	----------	----------
3 x 50	1896.00	----------	----------
3 x 70	2311.00	----------	----------
3 x 95	2621.00	3615.00	4789.00
3 x 120	3164.00	4062.00	5400.00
3 x 150	3707.00	4659.00	5804.00
3 x 185	4226.00	5259.00	6480.00
3 x 240	5121.00	6208.00	7653.00
3 x 300	6057.00	7279.00	8639.00
3 x 400	7579.00	8827.00	10472.00

XLPE ARMOURED Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMOURED CABLES • A2XWY/A2XFY

Cross Section in SQ. MM.	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	--------	184.00	205.00	--------	228.00
4	--------	209.00	224.00	--------	261.00
6	--------	253.00	276.00	--------	330.00
10	--------	320.00	357.00	--------	454.00
16	206.00	364.00	384.00	--------	485.00
25	271.00	389.00	511.00	593.00	635.00
35	328.00	485.00	649.00	721.00	822.00
50	404.00	628.00	844.00	977.00	1098.00
70	517.00	840.00	1158.00	1316.00	1492.00
95	620.00	1038.00	1426.00	1643.00	1861.00
120	719.00	1239.00	1788.00	2058.00	2337.00
150	857.00	1524.00	2196.00	2439.00	2873.00
185	1053.00	1832.00	2718.00	3088.00	3534.00
240	1301.00	2429.00	3471.00	3878.00	4563.00
300	1601.00	2977.00	4289.00	4771.00	5625.00
400	2022.00	3865.00	5483.00	6095.00	7021.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up togather with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	141	0.75	164	1	183	1.5	218	2.5	299
PAIR	2	0.5	206	0.75	247	1	285	1.5	354	2.5	507
PAIR	3	0.5	247	0.75	310	1	369	1.5	471	2.5	700
PAIR	4	0.5	295	0.75	376	1	454	1.5	592	2.5	889
PAIR	5	0.5	345	0.75	446	1	546	1.5	723	2.5	1100
PAIR	6	0.5	398	0.75	519	1	632	1.5	843	2.5	1283
PAIR	8	0.5	489	0.75	650	1	802	1.5	1080	2.5	1657
PAIR	10	0.5	586	0.75	772	1	968	1.5	1317	2.5	2021
PAIR	12	0.5	664	0.75	902	1	1139	1.5	1542	2.5	2409
PAIR	16	0.5	833	0.75	1114	1	1444	1.5	1990	2.5	3115
PAIR	19	0.5	947	0.75	1318	1	1682	1.5	2327	2.5	3652
PAIR	24	0.5	1183	0.75	1656	1	2094	1.5	2924	2.5	4590
TRAID	1	0.5	171	0.75	206	1	232	1.5	288	2.5	398

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.