



PRICE LIST 4 JULY 2024



Auth. Distributors
POLYCAB
IDEAS. CONNECTED.

PRABHAT CABLES PVT. LTD.

HEAD OFFICE : 33, Pathak Wadi, Ismail Building, 1st Floor, Lohar Chawl,
Mumbai - 400 002, Maharashtra, India.

Tel.: +91 22 4922 4200 / 2208 5153 • Email : prabhatcables@gmail.com
info@prabhatcables.com • Website : www.prabhatcables.com

BRANCHES :

RAIPUR

No-707, A Block, Babylon Tower, VIP Chowk,
Telibandha, Raipur, Chhattisgarh - 492001, INDIA
Tel. : +91 98261 99371 / 93005 65001
Email : cg@prabhatcables.com

HUBLI

98-B, Behind Krishna Spinner, J P Nagar, Beside HP Gas Agencies,
Gokul Road, Near Decathlon, HUBLI 580030, Karnataka, INDIA
Tel. : +91 86554 86242 / 86554 86246
Email : hubli@prabhatcables.com

ODISHA

Plot No 328/3675 Koradakanta, Puri Bypass Road,
Bhubaneswar - 751006, INDIA
Tel. : +91 96810 07838 / 86554 86253
Email : abani@prabhatcables.com, odisha@prabhatcables.com

BANGALORE

Karanja Chambers-2, No 16, 2nd Floor, 80 Feet Road,
Basaveshwara Nagar, Bangalore - 560079, INDIA
Tel. : +91 97390 02495
Email : bgr@prabhatcables.com

KALABURGI

Sy No. 51/1, Opposite Mahatma Gandhi, Truck Terminal,
Near Aland Check Post, Ring Road, Kalaburagi (Gulbarga)
Karnataka - 585103, INDIA • Tel. : +91 86554 86249 / 86554 86247
Email : klbg@prabhatcables.com

GUWAHATI

Anil Plaza, A-45, 1st Floor, Near IDBI Bank,
G. S. Road, Guwahati - 781005, INDIA
Tel. : +91 99541 99542
Email : assam@prabhatcables.com



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

4th July 2024

LDC LP No. 07/2024-25

07

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-2010. (100 Mtrs. Coil Price)

COND. AREA SQ.MM.	Cond. Const. (No/Dia mm)	AMPS	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE				
0.50	16/0.2	05	1310	3450	4725	6045	7595	9095	10150	12200	15100	17600	20300	23100	26900	33900				
0.75	24/0.2	08	1835	4610	6405	8230	10750	12910	14600	17200	21300	25000	29100	33200	38900	48600				
1.00	32/0.2	13	2340	5865	8150	10525	13900	16600	18600	22000	27200	32100	37700	42800	50200	63100				
1.50	30/0.25	17	3375	7975	11325	14825	18900	23000	26200	30100	38100	45000	53300	61600	71200	91000				
2.50	50/0.25	24	5555	12900	18100	23950	31000	37100	42400	50700	62500	75200	86800	99300	115200	148900				
4.00	56/0.3	30	8620	19300	27850	36600	48900	58600	70300	-----	-----	-----	-----	-----	-----	-----				
6.00	84/0.3	38	12850	28400	41050	54000	72000	POLYCAB UNARMoured SCREENED CABLES												
10.00	80/0.4	52	22525	48600	70800	93100	124200	CORES	16/.20 MM.		24/.20 MM.		32/.20 MM.		48/.20 MM.		80/.20 MM.			
16.00	126/0.4	70	35200	76100	110700	146100	190500		0.5 Sq. Mm.		0.75 Sq. Mm.		1.0 Sq. Mm.		1.5 Sq. Mm.		2.5 Sq. Mm.			
25.00	196/0.4	88	55400	126800	183700	239900	346300		2	10350		12650		14330		17350		26400		
35.00	276/0.4	110	77400	176500	255100	335300	474500		3	12040		15500		19400		24100		35200		
50.00	396/0.4	145	110400	250700	363400	479900	686700		4	14900		19400		23700		29500		44500		
70.00	354/0.5	215	156100	356100	504100	666400	938900		5	18900		23300		26700		35800		59800		
95.00	484/0.5	260	206000	Flexible copper WELDING CABLES					6	20100		26400		31000		41900		67000		
120.00	608/0.5	305	265400	Conductor Area SQ. MM.		(AMP)			Rate Per Meter		7	21600		30400		35200		46400		75700
150.00	750/0.5	355	332200	16.00		120		426.50		8	25100		36100		40100		53600		79100	
185.00	925/0.5	415	413300	25.00		160		667.00		10	31800		39800		53300		67200		88400	
240.00	1210/0.5	500	539500	35.00		230		921.00		12	36100		45000		57100		75700		103400	
300.00	1527/0.5	585	675100	50.00		400		1309.00		14	39800		53300		67000		90700		124300	
400.00	2036/0.5	695	899400	70.00		600		1850.00		16	42600		62000		75200		100100		146300	
				95.00		700		2438.00		19	50800		73500		88800		124300		188900	
				95.00		700		2438.00		24	61300		82100		111500		152300		236800	

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PPRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

4th July 2024

LDC LP No. 07/2024-25

07

POLYCAB INDUSTRIAL CABLES (MULTISTRAND) PRICE-LIST Dt. : 4th JULY 2024 • LP NO. 07/2024-25							POLYCAB FRLS INSULATED SINGLE CORE Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.				POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:2010.		
CONDUCTOR AREA SQ. MM.	FR 200 Mtrs. Coil	FR 300 Mtrs. Coil	FRLSH 200 Mtrs. Coil	FRLSH 300 Mtrs. Coil	HFFR 200 Mtrs. Coil	HFFR 300 Mtrs. Coil	RATE PER 100 METERS						
							SIZE SQ. MM.	Number/Nom. Dia of Conductor (No./dia mm)	(Amps)	SINGLE CORE	2 CORE	3 CORE	4 CORE
0.75	-----	5420	-----	5585	-----	5880	0.5	16/.2	5	1345	3670	4940	6265
1.00	-----	7110	-----	7320	-----	7625	0.75	24/.2	8	1885	4885	6665	8500
1.50	-----	10460	-----	10775	-----	11245	1	32/.2	13	2370	6125	8440	10815
2.50	-----	16975	-----	17495	-----	18260	1.5	30/.25	17	3405	8305	11675	15075
4.00	17455	-----	17985	-----	18775	-----	2.5	50/.25	24	5640	13375	18525	24425
6.00	26100	-----	26890	-----	28075	-----	4	56/.3	30	8685	19925	28400	37300
10.00	45745	-----	47075	-----	49125	-----	6	84/.3	38	13000	29100	41750	54600
16.00	71785	-----	73900	-----	77120	-----	10	80/.4	52	23050	49500	71800	94500
POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)							16	126/.4	70	35700	78100	113200	148900
Flexible Bare Copper Conductor, PVC Insulated,Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)							25	196/.4	88	56000	129400	187200	244800
Cores	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)		35	276/.4	110	78300	180200	260200	342400
2	5650	7220	8680	11300	17675		50	396/.4	145	111500	255800	370700	489300
3	7010	9520	11500	15265	24480		70	354/.5	215	157800	363200	514100	679800
4	8680	11500	14750	19700	30855		95	484/.5	260	208100	-----	728600	961300
5	10700	14400	17500	23900	39100		120	608/.5	305	267700	-----	925100	1221200
6	12300	16300	20400	28800	46800		150	750/.5	355	335600	-----	1156500	1526600
7	13500	19100	23700	32300	55500		185	925/.5	415	417200	-----	1424400	1882600
8	15300	20600	26400	36300	61800		240	1210/.5	500	544800	-----	1838600	2433900
							300	1527/.5	585	681800	-----	2294400	3038300
							400	2036/.5	695	908400	-----	3057100	4024400

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

MUMBAI HEAD OFFICE : +91 22 4922 4200 / 2208 5153

RAIPUR : +91 98261 99371 / 93005 65001 • HUBLI : +91 86554 86242 / 86554 86246

ODISHA : +91 96810 07838 / 86554 86253 • BANGALORE : +91 97390 02495

KALABURGI : +91 86554 86249 / 86554 86247 • GUWAHATI : +91 99541 99542

AUTH. DISTRIBUTORS :

POLYCAB

IDEAS. CONNECTED.

PRICE-LIST

W. E. F. :

4th July 2024

LDC LP No. 07/2024-25

07

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES

No. of Pair & Size	Rate Per 90 Meter Coil		Rate Per Meter	JELLYFILLED CABLES As per DOT Specification	
	Unarmoured 0.4 MM.	Unarmoured 0.5 MM.	Armoured 0.5 MM.		
1 Pair	684.00	958.50	-----	Unarmoured 0.5 MM.	Armoured 0.5 MM.
2 Pair	1201.50	1701.00	-----	-----	-----
3 Pair	1768.50	2520.00	-----	-----	-----
4 Pair	2263.50	3325.50	-----	-----	-----
5 Pair	2776.50	4126.50	139.00	119.00	174.00
10 Pair	-----	8023.50	264.00	187.00	278.00
RATE PER METER			419.00	-----	405.00
20 Pair	-----	172.60	-----	-----	872.00
50 Pair	-----	447.50	-----	-----	1850.00
100 Pair	-----	876.00	-----	-----	3398.00

3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS

SIZE SQ. MM.	RATE PER 100 MTRS.	SIZE SQ. MM.	RATE PER 100 MTRS.
1.50	9750	16.00	88530
2.50	15130	25.00	138645
4.00	22300	35.00	191735
6.00	32885	50.00	-----
10.00	57240		

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	CCTV CABLES (Rate Per 90 Mtrs. Coil)	
								SIZE	RATE
23/36	1905.00	23/38	1290.00	0.50 Sq. mm.	1930.00	1.5 Sq. mm.	5140.00	3 + 1	3765.00
40/36	2915.00	40/38	2140.00	0.75 Sq. mm.	2800.00	2.0 Sq. mm.	7965.00	4 + 1	4095.00
70/36	3950.00	70/38	2900.00	1.00 Sq. mm.	3460.00	2.5 Sq. mm.	8535.00		

CO-AXIAL CABLES • (RATE PER COIL)

ITEM	UNARMoured (100 MTRS.)	UNARMoured (305 MTRS.)	ARMoured. (1000 MTRS.)
RG-59	2290	7000	
RG-06	2880	8820	95000
RG-11	6560	20100	148200
RG-06 CCS	1865	5680	
RG-11 CCS	3755	11450	

LAN COMPUTER CABLES

ITEM 4 PAIR	UTP
	UNARMoured (RATE PER COIL OF 305 MTR.)
CAT-6	12550.00

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	205.00	289.00	4	392.00	525.00	672.00
3	255.00	373.00	6	536.00	740.00	950.00
4	315.00	467.00	10	856.00	1175.00	1538.00
5	378.00	557.00	16	1250.00	1838.00	2371.00
6	442.00	659.00	CROSS SECTION IN SQ. MM.	3 CORE	3.5 CORE	4 CORE
7	494.00	749.00				
8	636.00	863.00				
10	719.00	1040.00				
12	788.00	1208.00				
14	898.00	1404.00				
16	1008.00	1594.00				
19	1197.00	1880.00				
24	1498.00	2352.00				
27	1649.00	2804.00				
30	1838.00	3371.00	25	2937.00	3520.00	3872.00
37	2483.00	3938.00	35	3982.00	4615.00	5254.00
44	2961.00	4599.00	50	5443.00	6424.00	7282.00
61	4358.00	6668.00	70	7920.00	9035.00	10318.00
			95	10824.00	12511.00	14740.00
			120	13882.00	17050.00	18619.00
			150	17655.00	20625.00	23650.00
			185	22440.00	26257.00	29975.00
			240	29150.00	33891.00	38669.00
			300	36740.00	42489.00	49170.00
			400	47190.00	53702.00	65737.00

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3 x 35	1453.00	-----	-----
3 x 50	1737.00	-----	-----
3 x 70	2116.00	-----	-----
3 x 95	2400.00	3311.00	4386.00
3 x 120	2897.00	3720.00	4945.00
3 x 150	3394.00	4266.00	5315.00
3 x 185	3870.00	4816.00	5934.00
3 x 240	4689.00	5685.00	7009.00
3 x 300	5547.00	6665.00	7912.00
3 x 400	6940.00	8084.00	9589.00

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

Cross Section in SQ. MM.	ALUMINIUM ARMoured CABLES • A2XWY/A2XFY				
	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	163.00	181.00	-----	202.00
4	-----	185.00	198.00	-----	232.00
6	-----	224.00	245.00	-----	292.00
10	-----	284.00	316.00	-----	402.00
16	182.00	323.00	340.00	-----	430.00
25	240.00	344.00	435.00	505.00	541.00
35	290.00	430.00	575.00	639.00	728.00
50	358.00	556.00	748.00	865.00	973.00
70	458.00	744.00	1026.00	1166.00	1322.00
95	549.00	920.00	1263.00	1456.00	1648.00
120	637.00	1098.00	1538.00	1823.00	2010.00
150	759.00	1350.00	1888.00	2161.00	2471.00
185	933.00	1623.00	2339.00	2736.00	3040.00
240	1153.00	2152.00	2986.00	3435.00	3925.00
300	1419.00	2637.00	3689.00	4227.00	4838.00
400	1792.00	3424.00	4716.00	5400.00	6220.00

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	134	0.75	156	1	174	1.5	208	2.5	285
PAIR	2	0.5	196	0.75	235	1	271	1.5	337	2.5	483
PAIR	3	0.5	235	0.75	295	1	351	1.5	449	2.5	667
PAIR	4	0.5	281	0.75	358	1	432	1.5	564	2.5	847
PAIR	5	0.5	329	0.75	425	1	520	1.5	689	2.5	1048
PAIR	6	0.5	379	0.75	494	1	602	1.5	803	2.5	1222
PAIR	8	0.5	466	0.75	619	1	764	1.5	1029	2.5	1578
PAIR	10	0.5	558	0.75	735	1	922	1.5	1254	2.5	1925
PAIR	12	0.5	632	0.75	859	1	1085	1.5	1469	2.5	2294
PAIR	16	0.5	793	0.75	1061	1	1375	1.5	1895	2.5	2967
PAIR	19	0.5	902	0.75	1255	1	1602	1.5	2216	2.5	3478
PAIR	24	0.5	1127	0.75	1577	1	1994	1.5	2785	2.5	4371
TRAIAD	1	0.5	163	0.75	196	1	221	1.5	274	2.5	379

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.