



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel: +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :



PRICE-LIST

W. E. F. :
 3rd SEPTEMBER 2020
 LP NO. 06/2020-21

6

POLYCAB INDUSTRIAL SINGLE CORE & MULTI-CORE FLEXIBLE CABLES • 1100V PVC insulated & Sheathed with Bare Annealed Copper Conductor as per IS:694-1990.

| COND. AREA SQ.MM. | Cond. Const. (No/Dia mm) | AMPS | SINGLE CORE | 2 CORE | 3 CORE | 4 CORE | 5 CORE | 6 CORE | 7 CORE | 8 CORE | 10 CORE | 12 CORE | 14 CORE | 16 CORE | 19 CORE | 24 CORE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|--------------------------|--------------|--------------------|--|-------------|--------|--------|--|--------------------|--------------|--------------------|---------|---------|---------|---------|---------|--------------|--------------------|--------------|--------------------|------------|------------|-------------|--------------|-------------|-------------|-------------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|-------|---|-------|-------|-------|-------|-------|---|-------|-------|-------|-------|-------|---|-------|-------|-------|-------|-------|---|-------|-------|-------|-------|-------|----|-------|-------|-------|-------|-------|----|-------|-------|-------|-------|-------|----|-------|-------|-------|-------|-------|----|-------|-------|-------|-------|-------|----|-------|-------|-------|-------|--------|----|-------|-------|-------|-------|--------|
| 0.50 | 16/0.2 | 05 | 746 | 2170 | 2912 | 3745 | 4500 | 5400 | 6250 | 7000 | 8600 | 10100 | 11900 | 13300 | 15500 | 19600 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.75 | 24/0.2 | 08 | 1076 | 3055 | 3970 | 5150 | 6200 | 7650 | 8650 | 9700 | 12100 | 14200 | 16600 | 18700 | 21700 | 27400 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.00 | 32/0.2 | 13 | 1410 | 3740 | 4955 | 6200 | 8000 | 9410 | 10900 | 12400 | 15200 | 18000 | 21000 | 24000 | 28200 | 35600 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.50 | 30/0.25 | 17 | 1990 | 4835 | 6755 | 8700 | 11045 | 13300 | 15200 | 17500 | 21300 | 25300 | 29500 | 33600 | 39800 | 50000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.50 | 50/0.25 | 24 | 3275 | 7600 | 10700 | 14000 | 17800 | 21500 | 24500 | 28200 | 35200 | 41200 | 48500 | 55300 | 65500 | 82000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.00 | 56/0.3 | 30 | 5030 | 11400 | 16400 | 21400 | 28200 | 33600 | 38200 | 45000 | | | ----- | ----- | ----- | ----- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.00 | 84/0.3 | 38 | 7424 | 16500 | 24400 | 31900 | 41500 | POLYCAB UNARMoured SCREENED CABLES • (Rate Per 100 Mtrs.) <table border="1"> <thead> <tr> <th rowspan="2">CORES</th> <th>16/.20 MM.</th> <th>24/.20 MM.</th> <th>32/.20 MM.</th> <th>48/.20 MM.</th> <th>80/.20 MM.</th> </tr> <tr> <th>0.5 Sq. Mm.</th> <th>0.75 Sq. Mm.</th> <th>1.0 Sq. Mm.</th> <th>1.5 Sq. Mm.</th> <th>2.5 Sq. Mm.</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>6200</td> <td>7400</td> <td>8500</td> <td>10700</td> <td>15000</td> </tr> <tr> <td>3</td> <td>7000</td> <td>9400</td> <td>10700</td> <td>14200</td> <td>20500</td> </tr> <tr> <td>4</td> <td>8600</td> <td>11000</td> <td>13300</td> <td>17100</td> <td>26400</td> </tr> <tr> <td>5</td> <td>12200</td> <td>14100</td> <td>15800</td> <td>20800</td> <td>32000</td> </tr> <tr> <td>6</td> <td>13200</td> <td>16500</td> <td>19200</td> <td>23800</td> <td>40000</td> </tr> <tr> <td>7</td> <td>13800</td> <td>17800</td> <td>20500</td> <td>28000</td> <td>42800</td> </tr> <tr> <td>8</td> <td>15800</td> <td>19000</td> <td>23500</td> <td>32000</td> <td>49700</td> </tr> <tr> <td>10</td> <td>17500</td> <td>23500</td> <td>29800</td> <td>38200</td> <td>64000</td> </tr> <tr> <td>12</td> <td>19700</td> <td>26100</td> <td>32500</td> <td>42600</td> <td>71400</td> </tr> <tr> <td>14</td> <td>27000</td> <td>30000</td> <td>38100</td> <td>51000</td> <td>85400</td> </tr> <tr> <td>16</td> <td>30000</td> <td>35200</td> <td>42400</td> <td>59200</td> <td>99200</td> </tr> <tr> <td>19</td> <td>33000</td> <td>39000</td> <td>52800</td> <td>69600</td> <td>123500</td> </tr> <tr> <td>24</td> <td>36000</td> <td>47200</td> <td>63200</td> <td>81400</td> <td>147800</td> </tr> </tbody> </table> | | | | | | | | | CORES | 16/.20 MM. | 24/.20 MM. | 32/.20 MM. | 48/.20 MM. | 80/.20 MM. | 0.5 Sq. Mm. | 0.75 Sq. Mm. | 1.0 Sq. Mm. | 1.5 Sq. Mm. | 2.5 Sq. Mm. | 2 | 6200 | 7400 | 8500 | 10700 | 15000 | 3 | 7000 | 9400 | 10700 | 14200 | 20500 | 4 | 8600 | 11000 | 13300 | 17100 | 26400 | 5 | 12200 | 14100 | 15800 | 20800 | 32000 | 6 | 13200 | 16500 | 19200 | 23800 | 40000 | 7 | 13800 | 17800 | 20500 | 28000 | 42800 | 8 | 15800 | 19000 | 23500 | 32000 | 49700 | 10 | 17500 | 23500 | 29800 | 38200 | 64000 | 12 | 19700 | 26100 | 32500 | 42600 | 71400 | 14 | 27000 | 30000 | 38100 | 51000 | 85400 | 16 | 30000 | 35200 | 42400 | 59200 | 99200 | 19 | 33000 | 39000 | 52800 | 69600 | 123500 | 24 | 36000 | 47200 | 63200 | 81400 | 147800 |
| CORES | 16/.20 MM. | 24/.20 MM. | 32/.20 MM. | 48/.20 MM. | 80/.20 MM. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.5 Sq. Mm. | 0.75 Sq. Mm. | 1.0 Sq. Mm. | 1.5 Sq. Mm. | 2.5 Sq. Mm. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 6200 | 7400 | 8500 | 10700 | 15000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 7000 | 9400 | 10700 | 14200 | 20500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | 8600 | 11000 | 13300 | 17100 | 26400 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 12200 | 14100 | 15800 | 20800 | 32000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | 13200 | 16500 | 19200 | 23800 | 40000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | 13800 | 17800 | 20500 | 28000 | 42800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | 15800 | 19000 | 23500 | 32000 | 49700 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | 17500 | 23500 | 29800 | 38200 | 64000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | 19700 | 26100 | 32500 | 42600 | 71400 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14 | 27000 | 30000 | 38100 | 51000 | 85400 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16 | 30000 | 35200 | 42400 | 59200 | 99200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 19 | 33000 | 39000 | 52800 | 69600 | 123500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 24 | 36000 | 47200 | 63200 | 81400 | 147800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10.00 | 80/0.4 | 52 | 13000 | 28500 | 41400 | 54300 | 71000 | 3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS <table border="1"> <thead> <tr> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> </tr> </thead> <tbody> <tr> <td>1.50</td> <td>7000</td> <td>16.00</td> <td>65200</td> </tr> <tr> <td>2.50</td> <td>11200</td> <td>25.00</td> <td>103000</td> </tr> <tr> <td>4.00</td> <td>16100</td> <td>35.00</td> <td>142500</td> </tr> <tr> <td>6.00</td> <td>23700</td> <td>50.00</td> <td>-----</td> </tr> <tr> <td>10.00</td> <td>42100</td> <td>-----</td> <td>-----</td> </tr> </tbody> </table> | | | | | | | | | SIZE SQ. MM. | RATE PER 100 MTRS. | SIZE SQ. MM. | RATE PER 100 MTRS. | 1.50 | 7000 | 16.00 | 65200 | 2.50 | 11200 | 25.00 | 103000 | 4.00 | 16100 | 35.00 | 142500 | 6.00 | 23700 | 50.00 | ----- | 10.00 | 42100 | ----- | ----- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SIZE SQ. MM. | RATE PER 100 MTRS. | SIZE SQ. MM. | RATE PER 100 MTRS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.50 | 7000 | 16.00 | 65200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.50 | 11200 | 25.00 | 103000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.00 | 16100 | 35.00 | 142500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.00 | 23700 | 50.00 | ----- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10.00 | 42100 | ----- | ----- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16.00 | 126/0.4 | 70 | 20000 | 46000 | 64400 | 83700 | 110000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 25.00 | 196/0.4 | 88 | 31900 | 72000 | 101600 | 134200 | 176000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 35.00 | 276/0.4 | 110 | 44200 | 100000 | 141500 | 191500 | 245000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 50.00 | 396/0.4 | 145 | 62500 | ----- | 203500 | 264600 | 355000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70.00 | 354/0.5 | 215 | 88500 | ----- | 293300 | 385000 | 512000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 95.00 | 484/0.5 | 260 | 117500 | 3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS <table border="1"> <thead> <tr> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> <th>SIZE SQ. MM.</th> <th>RATE PER 100 MTRS.</th> </tr> </thead> <tbody> <tr> <td>1.50</td> <td>7000</td> <td>16.00</td> <td>65200</td> </tr> <tr> <td>2.50</td> <td>11200</td> <td>25.00</td> <td>103000</td> </tr> <tr> <td>4.00</td> <td>16100</td> <td>35.00</td> <td>142500</td> </tr> <tr> <td>6.00</td> <td>23700</td> <td>50.00</td> <td>-----</td> </tr> <tr> <td>10.00</td> <td>42100</td> <td>-----</td> <td>-----</td> </tr> </tbody> </table> | | | | SIZE SQ. MM. | RATE PER 100 MTRS. | SIZE SQ. MM. | RATE PER 100 MTRS. | 1.50 | 7000 | 16.00 | 65200 | 2.50 | 11200 | 25.00 | 103000 | 4.00 | 16100 | 35.00 | 142500 | 6.00 | 23700 | 50.00 | ----- | 10.00 | 42100 | ----- | ----- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SIZE SQ. MM. | RATE PER 100 MTRS. | SIZE SQ. MM. | RATE PER 100 MTRS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1.50 | 7000 | 16.00 | 65200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.50 | 11200 | 25.00 | 103000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.00 | 16100 | 35.00 | 142500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.00 | 23700 | 50.00 | ----- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10.00 | 42100 | ----- | ----- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 120.00 | 608/0.5 | 305 | 156000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 150.00 | 750/0.5 | 355 | 192000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 185.00 | 925/0.5 | 415 | 238000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 240.00 | 1210/0.5 | 500 | 311200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 300.00 | 1527/0.5 | 585 | 367000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 400.00 | 2036/0.5 | 695 | 488500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE)

(Rate per 90 Meters)

| SIZE | RATE | SIZE | RATE | SIZE | RATE | SIZE | RATE |
|-------|---------|-------|---------|--------------|---------|-------------|---------|
| 23/36 | 1620.00 | 23/38 | 1260.00 | 0.50 Sq. mm. | 1650.00 | 1.5 Sq. mm. | 4300.00 |
| 40/36 | 2530.00 | 40/38 | 1935.00 | 0.75 Sq. mm. | 2400.00 | 2.0 Sq. mm. | 5900.00 |
| 70/36 | 4370.00 | 70/38 | 3000.00 | 1.00 Sq. mm. | 3000.00 | 2.5 Sq. mm. | 7200.00 |

CCTV CABLES (Rate Per 90 Mtrs. Coil)

| SIZE | RATE |
|-------|---------|
| 3 + 1 | 3400.00 |
| 4 + 1 | 3700.00 |

LAN COMPUTER CABLES

| ITEM 4 PAIR | UTP | UTP | STP |
|-------------|-------------------------|-----------------------|------------------|
| | Unarmoured Rate 305 Mtr | Armoured Rate 100 Mtr | Rate Per 305 Mtr |
| CAT-5E | 8500 | 85.00 | 12000 |
| CAT-6 | 8800 | 87.00 | 12500 |



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel: +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :



PRICE-LIST

W. E. F. :
 3rd SEPTEMBER 2020
 LP NO. 06/2020-21

6

POLYCAB INDUSTRIAL CABLES (MULTISTRAND)

| CONDUCTOR AREA SQ. MM. | FR 90 Mtrs. Coil | FR 200 Mtrs. Coil | FR 300 Mtrs. Coil | FRLSH 200 Mtrs. Coil | FRLSH 300 Mtrs. Coil | FRZH 200 Mtrs. Coil | FRZH 300 Mtrs. Coil |
|------------------------|------------------|-------------------|-------------------|----------------------|----------------------|---------------------|---------------------|
| 0.75 | 856 | ----- | 2835 | ----- | 2875 | ----- | 2910 |
| 1.00 | 1160 | ----- | 3875 | ----- | 3930 | ----- | 3980 |
| 1.50 | 1691 | ----- | 5675 | ----- | 5755 | ----- | 5830 |
| 2.50 | 2667 | ----- | 9225 | ----- | 9355 | ----- | 9475 |
| 4.00 | 3904 | 8955 | ----- | 9045 | ----- | 9195 | ----- |
| 6.00 | 5830 | 13310 | ----- | 13445 | ----- | 13670 | ----- |
| 10.00 | 10250 | 24915 | ----- | 25165 | ----- | 25590 | ----- |
| 16.00 | 15150 | 38780 | ----- | 39170 | ----- | 39825 | ----- |

POLYCAB FRLS INSULATED SINGLE CORE
 Unsheathed Industrial Flexible Cable conforming to IS 694:1990 with Flexible Bright Annealed Copper Conductor for Voltage Grade upto 1100 Volts.

POLYCAB PVC INSULATED & FRLS MULTI CORE Round Sheathed Bright Annealed Bare Copper Conductor Heavy Duty Industrial Cables for Voltage Grade upto 1100 Volts as per IS: 694:1990.

RATE PER 100 METERS

| SIZE SQ. MM. | Number/Nom. Dia of Conductor (No./dia mm) | (Amps) | SINGLE CORE | 2 CORE | 3 CORE | 4 CORE |
|--------------|---|--------|-------------|--------|---------|---------|
| 0.5 | 16/.2 | 5 | 770 | 2335 | 3130 | 4025 |
| 0.75 | 24/.2 | 8 | 1115 | 3280 | 4270 | 5535 |
| 1 | 32/.2 | 13 | 1460 | 4020 | 5325 | 6665 |
| 1.5 | 30/.25 | 17 | 2060 | 5080 | 7095 | 9135 |
| 2.5 | 50/.25 | 24 | 3390 | 7980 | 11200 | 14700 |
| 4 | 56/.3 | 30 | 5205 | 12000 | 17200 | 22500 |
| 6 | 84/.3 | 38 | 7685 | 17300 | 25600 | 33500 |
| 10 | 80/.4 | 52 | 13500 | 29900 | 43500 | 57000 |
| 16 | 126/.4 | 70 | 20700 | 48300 | 67600 | 87800 |
| 25 | 196/.4 | 88 | 33000 | 75600 | 106700 | 140900 |
| 35 | 276/.4 | 110 | 45700 | 105000 | 148600 | 201000 |
| 50 | 396/.4 | 145 | 64700 | ----- | 213600 | 277800 |
| 70 | 354/.5 | 215 | 91600 | ----- | 308000 | 404300 |
| 95 | 484/.5 | 260 | 121600 | ----- | 399000 | 526500 |
| 120 | 608/.5 | 305 | 161500 | ----- | 510000 | 672000 |
| 150 | 750/.5 | 355 | 198700 | ----- | 648000 | 855600 |
| 185 | 925/.5 | 415 | 246300 | ----- | 780000 | 1035400 |
| 240 | 1210/.5 | 500 | 322100 | ----- | 1030000 | 1363500 |
| 300 | 1527/.5 | 585 | 379800 | ----- | 1282000 | 1627000 |
| 400 | 2036/.5 | 695 | 505600 | ----- | 1710000 | 2164000 |

Flexible copper conductor TPR insulated WELDING CABLES 1100 V as per IS : 9857

| Conductor Area SQ. MM. | (AMP) | Rate Per Meter | Conductor Area SQ. MM. | (AMP) | Rate Per Meter |
|------------------------|-------|----------------|------------------------|-------|----------------|
| 16.00 | 120 | 258.00 | 50.00 | 400 | 764.00 |
| 25.00 | 160 | 382.00 | 70.00 | 600 | 1063.00 |
| 35.00 | 230 | 538.00 | 95.00 | 700 | 1433.00 |

POLYCAB Brand Solid Annealed Bare Copper Industrial TELEPHONE CABLES (RATE PER METER)

| No. of Pair & Size | Unarmoured | Unarmoured | Armoured | JELLY FILLED CABLES | |
|--------------------|------------|------------|----------|--------------------------|------------------|
| | 0.4 MM. | 0.5 MM. | 0.5 MM. | As per DOT Specification | |
| | | | | Unarmoured 0.5 MM. | Armoured 0.5 MM. |
| 1 Pair | 6.10 | 8.15 | ----- | | |
| 2 Pair | 10.15 | 14.21 | 75.25 | | |
| 3 Pair | 15.00 | 21.00 | ----- | | |
| 4 Pair | 19.20 | 27.50 | ----- | | |
| 5 Pair | 23.50 | 34.40 | 116.00 | 60.00 | 105.00 |
| 10 Pair | 47.20 | 67.00 | 170.00 | 98.00 | 150.00 |
| 20 Pair | 87.30 | 122.00 | 226.00 | 170.00 | 230.00 |
| 50 Pair | ----- | 320.00 | ----- | 386.00 | 461.00 |
| 100 Pair | ----- | 620.00 | ----- | 742.00 | 830.00 |
| 200 Pair | ----- | ----- | ----- | 1443.00 | 1581.00 |

| | | | | | | |
|-----|---------|-----|--------|-------|---------|---------|
| 95 | 484/.5 | 260 | 121600 | ----- | 399000 | 526500 |
| 120 | 608/.5 | 305 | 161500 | ----- | 510000 | 672000 |
| 150 | 750/.5 | 355 | 198700 | ----- | 648000 | 855600 |
| 185 | 925/.5 | 415 | 246300 | ----- | 780000 | 1035400 |
| 240 | 1210/.5 | 500 | 322100 | ----- | 1030000 | 1363500 |
| 300 | 1527/.5 | 585 | 379800 | ----- | 1282000 | 1627000 |
| 400 | 2036/.5 | 695 | 505600 | ----- | 1710000 | 2164000 |

CO-AXIAL CABLES • (RATE PER COIL)

| ITEM | UNARMoured (100 MTRS.) | UNARMoured (305 MTRS.) | ARMoured. (100 MTRS.) |
|-----------|------------------------|------------------------|-----------------------|
| RG-59 | 1885 | 5750 | 8300 |
| RG-06 | 2300 | 7015 | 9000 |
| RG-11 | 4900 | 14950 | 12900 |
| RG-06 CCS | 1515 | 4620 | ----- |
| RG-11 CCS | 2950 | 9000 | ----- |

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
Tel: +91 22 4922 4200/2208 5153 • Fax : +91 22 2208 2660
Email : prabhatcables@gmail.com • info@prabhatcables.com



www.prabhatcables.com

AUTH. DISTRIBUTORS :



PRICE-LIST

W. E. F. :
3rd SEPTEMBER 2020
LP NO. 06/2020-21

6

PRICE-LIST POLYCAB INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

Str/Solid Cu PVC/XLPE Insulated Pair/Triad/Quad laid up together with Al Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

OVERALL SHIELDED-UNARMOURED INSTRUMENTATION CABLES

| TYPE | No. | SIZE | RATE | SIZE | RATE | SIZE | RATE | SIZE | RATE | SIZE | RATE |
|--------|-----|------|------|------|------|------|------|------|------|------|------|
| PAIR | 1 | 0.5 | 84 | 0.75 | 97 | 1 | 106 | 1.5 | 127 | 2.5 | 171 |
| PAIR | 2 | 0.5 | 123 | 0.75 | 146 | 1 | 165 | 1.5 | 206 | 2.5 | 293 |
| PAIR | 3 | 0.5 | 146 | 0.75 | 178 | 1 | 207 | 1.5 | 266 | 2.5 | 385 |
| PAIR | 4 | 0.5 | 171 | 0.75 | 215 | 1 | 253 | 1.5 | 329 | 2.5 | 484 |
| PAIR | 5 | 0.5 | 199 | 0.75 | 252 | 1 | 300 | 1.5 | 394 | 2.5 | 577 |
| PAIR | 6 | 0.5 | 227 | 0.75 | 291 | 1 | 346 | 1.5 | 459 | 2.5 | 677 |
| PAIR | 7 | 0.5 | 246 | 0.75 | 318 | 1 | 383 | 1.5 | 513 | 2.5 | 765 |
| PAIR | 8 | 0.5 | 277 | 0.75 | 361 | 1 | 436 | 1.5 | 575 | 2.5 | 866 |
| PAIR | 10 | 0.5 | 331 | 0.75 | 422 | 1 | 517 | 1.5 | 696 | 2.5 | 1065 |
| PAIR | 12 | 0.5 | 372 | 0.75 | 488 | 1 | 602 | 1.5 | 815 | 2.5 | 1249 |
| PAIR | 14 | 0.5 | 402 | 0.75 | 549 | 1 | 680 | 1.5 | 933 | 2.5 | 1436 |
| PAIR | 16 | 0.5 | 456 | 0.75 | 616 | 1 | 766 | 1.5 | 1045 | 2.5 | 1628 |
| PAIR | 19 | 0.5 | 516 | 0.75 | 713 | 1 | 889 | 1.5 | 1220 | 2.5 | 1904 |
| PAIR | 24 | 0.5 | 644 | 0.75 | 890 | 1 | 1102 | 1.5 | 1531 | 2.5 | 2392 |
| TRAIID | 1 | 0.5 | 100 | 0.75 | 117 | 1 | 129 | 1.5 | 162 | 2.5 | 221 |
| QUAD | 1 | 0.5 | 113 | 0.75 | 134 | 1 | 155 | 1.5 | 195 | 2.5 | 273 |

| TYPE | No. | SIZE | RATE | SIZE | RATE | SIZE | RATE | SIZE | RATE | SIZE | RATE |
|------|-----|------|------|------|------|------|------|------|------|------|------|
| PAIR | 2 | 0.5 | 76 | 0.75 | 95 | 1 | 115 | 1.5 | 162 | 2.5 | 220 |
| PAIR | 3 | 0.5 | 100 | 0.75 | 127 | 1 | 162 | 1.5 | 209 | 2.5 | 313 |
| PAIR | 4 | 0.5 | 115 | 0.75 | 162 | 1 | 209 | 1.5 | 267 | 2.5 | 406 |
| PAIR | 6 | 0.5 | 173 | 0.75 | 220 | 1 | 313 | 1.5 | 394 | 2.5 | 590 |
| PAIR | 12 | 0.5 | 304 | 0.75 | 416 | 1 | 546 | 1.5 | 742 | 2.5 | 1146 |

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Rate/100m)

| Cores | 0.5 sq.mm (16/.2) | 0.75 sq.mm (24/.2) | 1.0 sq.mm (32/.2) | 1.5 sq.mm (30/.25) | 2.5 sq.mm (50/.25) |
|-------|-------------------|--------------------|-------------------|--------------------|--------------------|
| 2 | 4270 | 5000 | 6000 | 7700 | 11800 |
| 3 | 5350 | 6500 | 7900 | 10400 | 16200 |
| 4 | 6500 | 8000 | 9900 | 13000 | 20800 |
| 5 | 7600 | 9400 | 11800 | 16000 | 25500 |
| 6 | 8800 | 11000 | 14000 | 19000 | 30000 |
| 7 | 9700 | 12400 | 15800 | 21400 | 34000 |
| 8 | 11300 | 14000 | 17500 | 24000 | 38400 |

TERMS & CONDITIONS :

(1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PRABHAT CABLES PVT. LTD.

33, Pathak Wadi, Lohar Chawl, Mumbai-400 002, Maharashtra, India.
 Tel: +91 22 4922 4200/2208 5153 Fax : +91 22 2208 2660
 Email : prabhatcables@gmail.com • info@prabhatcables.com
 Website : www.prabhatcables.com



AUTH. DISTRIBUTORS :
POLYCAB
 WIRES & CABLES

PRICE LIST
PVC/XLPE ARMoured CABLES
 W. E. F. : 1st SEPTEMBER 2020
 LP NO. 02/2020-21 REVISED

2

XLPE ARMoured Cables with COPPER Conductor 650/1100 V. Grade conforming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

| NO. OF CORES | 1.5 SQ. MM. | 2.5 SQ. MM. | CROSS SECTION IN SQ. MM. | 2 CORE | 3 CORE | 4 CORE |
|--------------|-------------|-------------|---------------------------------|---------------|-----------------|---------------|
| 2 | 82.00 | 112.00 | 4 | 145.00 | 198.00 | 254.00 |
| 3 | 106.00 | 146.00 | 6 | 205.00 | 282.00 | 366.00 |
| 4 | 128.00 | 182.00 | 10 | 320.00 | 450.00 | 570.00 |
| 5 | 158.00 | 222.00 | 16 | 452.00 | 616.00 | 802.00 |
| 6 | 185.00 | 262.00 | | | | |
| 7 | 202.00 | 288.00 | CROSS SECTION IN SQ. MM. | 3 CORE | 3.5 CORE | 4 CORE |
| 8 | 230.00 | 356.00 | 25 | 994.00 | 1180.00 | 1287.00 |
| 10 | 266.00 | 386.00 | 35 | 1392.00 | 1598.00 | 1850.00 |
| 12 | 300.00 | 457.00 | 50 | 1900.00 | 2288.00 | 2539.00 |
| 14 | 333.00 | 524.00 | 70 | 2735.00 | 3225.00 | 3760.00 |
| 16 | 390.00 | 620.00 | 95 | 3722.00 | 4350.00 | 4918.00 |
| 19 | 456.00 | 705.00 | 120 | 4558.00 | 5562.00 | 6070.00 |
| 24 | 552.00 | 880.00 | 150 | 5707.00 | 7068.00 | 7610.00 |
| 27 | 599.00 | 954.00 | 185 | 7158.00 | 8370.00 | 9781.00 |
| 30 | 686.00 | 1100.00 | 240 | 9316.00 | 10730.00 | 12400.00 |
| 37 | 837.00 | 1344.00 | 300 | 11650.00 | 13395.00 | 15645.00 |
| 44 | 1016.00 | 1661.00 | 400 | 15475.00 | 17700.00 | 20447.00 |
| 61 | 1387.00 | 2263.00 | | | | |

XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade conforming to IS : 7098 (Part-1) 1988

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

| Cross Section in SQ. MM. | 1 CORE | 2 CORE | 3 CORE | 3.5 CORE | 4 CORE |
|--------------------------|--------|---------|---------|----------|---------|
| 2.5 | ----- | 72.00 | 80.00 | ----- | 92.00 |
| 4 | ----- | 78.00 | 86.00 | ----- | 99.00 |
| 6 | ----- | 91.00 | 100.00 | ----- | 113.00 |
| 10 | ----- | 108.00 | 126.00 | ----- | 141.00 |
| 16 | 71.00 | 124.00 | 134.00 | ----- | 161.00 |
| 25 | 91.00 | 139.00 | 181.00 | 203.00 | 220.00 |
| 35 | 103.00 | 161.00 | 215.00 | 242.00 | 269.00 |
| 50 | 125.00 | 200.00 | 272.00 | 314.00 | 347.00 |
| 70 | 160.00 | 268.00 | 366.00 | 427.00 | 470.00 |
| 95 | 180.00 | 344.00 | 454.00 | 515.00 | 573.00 |
| 120 | 216.00 | 409.00 | 543.00 | 644.00 | 702.00 |
| 150 | 257.00 | 494.00 | 670.00 | 762.00 | 865.00 |
| 185 | 314.00 | 616.00 | 819.00 | 951.00 | 1074.00 |
| 240 | 385.00 | 801.00 | 1047.00 | 1197.00 | 1371.00 |
| 300 | 469.00 | 976.00 | 1265.00 | 1467.00 | 1653.00 |
| 400 | 589.00 | 1229.00 | 1608.00 | 1868.00 | 2100.00 |

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

| Cond. Cross Section in SQ. MM. | 3.3 KV (E/UE) | 6.6 KV (E) | 6.6 KV (UE) 11 KV (E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) |
|--------------------------------|---------------|------------|-----------------------|------------|-----------|-----------|
| 3 x 35 | ----- | ----- | 560.00 | ----- | ----- | ----- |
| 3 x 50 | ----- | ----- | 633.00 | ----- | ----- | ----- |
| 3 x 70 | 704.00 | 704.00 | 752.00 | ----- | ----- | ----- |
| 3 x 95 | 838.00 | 838.00 | 890.00 | 1151.00 | 1198.00 | 1597.00 |
| 3 x 120 | 979.00 | 979.00 | 1026.00 | 1338.00 | 1367.00 | 1822.00 |
| 3 x 150 | 1104.00 | 1104.00 | 1147.00 | 1479.00 | 1508.00 | 1929.00 |
| 3 x 185 | 1274.00 | 1274.00 | 1335.00 | 1653.00 | 1690.00 | 2130.00 |
| 3 x 240 | 1541.00 | 1541.00 | 1601.00 | 1945.00 | 1981.00 | 2437.00 |
| 3 x 300 | 1838.00 | 1838.00 | 1862.00 | 2236.00 | 2272.00 | 2737.00 |
| 3 x 400 | 2298.00 | 2298.00 | 2341.00 | 2629.00 | 2676.00 | 3169.00 |

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.